

## Product datasheet for **SC334956**

### **PDLIM5 (NM\_001256425) Human Untagged Clone**

#### **Product data:**

<b>Product Type:</b>	Expression Plasmids
<b>Product Name:</b>	PDLIM5 (NM_001256425) Human Untagged Clone
<b>Tag:</b>	Tag Free
<b>Symbol:</b>	PDLIM5
<b>Synonyms:</b>	ENH; ENH1; L9; LIM
<b>Mammalian Cell Selection:</b>	Neomycin
<b>Vector:</b>	pCMV6-Entry (PS100001)
<b>E. coli Selection:</b>	Kanamycin (25 ug/mL)
<b>Fully Sequenced ORF:</b>	>NCBI ORF sequence for NM_001256425, the custom clone sequence may differ by one or more nucleotides

```
ATGCCCGAGAGCCTGGACAGCCCAACCTCTGGCAGACCAGGGTTACCAGCCTCACAACCTGCAGCTGCCT
TCAAGCCTGTAGGATCCACTGGCGTCATCAAGTCACCAAGCTGGCAACGGCCAAACCAAGGAGTACCTTC
CACTGGAAGAATCTCAACAGCGCTACTTACTCAGGATCAGTGGCACCAGCCAACCTCAGCTTTGGGACAA
ACCCAGCCAAGTGACCAGGACACTTTAGTGCAAAGAGCTGAGCACATTCCAGCAGGGAAACGAACTCCGA
TGTGCGCCATTGTAACCAAGTTCATCAGAGGACCATTCTAGTGGCACTGGGAAATCTTGGCACCCAGA
AGAATTCAACTGCGCTCACTGCAAAAATAACAATGGCCTACATTGGATTTGTAGAGGAGAAAGGAGCCCTG
TATTGTGAGCTGTGCTATGAGAAATCTTTGCCCTGAATGTGGTCGATGCCAAAGGAAGATCCTTGGAG
AAGTCATCAGTGGTTGAAACAACTTGGCATGTTTCTGTTTTGTGTGTAGCCTGTGAAAGCCCAT
TCGGAACAATGTTTTCACTTGGAGGATGGTGAACCCTACTGTGAGACTGATTATTATGCCCTCTTGGT
ACTATATGCCATGGATGTGAATTTCCCATAGAAGCTGGTACATGTTCTGGAAGCTCTGGGCTACACCT
GGCATGACACTTGCTTTGTATGCTCAGTGTGTTGTGAAAGTTTGGAAAGTTCAGACCTTTTCTCCAAGAA
GGACAAGCCCCTGTGTAAGAAACATGCTCATTCTGTGAATTTTGA
```

<b>Restriction Sites:</b>	Sgfl-MluI
<b>ACCN:</b>	NM_001256425
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).



[View online »](#)

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u>NM_001256425.1, NP_001243354.1</u>
<b>RefSeq Size:</b>	5713 bp
<b>RefSeq ORF:</b>	816 bp
<b>Locus ID:</b>	10611
<b>Cytogenetics:</b>	4q22.3
<b>Protein Families:</b>	Druggable Genome
<b>Gene Summary:</b>	<p>This gene encodes a member of a family of proteins that possess a 100-amino acid PDZ domain at the N terminus and one to three LIM domains at the C-terminus. This family member functions as a scaffold protein that tethers protein kinases to the Z-disk in striated muscles. It is thought to function in cardiomyocyte expansion and in restraining postsynaptic growth of excitatory synapses. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Jan 2012]</p> <p>Transcript Variant: This variant (3) lacks an alternate exon in the 5' coding region and uses a downstream in-frame start codon, compared to variant 1. The encoded isoform (c) is shorter at the N-terminus, compared to isoform a. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>