

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for SC335029

Eph receptor A7 (EPHA7) (NM_001288630) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids	
Product Name:	Eph receptor A7 (EPHA7) (NM_001288630) Human Untagged Clone	
Tag:	Tag Free	
Symbol:	Eph receptor A7	
Synonyms:	EHK-3; EHK3; EK11; HEK11	
Mammalian Cell Selection:	Neomycin	
Vector:	pCMV6-Entry (PS100001)	
E. coli Selection:	Kanamycin (25 ug/mL)	
Fully Sequenced ORF:	>NCBI ORF sequence for NM_001288630, the custom clone sequence may differ by one or more nucleotides	

Restriction	Sites:
ACCN:	

NM 001288630

Sgfl-Mlul

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).



liew online/

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

ORIGENE Eph ree	ceptor A7 (EPHA7) (NM_001288630) Human Untagged Clone – SC335029
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 001288630.1, NP 001275559.1</u>
RefSeq Size:	1935 bp
RefSeq ORF:	840 bp
Locus ID:	2045
UniProt ID:	<u>Q15375</u>
Cytogenetics:	6q16.1
Protein Families:	Druggable Genome, Protein Kinase, Transmembrane
Protein Pathways:	Axon guidance
Gene Summary:	This gene belongs to the ephrin receptor subfamily of the protein-tyrosine kinase family. EPH and EPH-related receptors have been implicated in mediating developmental events, particularly in the nervous system. Receptors in the EPH subfamily typically have a single kinase domain and an extracellular region containing a Cys-rich domain and 2 fibronectin type III repeats. The ephrin receptors are divided into 2 groups based on the similarity of their extracellular domain sequences and their affinities for binding ephrin-A and ephrin-B ligands. Increased expression of this gene is associated with multiple forms of carcinoma. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2013] Transcript Variant: This variant (3) lacks several exons and includes an alternate 3' terminal exon, compared to variant 1. It encodes isoform 3 which is shorter and has a distinct C- terminus, compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US