

Product datasheet for SC335064

Product datasneet for 3C333004

ARA9 (AIP) (NM_001302960) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: ARA9 (AIP) (NM_001302960) Human Untagged Clone

Tag: Tag Free Symbol: ARA9

Synonyms: ARA9; FKBP16; FKBP37; PITA1; SMTPHN; XAP-2; XAP2

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001302960, the custom clone sequence may differ by one or

more nucleotides

GGCCCAGGCTGA

Restriction Sites: Sgfl-Mlul

ACCN: NM_001302960

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

ARA9 (AIP) (NM_001302960) Human Untagged Clone - SC335064

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001302960.1</u>, <u>NP 001289889.1</u>

 RefSeq Size:
 1247 bp

 RefSeq ORF:
 852 bp

 Locus ID:
 9049

 UniProt ID:
 000170

Cytogenetics:

Protein Families: Druggable Genome, Transcription Factors

11q13.2

Gene Summary: The protein encoded by this gene is a receptor for aryl hydrocarbons and a ligand-activated

transcription factor. The encoded protein is found in the cytoplasm as part of a multiprotein complex, but upon binding of ligand is transported to the nucleus. This protein can regulate the expression of many xenobiotic metabolizing enzymes. Also, the encoded protein can bind specifically to and inhibit the activity of hepatitis B virus. Three transcript variants encoding

different isoforms have been found for this gene. [provided by RefSeq, Dec 2014]

Transcript Variant: This variant (3) uses an alternate splice junction in the 3' end of the coding

sequence compared to variant 1. The resulting isoform (3) has a shorter and distinct C-

terminus compared to isoform 1.