

# **Product datasheet for SC335204**

## PPP1R7 (NM 001282413) Human Untagged Clone

### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** PPP1R7 (NM\_001282413) Human Untagged Clone

Tag:Tag FreeSymbol:PPP1R7Synonyms:SDS22

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC335204 representing NM\_001282413.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

AGGTTCTGA

**ACGCGTACGCGGCCGCTC**GAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### Plasmid Map:



**ACCN:** NM\_001282413

**Insert Size:** 906 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001282413.1</u>

RefSeq Size: 1878 bp
RefSeq ORF: 906 bp
Locus ID: 5510
UniProt ID: Q15435

Cytogenetics: 2q37.3



### PPP1R7 (NM\_001282413) Human Untagged Clone - SC335204

**Protein Families:** Druggable Genome, Phosphatase

MW: 35.1 kDa

**Gene Summary:** This gene encodes a protein subunit that regulates the activity of the serine/threonine

phosphatase, protein phosphatase-1. The encoded protein is required for completion of the mitotic cycle and for targeting protein phosphatase-1 to mitotic kinetochores. Alternate

splicing results in multiple transcript variants. [provided by RefSeq, Sep 2013]

Transcript Variant: This variant (6) uses an alternate 5' structure, lacks a portion of the 5' coding region, and initiates translation at an alternate start codon compared to variant 1. The encoded protein (isoform 6) is shorter and has a distinct N-terminus compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic

coordinates used for the transcript record were based on transcript alignments.