

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for SC335224

ADA2a (TADA2A) (NM_001291918) Human Untagged Clone

Product data:


Product Type:	Expression Plasmids
Product Name:	ADA2a (TADA2A) (NM_001291918) Human Untagged Clone
Tag:	Tag Free
Symbol:	TADA2A
Synonyms:	ADA2; ADA2A; hADA2; KL04P; TADA2L
Vector:	pCMV6-Entry (PS100001)
Fully Sequenced ORF:	<pre>>SC335224 representing NM_001291918. Blue=Insert sequence Red=Cloning site Green=Tag(s)</pre>
	ATGGACCGTTTGGGTTCCTTTAGCAATGATCCCTCTGATAAGCCACCTTGCCGAGGCTGCTCCTCCTAC CTCATGGAGCCTTATATCAAGTGTGCTGAATGTGGGCCACCTCCTTTTTCCTCTGCGTGCAGTGTTTC ACTCGAGGCTTTGAGTACAAGAAACATCAAAGCGATCATACTTATGAAATAATGACTTCAGATTTTCCT GTCCTTGATCCCAGCTGGACTGCTCAAGAAGAAATGGCCCTTTTAGAAGCTGTGATGGACTGTGGCTTT GGAAATTGGCAGGATGTAGCCAATCAAATGTGCACCAAGACCAAGGAGGGAG
Restriction Sites:	Sgfl-Mlul



View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Plasmid Map:



ACCN:	NM_001291918
Insert Size:	918 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Science ADA2a (TADA2A) (NM_001291918) Human Untagged Clone – SC335224	
RefSeq:	<u>NM 001291918.1</u>
RefSeq Size:	1119 bp
RefSeq ORF:	918 bp
Locus ID:	6871
UniProt ID:	<u>075478</u>
Cytogenetics:	17q12
Protein Families:	Transcription Factors
MW:	36 kDa
Gene Summary:	Many DNA-binding transcriptional activator proteins enhance the initiation rate of RNA polymerase II-mediated gene transcription by interacting functionally with the general transcription machinery bound at the basal promoter. Adaptor proteins are usually required for this activation, possibly to acetylate and destabilize nucleosomes, thereby relieving chromatin constraints at the promoter. The protein encoded by this gene is a transcriptional activator adaptor and has been found to be part of the PCAF histone acetylase complex. Several alternatively spliced transcript variants encoding different isoforms of this gene have been described, but the full-length nature of some of these variants has not been determined. [provided by RefSeq, Oct 2009] Transcript Variant: This variant (4) differs in the 5' UTR and represents an alternate transcript termination and polyadenylation site compared to variant 1. This results in a shorter isoform

same isoform (b).

(b) which has a distinct C-terminus compared to isoform a. Variants 2 and 4 both encode the

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US