

Product datasheet for **SC335474**

NDRG2 (NM_001282212) Human Untagged Clone

Product data:


Product Type:	Expression Plasmids
Product Name:	NDRG2 (NM_001282212) Human Untagged Clone
Tag:	Tag Free
Symbol:	NDRG2
Synonyms:	SYLD
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC335474 representing NM_001282212. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTT TAGTGAACCGTCAGAATTTTGT AATACGACTCACTATAGGGCGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCC GCGATCGCC
ATGGCGGAGCTGCAGGAGGTGCAGATCACAGAGGAGAAGCCACTGTTGCCAGGACAGACGCCTGAGGCG
GCCAAGACTCACTCTGTGGAGACACCATACGGCTCTGTCACTTTCACTGTCTATGGCACCCCAAACCC
AAACGCCAGCGATCCTTACCTACCACGATGTGGGACTCAACTATAAATCTTGCTTCCAGCCACTGTTT
CAGTTCGAGGACATGCAGGAAATCATTAGAATTTGTGCGGGTTCATGTGGATGCCCTGGAATGGAA
GAGGGAGCCCCTGTGTTCCCTTTGGGATATCAGTACCCATCTCTGGACCAGCTTGCAGACATGATCCCT
TGCGTCTGCAGTACCTAAATTTCTCTACAATAATTGGAGTTGGTGTGGAGCTGGAGCCTACATCCTG
GCGAGATATGCTCTTAACCACCCGGACTGTTGAAGGTCTTGCTCATCAACATTGATCCCAATGCC
AAGGGTTGGATGGATTGGGCAGCCACAAGCTAACAGGCCTCACCTCTTCCATTCCGGAGATGATCCTT
GGACATCTTTTACGCCAGGAAGAGCTCTCTGAAATTCTGAGTTGATACAAAAGTACAGAAATATCATT
ACACATGCACCCAACCTGGATAACATTGAATTGTACTGGAACAGCTACAACAACCGCCGAGACCTGAAC
TTTGAGCGTGGAGGTGATATCACCTCAGGTGTCTGTGATGCTGGTGGTAGGAGACCAAGCACCTCAT
GAAGATGCAGTGTGGCTGACTCCGGAGGTCAGCCCCAGCTGACTCAGCCAGGCAAGCTGACCGAGGCC
TCAAGTACTTCTGCAAGGCATGGCTACATGGCCTCATCTGCATGACTCGCCTGTCCGGTCTCGT
ACAGCCTCTGACCAGTGCAGCATCCGTTGATGGCAACCGGTCGCCCTCTCGCACCTGTCCCAGAGC
AGCGAGTCTGAACTCTTTCTTCGGGGCCCCGGGGCACACCATGGAGGTCTCCTGTGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: SgfI-MluI



[View online »](#)

Plasmid Map:


ACCN: NM_001282212

Insert Size: 1026 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001282212.1](#)

RefSeq Size: 2204 bp

RefSeq ORF: 1026 bp

Locus ID: 57447

UniProt ID: [Q9UN36](#)

Cytogenetics: 14q11.2

MW: 37.5 kDa

Gene Summary: This gene is a member of the N-myc downregulated gene family which belongs to the alpha/beta hydrolase superfamily. The protein encoded by this gene is a cytoplasmic protein that may play a role in neurite outgrowth. This gene may be involved in glioblastoma carcinogenesis. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2017]
Transcript Variant: This variant (10) differs in the 5' UTR and lacks two alternate in-frame exons compared to variant 1. The resulting isoform (d) lacks two alternate internal segments compared to isoform a.