

## Product datasheet for **SC335768**

### SLC35B2 (NM\_001286512) Human Untagged Clone

#### Product data:


Product Type:	Expression Plasmids
Product Name:	SLC35B2 (NM_001286512) Human Untagged Clone
Tag:	Tag Free
Symbol:	SLC35B2
Synonyms:	PAPST1; SLL; UGTrel4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC335768 representing NM_001286512. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGTACCTGGCTACCTCCTGGTGCAGTACTTCAGGCGGAAGAAGTACCTGGAGACCGGTAGGGGCCCTC
TGCTTTCCCTGGTAAAAGCTTGTGTGTTGGCAATGAGCCCAAGGCCTCTGATGAGGTTCCCTGGCG
CCCCGAACAGAGGCGGCAGAGACCACCCCGATGTGGCAGGCCCTGAAGTGCTCTTCTGTCCACAGGG
CTCCAGGTGTCTTATCTGACTTGGGGTGTGCTGCAGGAAAGAGTGATGACCCGCAGCTATGGGGCCACA
GCCACATACCCGGGTGAGCGCTTACGGACTCGCAGTTCCTGGTCTAATGAACCGAGTGCTGGCACTG
ATTGTGGCTGGCCTCTCCTGTGTTCTCTGCAAGCAGCCCGGCATGGGGCACCCATGTACCGGTACTCC
TTTGCCAGCCTGTCCAATGTGCTTAGCAGCTGGTGCCAATACGAAGCTCTTAAGTTCGTCAGCTTCCCC
ACCCAGGTGCTGGCAAGGCCTTAAGGTGATCCCTGTCTGCTGATGGGAAAGCTTGTGTCTCGGGCGC
AGCTACGAACACTGGGAGTACCTGACAGCCACCCTCATCTCCATTGGGGTCAAGATGTTTCTGCTATCC
AGCGGACCAGAGCCCGCAGCTCCCCAGCCACCACACTCTCAGGCCTCATCTTACTGGCAGGTTATATT
GCTTTTGACAGCTTACCTCAAACCTGGCAGGATGCCCTGTTTGCCTATAAGATGTCATCGGTGCAGATG
ATGTTTGGGGTCAATTTCTTCTCCTGCCTTTCACAGTGGGCTCACTGCTAGAACAGGGGGCCCTACTG
GAGGGAACCCGCTTATGGGGCGACACAGTGTGTTGCTGCCATGCCCTGCTACTCTCCATCTGCTCC
GCATGTGGCCAGCTCTTACCTTTTACACCATTGGGCAGTTTGGGGCTGCCGCTTACCATCATCATG
ACCCTCCGCCAGGCTTTGCCATCCTTCTTCTCCTGCCTTCTATGGCCCACTGTCAGTGTGGTGGGA
GGGCTGGGGTGGCTGTGGTCTTTGCTGCCCTCCTGCTCAGAGTCTACGCGCGGGCCGCTAAAGCAA
CGGGGAAAGAAGGCTGTGCCTGTTGAGTCTCCTGTGCAGAAGGTTTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: SgfI-MluI



[View online »](#)

**Plasmid Map:**


**ACCN:** NM\_001286512

**Insert Size:** 1152 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001286512.1](#)

**RefSeq Size:** 2083 bp

**RefSeq ORF:** 1152 bp

**Locus ID:** 347734

**UniProt ID:** [Q8TB61](#)

**Cytogenetics:** 6p21.1

**Protein Families:** Druggable Genome, Transmembrane

**MW:** 42.1 kDa

**Gene Summary:**

Sulfotransferases (e.g., SULT4A1; MIM 608359) use an activated form of sulfate, 3-prime-phosphoadenosine 5-prime-phosphosulfate (PAPS), as a common sulfate donor for sulfation of glycoproteins, proteoglycans, and glycolipids in the endoplasmic reticulum and Golgi apparatus. SLC35B2 is located in the microsomal membrane and transports PAPS from the cytosol, where it is synthesized, into the Golgi lumen (Kamiyama et al., 2003 [PubMed 12716889]).[supplied by OMIM, Mar 2008]

Transcript Variant: This variant (5) contains an alternate 5' exon and it thus differs in the 5' UTR and initiates translation at a downstream in-frame start codon, compared to variant 1. The encoded isoform (c) is shorter at the N-terminus, compared to isoform a. Both variants 4 and 5 encode isoform c.