

Product datasheet for **SC335838**

SLC35C2 (NM_001281458) Human Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: SLC35C2 (NM_001281458) Human Untagged Clone
Tag: Tag Free
Symbol: SLC35C2
Synonyms: BA394O2.1; C20orf5; CGI-15; OVCOV1
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Fully Sequenced ORF: >SC335838 representing NM_001281458.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```
GCTCGTTTGTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGGAAGGGTCAGCACCAGCCACCAGCCCTTAGAGGGGTGCCTGCCCCGCTGACTCAGGAGCTCCG
GTGCTGCAGCCGCCACGAATGGGGAGGTGGGCCCTCGATGTGGCCTTTTGTGGAAGGGGTGTTGACC
CTGGGGCTGGTGTCTCTACTACTGCTTCTCCATCGGCATCACCTTCTACAACAAGTGGCTGACAAAG
AGCTTCCATTTCCCCCTTTCATGACGATGCTGCACCTGGCCGTGATCTTCTCTCTCCGCCCTGTCC
AGGGCGCTGGTTCAGTGTCCAGCCACAGGGCCCGTGTGGTGTGAGCTGGGCCGACTACCTCAGAAGA
GTGGCTCCACAGCTCTGGCGACGGCGCTTGACGTGGGCTTGCCAACTGGAGCTTCTGTATGTCACC
GTCTCGCTGTACACAATGACCAAATCCTCAGCTGTCTCTTTCATCTTGATCTTCTCTGATCTTCAAG
CTGGAGGAGCTGCGCGCGGCACTGGTCTGGTGGTCTCTCATCGCCGGGGGTCTTTCATGTTCAAC
TACAAGTCCACACAGTTCACAGTGGAGGGCTTCGCCTTGGTGTGGGGGCTCGTTCATCGGTGGCATT
CGCTGGACCCACCCAGATGCTCCTGCAGAAGGCTGAACTCGGCCTCCAGAATCCCATCGACACCATG
TTCCACCTGCAGCCACTCATGTTCTGGGGCTTCCCTCTCTTTGCTGTATTTGAAGGTCTCCATTTG
TCCACATCTGAGAAAATCTCCGTTTCCAGGACACAGGGCTGCTCCTGCGGGTACTTGGGAGCCTCTC
CTTGGCGGGATTCTCGCCTTTGGTTTGGGCTTCTCTGAGTTCCTCTGGTCTCCAGAACCTCCAGCCTC
ACTCTCTCCATTGCCGGCATTTTAAGGAAGTCTGCACTTTGCTGTTGGCAGCTCATCTGCTGGCCGAT
CAGATCAGCCTCCTGAACTGGCTGGGCTTCGCCCTCTGCCTCTCGGGAATATCCCTCCAGTTGCCCTC
AAAGCCCTGCATTCCAGAGGTGATGGTGGCCCCAAGGCCTTGAAGGGGCTGGGCTCCAGCCCCGACCTG
GAGCTGCTGCTCCGAGCAGCCAGCGGGAGGAAGGTGACAATGAGGAGGAGGAGTACTTTGTGGCCAG
GGGCAGCAGTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
```

Restriction Sites: Sgfl-MluI



[View online >](#)

Plasmid Map:



ACCN: NM_001281458

Insert Size: 1185 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001281458.1](#)

RefSeq Size: 2193 bp

RefSeq ORF: 1185 bp

Locus ID: 51006

UniProt ID: [Q9NQQ7](#)

Cytogenetics: 20q13.12

Protein Families: Druggable Genome, Transmembrane

MW: 43.4 kDa

Gene Summary:

This gene encodes a member of the triose-phosphate transporter protein family. This gene is regulated by oxygen tension, is induced in hypoxic trophoblast cells, and is overexpressed in ovarian cancer. Alternative splicing results in multiple transcript variants. A pseudogene of this gene has been defined on the X chromosome. [provided by RefSeq, Jul 2013]

Transcript Variant: This variant (5) differs in the 5' UTR and 5' coding region and initiates translation at an alternate start codon, compared to variant 1. The encoded isoform (d) has a longer and distinct N-terminus, compared to isoform a.