

Product datasheet for SC335889

NKIAMRE (CDKL3) (NM_001300853) Human Untagged Clone

Product data:


Product Type:	Expression Plasmids
Product Name:	NKIAMRE (CDKL3) (NM_001300853) Human Untagged Clone
Tag:	Tag Free
Symbol:	CDKL3
Synonyms:	NKIAMRE
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC335889 representing NM_001300853. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTGTAGTGAACCGTCAGAATTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGATCATTGAGATGGCCACTGGAAATCCCTATCTTCTAGTAGTTCTGATTTGGATTTACTCCATAAA
ATTGTTTTGAAAGTGGGCAATTTGTCACCTCACTTGCAGAATATCTTTTCCAAGAGCCCCATTTTGTCT
GGGGTAGTTCTTCTCAAGTTCAACACCCCAAAAATGCAAGAAAAAATATCCAAAGCTTAATGGATTG
TTGGCAGATATAGTTCATGCTTGTTTACAAATTGATCCTGCTGACAGGATATCATCTAGTGATCTTTG
CATCATGAGTATTTACTAGAGATGGATTTATTGAAAAATTCATGCCAGAAGTAAAGCTAAATTACTG
CAGGAAGCAAAAGTCAATTCATTAATAAGCCAAAAGAGAGTTCTAAAGAAAATGAACTCAGGAAAGAT
GAAAGAAAACAGTTTATACCAATACACTGCTAAGTAGTTCAGTTTTGGGAAAGGAAATAGAAAAAGAG
AAAAAGCCCAAGGAGATCAAAGTCAGAGTTATTAAGTCAAAGGAGGAAGAGGAGATATCTCAGAACCA
AAAAAGAAAGAGTATGAAGGTGGACTTGGTCAACAGGATGCAAAATGAAAATGTTTCATCTATGTCTCCA
GATACAAAACCTTGAACCATGAACCACCAAAACCTATCAATCCCAGCACTAACTGTAATGGCTTGGAA
GAAAATCCACATTGCGGAGGTTCTGTGACAATGCCACCATCAATCTAACTAACAGTAATTTGATGGCT
GCAAAATTCAGTTCAAAATCTCTTACCCCAAGTGTGAGGTTAACTGAAAGAGCAAAAAGAGACGCCT
TCTTCACAATCTATTGGACAAGTTATGCCTAATAGCAGGCAAGAGGATCCAGTCCCTATTCAAAGCCAA
ATGGGAAGGGTATATTTAATGAGCGAACAGGTCACAGTACCAAAATGGCAAATGAGAACAAAAGGAAG
CTGAATTTTCCAGATCTGACAGGAAAGAATTCCATTTTCCAGAATTGCCTGTCACAATACAGTCAAAA
GATACAAAAGGAATGGAAGTTAAACAGATAAAAATGCTGAAGAGGGAGTCAAAGAAAACAGAGTCATCT
AAGATACCAACTTTACTTAACTGGATCAAAATCAAGAAAAACAAGAGAATACAGGAAATGCACAAAAT
GAAAGGAAGAAGAAGTTCAGATGTAGAGTAG
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: Sgfl-Mlul



[View online >](#)

Plasmid Map:


ACCN: NM_001300853

Insert Size: 1206 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001300853.1](#)

RefSeq Size: 1999 bp

RefSeq ORF: 1206 bp

Locus ID: 51265

UniProt ID: [Q8IVW4](#)

Cytogenetics: 5q31.1

Protein Families: Druggable Genome, Protein Kinase

MW: 45.1 kDa

Gene Summary:

The protein encoded by this gene is a member of cyclin-dependent protein kinase (CDK) family. CDK family members are highly similar to the gene products of *Saccharomyces cerevisiae* cdc28, and *Schizosaccharomyces pombe* cdc2, and are known to be important regulators of cell cycle progression. This gene was identified as a gene absent in leukemic patients with chromosome 5q deletion. This loss may be an important determinant of dysmyelopoiesis. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (3) has an alternate 5' exon, which results in a different 5' UTR and translation initiation at a downstream start codon, compared to variant 1. The resulting isoform (3) has a shorter N-terminus, compared to isoform 1.