

Product datasheet for SC336033

DCP1A (NM_001290207) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	DCP1A (NM_001290207) Human Untagged Clone
Tag:	Tag Free
Symbol:	DCP1A
Synonyms:	HSA275986; Nbla00360; SMAD4IP1; SMIF
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC336033 representing NM_001290207. Blue=Insert sequence Red=Cloning site Green=Tag(s)


```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGCTGATGTGGTAGAAGAGGAGACACGGCGATCCCAGCAAGCTGCTCGGGACAAAAGAGTCCCAGC
CAGGCCAATGGCTGCAGCGACCACAGGCCCATCGACATCCTGGAGATGCTGAGCAGAGCCAAGGATGAG
TATGAGAGGTCTGCTCCATCTGGACACAAGCATCTGACGGTAGAAGAGTTATTTGGAACCTCTTTGCCA
AAGGAACAACCAGCAGTTGTGGGTCTGGATTGAGAAGAAATGGAGAGGTTGCCAGGAGATGCCTCCCAG
AAAGAGCCCAATTCATTCTACCATTTCCCTTTGAGCAGTTAGGAGGAGCCCTCAATCAGAAACCTG
GGTGTCCCTTCTGCTGCCACCATTTCAGTCCAGCCTGAAATCACCACCCCGGTGCTAATCACTCCAGCC
TCCATCACACAGTCCAATGAAAAGCATGCTCCAACCTACACAATCCCGTTGAGCCCTGTTCTCAGTCCC
ACTCTGCCAGCTGAAGCTCCTACTGCACAGGTTCCCCCAGCTTACCTCGAAACAGCACCATGATGCAG
GCAGTGAAGACCACGCCTAGACAGAGGTCTCCACTCCTGAACCAGCCAGTCCCTGAGCTAAGCCATGCC
AGTCTGATTGCCAACAGAGCCCTTCAGGGCCCCATTGAACGTGACGAACACAGCTGGCACATCCCTC
CCAAGCGTTGATCTTCTCCAGAACTCAGGTTGACCCACAGCATGACCAAAACAGACACAACCACTT
GGGAAAGGTGCAATGGTAGCCAGCTTTTCTCCGGCAGCTGGTCAGCTAGCCACACCTGAGAGCTTCATA
GAGCCTCCCTCTAAGACAGCAGCAGCAAGAGTGGCGCCCTCAGCCTCCCTGAGCAACATGGTGCTTGCT
CCCCTTTCAGTCTATGCAGCAGAACAGGATCCTGAAGTATTTGTGCAGCCTAAGGTGTTATCCAGTGCC
ATCCCGGTTGCAGGCGCCCACTGGTACTGCAACGACCACTGCAGTGTCTTCAGTCTGCTGGCCCCA
AGTGTTCAGCAGACAGTTACAAGATCTTCGGACCTTGAGAGGAAAGCCAGCTCCCCTTCTCCTCTA
ACTATTGGAACGCCAGAAAGTCAGAGAAAGCCTTCCATTATTCTCAGCAAGTCTCAGCTCCAGGATACA
TTAATACATCTAATAAAGAATGATTCCAGCTTCTCAGTACACTCATGAAGTCTACTTGCAGGTTCTG
ACCAAGAACAAGACAACCACAACCTA TGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTAAACGGCCGGC
```



[View online »](#)

Restriction Sites: SgfI-MluI

Plasmid Map:



ACCN: NM_001290207

Insert Size: 1272 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001290207.1](#)

RefSeq Size: 5785 bp

RefSeq ORF: 1272 bp

Locus ID: 55802

UniProt ID: [Q9NPI6](#)

Cytogenetics: 3p21.1

Protein Families: Transcription Factors

Protein Pathways: RNA degradation

MW: 45.3 kDa

Gene Summary: Decapping is a key step in general and regulated mRNA decay. The protein encoded by this gene is a decapping enzyme. This protein and another decapping enzyme form a decapping complex, which interacts with the nonsense-mediated decay factor hUpf1 and may be recruited to mRNAs containing premature termination codons. This protein also participates in the TGF-beta signaling pathway. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Feb 2014]
Transcript Variant: This variant (5) lacks an alternate internal exon in the 5' region, and it thus differs in its 5' UTR and initiates translation at a downstream in-frame start codon, and it also lacks an alternate in-frame exon in the central coding region, compared to variant 1. The encoded isoform (e) is shorter at the N-terminus, compared to isoform a. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.