

Product datasheet for **SC336249**

OSBP2 (NM_001282742) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	OSBP2 (NM_001282742) Human Untagged Clone
Tag:	Tag Free
Symbol:	OSBP2
Synonyms:	HLM; ORP-4; ORP4; OSBPL1; OSBPL4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC336249 representing NM_001282742.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGGATCGCC
ATGGAAGACTCCACATCCTTTCATCACCGTGATCACCGAGGCCAAGGAAGACAGAAAAGCTGAAGGTAGC
ACCGGGACAAGTTCCGTGGACTGGAGCTCAGCAGACAATGTACTAGATGGTGCCTCGCTCGTGCCCAAG
GGTTCATCCAAAAGTCAAGAGGCGAGTCCGCATTCCCAACAAGCCCAACTACAGCCTTAACCTCTGGAGC
ATCATGAAGAAGTGCATCGGCCGGGAGCTCTCCAGGATCCCCATGCCGGTGAACCTCAATGAGCCCTG
TCCATGCTCCAGCGGCTGACAGAGGACCTGGAGTACCACCACCTGCTGGACAAGGCACTGCACTGCACC
AGCTCAGTGGAGCAGATGTGCCTGGTGGCCGCTTCTCTGTGTCCTCTACTCCACCACAGTGCACCCGC
ATCGCCAAGCCCTTCAACCCATGCTGGGGGAGACCTTCGAGCTGGACCGCTCGACGACATGGGCTG
CGTCCCTCTGTGAGCAGGTGAGCCACCACCCCTCAGCTGCGCACTACGTGTTCTCCAAGCATGGC
TGGAGCCTCTGGCAGGAGATCACCATCTCCAGCAAGTTCGGGGAAAATACATCTCCATCATGCCGCTA
GGTGCCATCCACTTAGAATTCAGGCCAGTGGGAATCACTACGTGTGGAGGAAGAGCACCTCAACTGTT
CACAACATCATCGTGGGCAAGCTCTGGATCGACCAGTCAAGGGACATCGAGATTGTGAACCAATAAGACC
AATGACCGGTGCCAGCTGAAGTTCCTGCCTACAGCTACTTCTCAAAGAGGCAGCCCGGAAGGTGACA
GGAGTGGTGAAGTACAGCCAGGGCAAGGCCATTACGTGCTGTCCGGCTCGTGGGATGAACAAATGGAG
TGCTCAAAGGTATGCATAGCAGTCCCAGCAGCCCGAGCTCTGACGGGAAGCAGAAGACAGTGTACCAG
ACCCTGTGAGCCAAGCTGCTGTGGAAGAAGTACCCGCTGCCGGAGAACCGGAGAACATGTACTACTTC
TCAGAGCTGGCCCTGACCCTCAACGAGCAGGAGGGCGTAGCGCAACCGACAGCCGCTGCGGCC
GACCAGCGGCTGATGGAGAAGGGCCGTTGGGACGAGGCCAATACCGAGAAGCAGCGGCTGGAGGAGAAG
CAGCGCCTGTGCGGGCCGGCGGCTGGAGCCCTGCGGGCCGGGACAGCTGCAGCTCGGAGGAAGAG
AAGGAGCGGATGCCTACACGCCACTGTGGTTTGAGAAGAGGCTGGATCCGCTGACCGGGGAGATGGCC
TGTGTGTACAAGGGCGGCTACTGGGAGGCCAAGGAGAAGCAAGACTGGCATATGTGCCCCAACATCTTC
TGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: Sgfl-Mlul

ACCN: NM_001282742

Insert Size: 1383 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001282742.1](#)

RefSeq Size: 3257 bp
RefSeq ORF: 1383 bp
Locus ID: 23762
UniProt ID: [Q969R2](#)
Cytogenetics: 22q12.2
MW: 52.4 kDa

Gene Summary:

The protein encoded by this gene contains a pleckstrin homology (PH) domain and an oxysterol-binding region. It binds oxysterols such as 7-ketocholesterol and may inhibit their cytotoxicity. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Sep 2013]

Transcript Variant: This variant (7) differs in the 5' UTR, lacks a portion of the 5' coding region, and uses an alternate in-frame splice site, compared to variant 1. It represents use of an internal promoter and initiates translation at a downstream in-frame start codon. The encoded isoform (g) is shorter than isoform a.