

Product datasheet for **SC336296**

CDC25B (NM_001287519) Human Untagged Clone

Product data:


Product Type:	Expression Plasmids
Product Name:	CDC25B (NM_001287519) Human Untagged Clone
Tag:	Tag Free
Symbol:	CDC25B
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC336296 representing NM_001287519. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGATCCCCAGCCCTATGGACCCCCACATGGCGGAGCAGACGTTTGAACAGGCCATCCAGGCAGCC
AGCCGGATCATTGAAACGAGCAGTTTGGCCATCAGACGCTTCCAGTCTATGCCGGTGAGGCTGCTGGGC
CACAGCCCCGTGCTTCGGAACATCACCACCTCCAGGCCGCCGACGGCCGGAGGAAGAGCGAGGCCGGC
AGTGGAGCTGCCAGCAGCTCTGGGAAGACAAGGAGAAATGATGGATTTGTCTTCAAGATGCCATGGAAG
CCCACACATCCCAGCTCCACCCATGCTCTGGCAGAGTGGGCCAGCCGACGGGAAGCCTTTGCCAGAGA
CCCAGCTCGGCCCCGACCTGATGTCTCAGTCTGACCGGAAGATGGAAGTGGAGGATCCAGCCCC
CTGGCCCTAGGTCGCTTCTCTGACCCCTGCAGAGGGGATACTGAGGAAGATGATGGATTTGTGGAC
ATCCTAGAGAGTGACTTAAAGGATGATGATGCAGTTCGCCAGGCATGGAGAGTCTCATTAGTGCCCA
CTGGTCAAGACCTTGAAAAGGAAGAGGAAAAGGACCTCGTCATGTACAGCAAGTGCCAGCGCTCTTC
CGCTCTCCGTCCATGCCCTGCAGCGTGATCCGGCCATCCTCAAGAGGCTGGAGCGGCCCCAGGACAGG
GACACGCCGTGCAGAATAAGCGGAGGCGGAGCGTGACCCCTCCTGAGGAGCAGCAGGAGGCTGAGGAA
CCTAAAGCCCGCTCCTCCGCTCAAAATCACTGTGTACGATGAGATCGAGAACCTCCTGGACAGTGAC
CACCGAGAGCTGATTGGAGACTCTAAGGCCTTCTCTACAGACAGTAGACGAAAGCACCAGAC
CTCAAGTACATCTCACCAGAAACGATGGTGGCCCTATTGACGGGAAGTTCAGCAACATCGTGGATAAG
TTTGTGATTGTAGACTGCAGATACCCCTATGAATATGAAGCGGGCACATCAAGACTGCGGTGAACCTG
CCCCTGGAACGCGACGCCGAGAGCTTCTACTGAAGAGCCCATCGCGCCCTGTAGCCTGGACAAGAGA
GTCATCCTCATTTTCCACTGTGAATTCTCATCTGAGCGTGGGCCCCGCATGTGCCGTTTCATCAGGGAA
CGAGACCGTGCTGTCAACGACTACCCAGCCTCTACTACCCTGAGATGTATATCCTGAAAGGCGGTAC
AAGGAGTTCTCCCTCAGCACCCGAACTTCTGTGAACCCAGGACTACCGGCCATGAACCACGAGGCC
TTCAAGGATGAGCTAAAGACCTTCCGCCTCAAGACTCGCAGCTGGGCTGGGAGCGGAGCCGGCGGGAG
CTCTGTAGCCGGCTGCAGGACCAGTGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```



Restriction Sites: SgfI-MluI

Plasmid Map:



ACCN: NM_001287519

Insert Size: 1407 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001287519.1](#)

RefSeq Size: 2802 bp

RefSeq ORF: 1407 bp

Locus ID: 994

UniProt ID: [P30305](#)

Cytogenetics: 20p13

Protein Families: Druggable Genome, Phosphatase

Protein Pathways: Cell cycle, MAPK signaling pathway, Progesterone-mediated oocyte maturation

MW: 53.7 kDa

Gene Summary: CDC25B is a member of the CDC25 family of phosphatases. CDC25B activates the cyclin dependent kinase CDC2 by removing two phosphate groups and it is required for entry into mitosis. CDC25B shuttles between the nucleus and the cytoplasm due to nuclear localization and nuclear export signals. The protein is nuclear in the M and G1 phases of the cell cycle and moves to the cytoplasm during S and G2. CDC25B has oncogenic properties, although its role in tumor formation has not been determined. Multiple transcript variants for this gene exist. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (7) uses an alternate splice site in the 5' UTR which results in initiation of translation at a downstream start codon, compared to variant 1. The encoded protein (isoform 7) has a shorter N-terminus compared to isoform 1. Variants 7 and 8 encode the same isoform. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.