

Product datasheet for **SC336319**

SynCAM (CADM1) (NM_001301043) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SynCAM (CADM1) (NM_001301043) Human Untagged Clone
Tag:	Tag Free
Symbol:	CADM1
Synonyms:	BL2; IGSF4; IGSF4A; Necl-2; NECL2; RA175; sglGSF; ST17; sTSLC-1; SYNCAM; synCAM1; TSLC1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC336319 representing NM_001301043.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGCCAGTGTAGTGTCTGCCGAGCGGATCCCAGTGTGCGGCGGCAGCGGGCGGCGGCCCTCCCGGG
CTCCGGCTCCGGCTTCTGCTGTGTCTCTCTCCGCCGCGCACTGATCCCCACAGGTGATGGGCAGAAT
CTGTTTACGAAAGACGTGACAGTGTACGAGGGAGAGGTTGCGACCATCAGTTGCCAAGTCAATAAGAGT
GACGACTCTGTGATTAGCTACTGAATCCCAACAGGCAGACCATTATTTTCAAGGACTTCAGGCCTTTG
AAGGACAGCAGGTTTCAAGTTGCTGAATTTTCTAGCAGTGAAGTCAAAGTATCATTGACAAAAGTCTCA
ATTTCTGATGAAGGAAGATACTTTTCCAGCTCTATACCGATCCCCACAGGAAAGTTACACCACCATC
ACAGTCTGGTCCCACCACGTAATCTGATGATCGATATCCAGAAAAGACTGCGGTGGAAGGTGAGGAG
ATTGAAGTCAACTGCACTGCTATGGCCAGCAAGCCAGCCAGCACTATCAGGTGGTTCAAAGGGAACACA
GAGCTAAAAGGCAAATCGGAGGTGGAAGAGTGGTCAGACATGTACTGTGACCAGTCACTGATGCTG
AAGGTGCACAAGGAGGACGATGGGGTCCCAGTGTCTGCCAGGTGGAGCACCCCTGCGGTCACTGGAAC
CTGAGACCCAGCGGTATCTAGAAGTACAGTATAAGCCTCAAGTGCACATTCAGATGACTTATCCTCTA
CAAGGCTTAACCCGGAAGGGGACGCGCTTGAGTTAATGTGAAGCCATCGGGAAGCCCCAGCCTGTG
ATGGTAACTTGGGTGAGAGTCGATGATGAAATGCCTCAACACGCCGACTGTCTGGGCCAACCTGTTC
ATCAATAACCTAAACAAAACAGATAATGGTACATACCGCTGTGAAGCTTCAAACATAGTGGGGAAAGCT
CACTCGGATTATATGCTGTATGTATACGATCCCCCACAACACTATCCCTCTCCCAACAACCACCACC
ACCACCACCACCACCACCACCACCTTACCATCATCACAGACACAACGGCGACGACAGAACCAGCA
GTTACGGCCTTACTCAGTTGCCAATTCGCAGAAGAAGTGGACAGTGAAGGACCTCTCAGATTTCCCGA
GCAGGTGAAGAAGGCTCGATCAGGGCAGTGGATCATGCCGTGATCGGTGGCGTCTGGCGGTGGTGTG
TTGCCATGCTGTGCTTGCATCATTCTGGGGCGCTATTTTCCAGACATAAAGGTACATACTTCACT
CATGAAGCCAAGGAGCCGATGACGCAGCAGACGACAGACAGCTATAATCAATGCAGAAGGAGGACAG
AACAACTCCGAAGAAAAGAAAGAGTACTTCATCTAG
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites:

SgfI-MluI

Plasmid Map:



ACCN: NM_001301043

Insert Size: 1416 bp

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001301043.1
RefSeq Size:	4411 bp
RefSeq ORF:	1416 bp
Locus ID:	23705
UniProt ID:	Q9BY67
Cytogenetics:	11q23.3
Protein Families:	Transmembrane
Protein Pathways:	Cell adhesion molecules (CAMs)
MW:	51.5 kDa

Gene Summary:

Mediates homophilic cell-cell adhesion in a Ca(2+)-independent manner. Also mediates heterophilic cell-cell adhesion with CADM3 and NECTIN3 in a Ca(2+)-independent manner. Acts as a tumor suppressor in non-small-cell lung cancer (NSCLC) cells. Interaction with CRTAM promotes natural killer (NK) cell cytotoxicity and interferon-gamma (IFN-gamma) secretion by CD8+ cells in vitro as well as NK cell-mediated rejection of tumors expressing CADM3 in vivo. May contribute to the less invasive phenotypes of lepidic growth tumor cells. In mast cells, may mediate attachment to and promote communication with nerves. CADM1, together with MITF, is essential for development and survival of mast cells in vivo. Acts as a synaptic cell adhesion molecule and plays a role in the formation of dendritic spines and in synapse assembly (By similarity). May be involved in neuronal migration, axon growth, pathfinding, and fasciculation on the axons of differentiating neurons. May play diverse roles in the spermatogenesis including in the adhesion of spermatocytes and spermatids to Sertoli cells and for their normal differentiation into mature spermatozoa.[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (3) represents the longest transcript and encodes the longest isoform (A). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.