

Product datasheet for **SC336378**

Chimaerin 2 (CHN2) (NM_001293070) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Chimaerin 2 (CHN2) (NM_001293070) Human Untagged Clone
Tag:	Tag Free
Symbol:	CHN2
Synonyms:	ARHGAP3; BCH; CHN2-3; RHOGAP3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC336378 representing NM_001293070.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGCAGCGTCCAGCAACTCCAGCCTGTCGGCTCGTCCGTCTATTCTGAACCCAGAAGC
CCGAGAGAGCTTCCAAAATATGCTGAAGAATACCAGCCTCTATATGAAATCATACTTATATCAGTTA
CAGCAAGAGGCACCTCGTCCCAAGAGAATCATTGTCTCGGGAGGTGGAAAACAGACCAAAATATTAT
GGAAGAGAGTTTCATGGGATCATCTCTCGGAGCAGGCGGATGAGCTTCTTGAGGCGTGGAGGGTCC
TACATCCTTAGAGAAAGCCAGCGGCAACCAGGATGCTACACGCTGGCTCTCAGGTTTGAAAACAGACC
TAAACTACAGGCTTTCCACGACGGGAAACACTTTGTGGGTGAGAAGAGGTTTGAGTCGATTCATGAT
CTGGTGACAGATGGCTTGATAACACTGTACATAGAAAACAAAAGCTGCCGAGTACATTTCAAAAATGACA
ACTAACCCCATCTATGAACACATTGGATATGCCACCCTACTCAGAGAAAAAGTATCCAGAAGGCTGAGC
AGGTCTAAAAATGAACCAAGAAAAACAACGTCACACATGAAGAACACACAGCGGTGAAAAGATCTCC
TCCCTGGTTCGAAGGGCTGCCCTCACACACAACGACAACCACTTCAATTATGAGAAGACACACAACCTT
AAGGTCCACACGTTCCGAGGCCACACTGGTGTGAATATTGTGCCAATTCATGTGGGGGCTCATCGCC
CAAGGGGTCCGGTGCTCAGACTGTGGATTGAACGTACACAACAGTGTTCCAAGCACGTTCCCAATGAC
TGCCAACCTGATCTCAAGAGGATCAAGAAAAGTGTACTGTTGTGACCTCACAACTTGTGAAGGCTCAC
AACTCAGAGACCCATGGTGGTAGACATATGCATTCGGGAAATTGAAGCAAGAGGATTAATTCGGAA
GGCCTTACAGAGTCTCTGGGTTCACTGAACACATTGAAGATGTCAAATGGCATTGACAGAGATGGT
GAAAAGGCCGATATCTGCCAATGTCTATCCAGACATAAACATCATCACTGGAGCCCTAACTGTAT
TTCAGAGACTTACCCATCCCTGTCATCACATATGATACCTATTCAAAATTTATAGATGCAGCAAAAATC
TCCAATGCAGATGAGAGGCTGGAAGCCGTCATGAAGTCTGATGCTGCTGCCTCCCTGCCACTGAA
ACCTCCGGTACCTAATGATCCACCTCAAAAAGGTTACTATGAATGAAAAGACAATTCATGAATGCA
GAAAATCTGGGGATCGTGTGGGCCACTCTGATGAGGCCCCCTGAGGACAGCACCCCTGACCACCTG
CATGATATGCGGTACAAAAGCTGATTGTGCAGATTTTAAATAGAAAACGAAGACGTTTTATTCTAA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites:

SgfI-MluI

Plasmid Map:



ACCN: NM_001293070

Insert Size: 1446 bp

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001293070.1
RefSeq Size:	3500 bp
RefSeq ORF:	1446 bp
Locus ID:	1124
UniProt ID:	P52757
Cytogenetics:	7p14.3
MW:	55.5 kDa
Gene Summary:	<p>This gene encodes a guanosine triphosphate (GTP)-metabolizing protein that contains a phorbol-ester/diacylglycerol (DAG)-type zinc finger, a Rho-GAP domain, and an SH2 domain. The encoded protein translocates from the cytosol to the Golgi apparatus membrane upon binding by diacylglycerol (DAG). Activity of this protein is important in cell proliferation and migration, and expression changes in this gene have been detected in cancers. A mutation in this gene has also been associated with schizophrenia in men. Alternative transcript splicing and the use of alternative promoters results in multiple transcript variants. [provided by RefSeq, May 2014]</p> <p>Transcript Variant: This variant (4) differs in the 5' UTR and contains multiple additional 5' coding exons, compared to variant 1. It represents use of an alternate promoter and initiates translation from an alternate start codon. The encoded isoform (4) has a distinct N-terminus and is longer than isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>