

## Product datasheet for **SC336435**

### PDIA6 (NM\_001282704) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	PDIA6 (NM_001282704) Human Untagged Clone
Tag:	Tag Free
Symbol:	PDIA6
Synonyms:	ERP5; P5; TXNDC7
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)


**Fully Sequenced ORF:** >SC336435 representing NM\_001282704.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGAGAAGAGACCTCCGGGAGAAGCTTGTGTGGTGTGCCGACCACTGGCCCCAGTTGAGGTCCCAGCC
AACATCAGCTCCGACTTCCAGCCATGCTACCAACTTCTCTGCCCACTCCCTATCAAGGAAAAGTCCC
ATAATGTATCCATCAACCACCATGGCTAATGCACCCGGTCTGGTGAAGTGTACCTTCTTTCTGGCAGTG
AATGGTCTGTATTCTCTAGTGATGATGTGATCGAATTACTCCATCGAATTTCAACCGAGAAGTTATT
CAGAGTGATAGTTTGTGGCTTGTAGAATTCTATGCTCCATGGTGTGGTCACTGTCAAAGATTAACACCA
GAATGGAAGAAAGCAGCAACTGCATTAAGATGTTGTCAAAGTTGGTGCAGTTGATGCAGATAAGCAT
CATTCCCTAGGAGGTGATATGGTGTTCAGGGATTTCTACCATTAAGATTTTGGATCCAACAAAAAC
AGACCAGAAGATTACCAAGGTGGCAGAAGTGGTGAAGCCATTGTAGATGCTGCGTGAGTGTCTGCGC
CAGCTCGTGAAGGATCGCTCGGGGACGAGCGGAGGATACAGTTCTGAAAACAAGGCAGAAGTGAT
AGTTCAAGTAAGAAGGATGTGATTGAGCTGACAGACGACAGCTTTGATAAGAATGTTCTGGACAGTGAA
GATGTTTGGATGGTTGAGTTCTATGCTCCTTGGTGTGGACTGCAAAAACCTAGAGCCAGAGTGGGCT
GCCGCAGCTTCAGAAGTAAAAGAGCAGACGAAAAGAAAAGTAAAAGTGGCAGCTGTGGATGCTACAGTC
AATCAGGTTCTGGCCTCCCGATACGGGATTAGAGGATTTCTACAATCAAGATATTTAGAAAAGGCGAG
TCTCCTGTGGATTATGACGGTGGGCGGACAAGATCCGACATCGTGTCCCGGGCCCTTGATTTGTTTTCT
GATAACGCCCCACCTCCTGAGCTGCTTGAGATTATCAACGAGGACATTGCCAAGAGGACGTGTGAGGAG
CACCAGCTCTGTGTTGTGGCTGTGCTGCCCCATATCCTTGATACTGGAGCTGCAGGCAGAAATCTTAT
CTGGAAGTTCTTCTGAAGTTGGCAGACAAATACAAAAGAAAATGTGGGGTGGCTGTGGACAGAACT
GGAGCCAGCTGAAGTTGAGACCGCGTTGGGGATTGGAGGTTTGGGTACCCCGCCATGGCCGCCATC
AATGCACGCAAGATGAAAATTTGCTCTGCTAAAAGGCTCCTTCAGTGAGCAAGGCATCAACGAGTTTCTC
AGGGAGCTCTCTTTGGGCGTGGCTCCACGGCACCTGTAGGAGGCGGGGCTTTCCCTACCATCGTTGAG
AGAGAGCCTTGGGACGGCAGGGATGGCGAGCTTCCCGTGGAGGATGACATTGACCTCAGTGATGTGGAG
CTTGATGACTTAGGAAAAGATGAGTTGTGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

**Restriction Sites:** SgfI-MluI

**Plasmid Map:**



**ACCN:** NM\_001282704

<b>Insert Size:</b>	1479 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001282704.1</a>
<b>RefSeq Size:</b>	2700 bp
<b>RefSeq ORF:</b>	1479 bp
<b>Locus ID:</b>	10130
<b>UniProt ID:</b>	<a href="#">Q15084</a>
<b>Cytogenetics:</b>	2p25.1
<b>Protein Families:</b>	Druggable Genome
<b>MW:</b>	53.9 kDa
<b>Gene Summary:</b>	<p>This gene encodes a member of the disulfide isomerase (PDI) family of endoplasmic reticulum (ER) proteins that catalyze protein folding and thiol-disulfide interchange reactions. The encoded protein has an N-terminal ER-signal sequence, two catalytically active thioredoxin (TRX) domains, a TRX-like domain, and a C-terminal ER-retention sequence. This protein inhibits the aggregation of misfolded proteins and exhibits both isomerase and chaperone activity. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Dec 2016]</p> <p>Transcript Variant: This variant (1) encodes the longest isoform (a).</p>