

Product datasheet for **SC336438**

Cytochrome P450 3A5 (CYP3A5) (NM_001291830) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Cytochrome P450 3A5 (CYP3A5) (NM_001291830) Human Untagged Clone
Tag:	Tag Free
Symbol:	CYP3A5
Synonyms:	CP35; CYP11A5; P450PCN3; PCN3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC336438 representing NM_001291830.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGCAATTACTGATGTTGGAGTTGCTGTTATTATTTATCGTATATGGGACCCGTACACATGGACTTTTT
AAGAGACTGGGAATTCAGGGCCACACCTCTGCCTTTGTTGGAAATGTTTTGCTATCGTCAGGGT
CTCTGGAAATTTGACACAGAGTGCTATAAAAAGTATGGAAAAATGTGGGAACGTATGAAGTCAACTC
CCTGTGCTGGCCATCACAGATCCCGACGTGATCAGAACAGTGCTAGTGAAAGAATGTTATTCTGTCTTC
ACAAATCGAAGGCTTTTAGGCCAGTGGGATTTATGAAAAGTGCCATCTCTTTAGCTGAGGATGAAGAA
TGGAAGAGAATACGGTCATTGCTGTCTCCAACCTTACCAGCGGAAAACTCAAGGAGATGTTCCCATC
ATTGCCAGTATGGAGATGTATTGGTGAGAACTTGAGGCGGGAAGCAGAGAAAGCAAGCCTGTCACC
TTGAAAGACATCTTTGGGCCTACAGCATGGATGTGATTACTGGCACATCATTGGAGTGAACATCGAC
TCTCTCAACAATCCACAAGACCCTTTGTGGAGAGCACTAAGAAGTTCCTAAAATTTGGTTTCTTAGAT
CCATTATTTCTCAATAAATACTCTTTCCATTCCTTACCCAGTTTTTTGAAGCATTAAATGTCTCTCTG
TTTCCAAAAGATACCATAAATTTTTAAGTAAATCTGTAACAGAATGAAGAAAAGTCGCCCAACGAC
AAACAAAAGCACCAGACTAGATTTCTTCAGCTGATGATTGACTCCAGAATTCGAAAGAAAAGTGGTCC
CACAAAGCTCTGTCTGATCTGGAGCTCGCAGCCAGTCAATAATCTTATTTTGTCTGGCTATGAAACC
ACCAGCAGTGTCTTTCCCTTCACTTTATGAACTGGCCACTCACCTGATGTCCAGCAGAAAAGTCAA
AAGGAGATTGATGCAGTTTTGCCAATAAGGCACCACCTACCTATGATGCCGTGGTACAGATGGAGTAC
CTTGACATGGTGGTGAATGAAACACTCAGATTATCCAGTTGCTATTAGACTTGAGAGGACTTGCAAG
AAAGATGTTGAAATCAATGGGGTATTCATCCCAAAGGGTCAATGGTGGTATTCCAATATGCTCTT
CACCATGACCCAAAGTACTGGACAGAGCCTGAGGAGTTCGCCCTGAAAGGTTTCAGTAAGAAGAAGGAC
AGCATAGATCCTTACATATACACACCCTTTGAACTGGACCAGAAAAGTGCATTGGCATGAGGTTTGCT
CTCATGAACATGAAACTTGTCTAATCAGAGTCTTTCAGAACTTCTCCTTCAAACCTTGTAAAGAAACA
CAGATCCCCTTGAATTAGACACGCAAGGACTTCTTCAACCAGAAAAACCATTGTTCTAAAGGTGGAT
TCAAGAGATGGAACCCTAAGTGGAGAA TGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites:

SgfI-MluI

Plasmid Map:



ACCN:

NM_001291830

Insert Size:	1479 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001291830.1</u>
RefSeq Size:	2015 bp
RefSeq ORF:	1479 bp
Locus ID:	1577
Cytogenetics:	7q22.1
Protein Families:	Druggable Genome, P450, Transmembrane
Protein Pathways:	Drug metabolism - cytochrome P450, Drug metabolism - other enzymes, Linoleic acid metabolism, Metabolic pathways, Metabolism of xenobiotics by cytochrome P450, Retinol metabolism
MW:	56.1 kDa
Gene Summary:	<p>This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. The encoded protein metabolizes drugs as well as the steroid hormones testosterone and progesterone. This gene is part of a cluster of cytochrome P450 genes on chromosome 7q21.1. Two pseudogenes of this gene have been identified within this cluster on chromosome 7. Expression of this gene is widely variable among populations, and a single nucleotide polymorphism that affects transcript splicing has been associated with susceptibility to hypertension. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Apr 2014]</p> <p>Transcript Variant: This variant (5) differs in its 5' UTR and uses an alternate start codon, compared to variant 1. The encoded isoform (4) has a shorter and distinct N-terminus, compared to isoform 1.</p>