

Product datasheet for **SC336675**

MYH (MUTYH) (NM_001293190) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MYH (MUTYH) (NM_001293190) Human Untagged Clone
Tag:	Tag Free
Symbol:	MUTYH
Synonyms:	MYH
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC336675 representing NM_001293190.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGGATCGCC
ATGACACCGCTCGTCTCCCGCCTGAGTCGTCTGTGGGCCATCATGAGGAAGCCACGAGCAGCCGTGGGA
AGTGGTCACAGGAAGCAGGCAGCCAGCCAGGAAGGGAGGCAGAAGCATGCTAAGAACAACAGTCAGGCC
AAGCCTTCTGCCTGTGATGCAGGCCTGGCCAGGCAGCCGGAAGAGGTGGTATTGCAGGCCTCTGTCTCC
TCATACCATCTATTACAGAGAGCTAGCTGAAGTACAGCCTTCCGAGGGAGCCTGTAAGCTGGTACGAC
CAAGAGAAACGGGACCTACCATGGAGAAGACGGGCAGAAGATGAGATGGACCTGGACAGGCAGGCATAT
GCTGTGTGGTCTCAGAGGTCATGCTGCAGCAGACCCAGGTTGCCACTGTGATCAACTACTATACCGGA
TGGATGCAGAAGTGGCTACTACTGCAGGACCTGGCCAGTCTTCCCTGGAGGAGTGAATCAACTCTGG
GCTGGCCTGGGCTACTATTCTCGTGGCCGGCGGCTGCAGGAGGGAGCTCGGAAGTGGTAGAGGAGCTA
GGGGGCCACATGCCACGTACAGCAGAGACCCTGCAGCAGCTCCTGCCTGGCGTGGGGCGCTACACAGCT
GGGGCCATTGCCCTATCGCCTTTGGCCAGGCAACCGGTGTGGTGGATGGCAACGTAGCAGGGGTGCTG
TGCCGTGTCCGAGCCATTGGTGTGATCCACAGCAGCACCTTGTTCACAGCAGCTCTGGGGTCTAGCC
CAGCAGCTGGTGGACCCAGCCCGGCCAGGAGATTTCAACCAAGCAGCCATGGAGCTAGGGGCCACAGTG
TGTACCCACAGCGCCACTGTGCAGCCAGTGCCTGTGGAGAGCCTGTGCCGGGCACGCCAGAGAGTG
GAGCAGGAACAGCTCTTAGCCTCAGGGAGCCTGTGGGAGTCCCTGACGTGGAGGAGTGTCTCCCAAC
ACTGGACAGTGCACCTGTGCCTGCCTCCCTCGGAGCCCTGGGACCAGACCCTGGGAGTGGTCAACTTC
CCCAGAAAGGCCAGCCGAAGCCCCCAGGGAGGAGAGCTCTGCCACCTGTGTTCTGGAACAGCCTGGG
GCCCTTGGGGCCAAATTCTGCTGGTGCAGAGGCCAACTCAGGTCTGCTGGCAGGACTGTGGGAGTTC
CCGTCCGTGACCTGGGAGCCCTCAGAGCAGCTTCAGCGCAAGGCCCTGCTGCAGGAACACAGCGTTGG
GCTGGGCCCTCCAGCCACGCACCTCCGGCACCTTGGGAGGTTGTCCACACCTTCTCTACATCAAG
CTGACATATCAAGTATATGGGCTGGCCTTGAAGGGCAGACCCAGTACCACCGTACCACAGGTGCT
CGCTGGCTGACGCAGGAGGAATTTACACCCGAGCTGTTTCCACCGCCATGAAAAAGTTTTCCGTGTG
TATCAGGGCCACAGCCAGGGACCTGTATGGGTTCCAAAAGTCCAGGTGCTCTCTCCGTGCAGTCGG
AAAAAGCCCCGCATGGGCCAGCAAGTCTGGATAATTTCTTTCGGTCTCACATCTCCACTGATGCACAC
AGCCTCAACAGTGCAGCCAGTGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites:

Sgfl-Mlul

Plasmid Map:



ACCN:	NM_001293190
Insert Size:	1611 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001293190.1
RefSeq Size:	1906 bp
RefSeq ORF:	1611 bp
Locus ID:	4595
UniProt ID:	Q9UIF7
Cytogenetics:	1p34.1
Protein Families:	Druggable Genome, Stem cell - Pluripotency
Protein Pathways:	Base excision repair
MW:	59.1 kDa
Gene Summary:	<p>This gene encodes a DNA glycosylase involved in oxidative DNA damage repair. The enzyme excises adenine bases from the DNA backbone at sites where adenine is inappropriately paired with guanine, cytosine, or 8-oxo-7,8-dihydroguanine, a major oxidatively damaged DNA lesion. The protein is localized to the nucleus and mitochondria. This gene product is thought to play a role in signaling apoptosis by the introduction of single-strand breaks following oxidative damage. Mutations in this gene result in heritable predisposition to colorectal cancer, termed MUTYH-associated polyposis (MAP). Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Apr 2017]</p> <p>Transcript Variant: This variant (alpha2) uses an alternate in-frame splice site in the 5' coding region, compared to variant alpha5. The resulting isoform (6) lacks an internal segment, compared to isoform 5.</p>