

## Product datasheet for **SC336679**

### **EYA3 (NM\_001282560) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	EYA3 (NM_001282560) Human Untagged Clone
Tag:	Tag Free
Symbol:	EYA3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >SC336679 representing NM\_001282560.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGAAGAAGAGCAAGATTTACCAGAGCAACCAGTGAAAAAGCCAAGATGCAGGAATCAGGAGAGCAA
ACTATAAGTCAAGTAAGCAATCCAGATGTCAGTGATCAGAAGCCTGAAACATCAAGCCTTGCTTCAAAC
CTTCCCATGTGAGAGAAATTATGACATGCACCGATTACATCCCTCGCTCATCCAATGATTATACCTCA
CAAATGTATTCTGAAAAACCTTATGCACATATTCTCTCAGTTCCTGTTTCGGAAAAGTCTTACCCTGGA
CAGACTCAATACCAGACACTACAGCAGACTCAACCCTATGCTGTCTACCCTCAGGCAACCCAAACGTAT
GGACTACCTCCTTTTGTCAAGCACAAATGCCAGCCTGATATCTACTTCTTCTACAATTGCCAATATT
CCAGCAGCAGCAGTAGCCAGCATCTCAAACCAGGATTATCCACCTATACTATTCTTGGTCAGAATCAG
TACCAGGCCTGCTACCCAGCTCCAGCTTTGGAGTCACAGGTGAGACTAACAGTGATGCAGAGAGCACC
ACATTAGCAGCAACCACATACCAGTCGGAGAAGCCTAGTGTATGGCGCCTGCACCTGCAGCACAGAGA
CTTTCTCTGGAGACCCTTCTACAAGTCCATCTTTGTCCAGACTACACCAAGTAAAGATACTGATGAT
CAGTCCAGGAAAAACATGACTAGCAAGAACCGGGCAAGAGGAAAGCTGATGCCACTTCTCCCAAGAC
AGTGAATTAGAACGGGTATTTCTGTGGGACTTGGATGAAACCATCATCATCTTCCACTCACTTCTTACT
GGATCCTATGCCAGAAATATGGAAGGACCCAACAGTAGTGATTGGCTCAGGTTTAAACAATGGAAGAA
ATGATTTTTGAAGTGGCTGATACTCATCTATTTTTCAATGACTTAGAGGAGTGTGACCAGGTACATGTG
GAAGATGTGGCTTCTGATGACAAATGGCCAAGACTTGAGCAACTACAGTTTCTCAACAGATGGTTTCAGT
GGCTCAGGAGGTAGTGGCAGCCATGGTTCATCTGTGGGTGTTGAGGAGGTGGACTGGATGAGGAAA
CTAGCTTCCGCTACCGAAAAGTGAGAGAAATCTATGATAAGCATAAAAGCAACGTGGGTGGTCTCCTC
AGTCCCCAGAGGAAGCAAGCACTGCAGAGATTAAGAGCAGAAATGAAGTTTTAACAGATTCCTGGTTA
GGAAGTGCATTAAGTCCCTTACTTCTCATCCAGTCCAGAAAAGAAATGTGTGAATGTTCTGATCACTACC
ACCCAGCTGGTTCAGCCCTGGCCAAGGTTCTCCTATATGGACTAGGAGAAATATTTCTATTGAGAAC
ATCTATAGTGCTACCAAATTTGTAAGGAGAGCTGCTTTGAGAGAATTGTGTCAAGGTTTGGAAAGAAA
GTCACATATGTAGTGATTGGAGATGGACGAGATGAAGAAATTGCAGCCAAACAGCAACTCTATTTCTTA
GACATGGAGGCATTGGGTTGCCAGCTAGAACCAACTGCCCTGATACTCTTCATCCAGTTAAGTGGAAAC
CTTAGCAACTATAATAACTATGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
  
```

**Restriction Sites:**

SgfI-MluI

**Plasmid Map:**



<b>ACCN:</b>	NM_001282560
<b>Insert Size:</b>	1611 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001282560.1</a>
<b>RefSeq Size:</b>	1823 bp
<b>RefSeq ORF:</b>	1611 bp
<b>Locus ID:</b>	2140
<b>UniProt ID:</b>	<a href="#">Q99504</a>
<b>Cytogenetics:</b>	1p35.3
<b>Protein Families:</b>	Phosphatase, Transcription Factors
<b>MW:</b>	58.7 kDa
<b>Gene Summary:</b>	<p>This gene encodes a member of the eyes absent (EYA) family of proteins. The encoded protein may act as a transcriptional activator and have a role during development. It can act as a mediator of chemoresistance and cell survival in Ewing sarcoma cells, where this gene is up-regulated via a micro-RNA that binds to the 3' UTR of the transcript. A similar protein in mice acts as a transcriptional activator. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Sep 2013]</p> <p>Transcript Variant: This variant (2) lacks an alternate in-frame exon in the central coding region, and contains an alternate 3' terminal exon and thus differs in the 3' coding region and 3' UTR, compared to variant 1. The encoded isoform (b) has a distinct C-terminus and is shorter than isoform a.</p>