

Product datasheet for **SC336729**

PCPTP1 (PTPRR) (NM_001207015) Human Untagged Clone

Product data:

| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | PCPTP1 (PTPRR) (NM_001207015) Human Untagged Clone |
| Tag: | Tag Free |
| Symbol: | PTPRR |
| Synonyms: | EC-PTP; PCPTP1; PTP-SL; PTPBR7; PTPRQ |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |



[View online »](#)

Fully Sequenced ORF: >SC336729 representing NM_001207015.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCCGCATCGCC
ATGCAGTCAATTTCCAACAGACACTGCAAATGGATGTAACAAGCTGAACATAACCTTGCTTCGGATC
TTCCGCCAAGGAGTGGCTGCAGCTTTAGGACTTTACCCAGCAAGTGCACATCAATCGCCTCATTGGA
AAGAAGAACAGTATTGAACTGTTTGTGTCTCCATAAACCGAAAAACAGGAATTTCTGATGCTCTGCC
TCTGAGGAAGTTCTTCGTTCACTTAATATCAATGTTTTGCATCAAAGTTTATCCAGTTTGAATTACA
GAAGTCTCTCCTGAGAAAAATGTTTACAGGGCAGCATGAAGCGGACAAAATCTGGAGCAAAGAAGGA
TTTTATGCTGTTGTCATTTTTCTCAGCATCTTTGTTATTATAGTAACGTGTTTGATTCTTTACAGA
TTAAAAGAAGATTTAGCTTTCTTAAGACAAGACAAAGAGAAAAACCAGGAGATCCACCTATCGCCC
ATCACATTACAGCCAGCACTGTCCGAGGCAAAGACAGTCCACAGCATGGTCCAACCTGAGCAGGCCCCA
AAGGACTGAATGTTGCTGGACCCTCAAGGCCGAGGTGCTCCTGAGATCAAAGCTACCACCGCTACC
TCTGTTTGCCTTCTCCTTTCAAATGAAGCCCATAGGACTTCAAGAGAGAAGAGGGTCCAACGTATCT
CTTACATTGGACATGAGTAGCTTGGGGAACATTGAACCCTTTGTGTCTATACCAACACCACGGGAGAAG
GTAGCAATGGAGTATCTGCAGTCAGCCAGCCGAATTCTCAACAAGTCTCAGCTGAGGGACGTCGTGGCA
AGTTACATTTACTCAAAGTGAATTCATGAAAATACCAATGAACTTTGTGGATCCCAAAGAAATGAT
ATTCGCGTCAATGGAATAAAAAATCGCTATAAGACCATTTTACCAATCCCTCAGCAGAGTGTGTTTA
AGACAAAAAATGAACCGATTCATTGAGCACCTACATTAATGCTAATTAATTAGGGGTACAGTGGC
AAGGAGAAAGCCTTATTGCCACGACGGGCCCATGATCAACACCGTGGATGATTCTGGCAGATGGTT
TGGCAGGAAGACAGCCCTGTGATTGTTATGATCACAAAACCTCAAAGAAAAAATGAGAAATGTGTGCTA
TACTGGCCGAAAAAGAGAGGGATATATGGAAAAGTTGAGGTTCTGTTTATCAGTGTAAATGAATGTGAT
AACTACACCATTGAAAACCTTGTCTTAAAGCAAGGAAGCCACACCCAACATGTGAAGCATTACTGGTAC
ACCTCATGGCCTGATCACAAAGACTCCAGACAGTGCACAGCCCTCTACAGCTCATGCTGGATGTAGAA
GAAGACAGACTTGCTTCCAGGGCCGAGGGCCTGTGGTTGCTCACTGCAGTGCAGGAATAGGTAGAACA
GGGTGTTTTATTGCTACATCCATTGGCTGTCAACAGCTGAAAGAAGAAGGAGTTGTGGATGCACTAAGC
ATTGCTGCCAGCTTCGTATGGATAGAGGTGGAATGGTGCAAACCAAGTGCAGTATGAATTTGTGCAC
CATGCTCTGTGCCTGTATGAGAGCAGACTTTCAGCAGAGACTGTCCAGTGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
  
```

Restriction Sites:

Sgfl-MluI

Plasmid Map:



| | |
|-------------------------------|---|
| ACCN: | NM_001207015 |
| Insert Size: | 1638 bp |
| OTI Disclaimer: | Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP). |
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method: | <ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | NM_001207015.1 |
| RefSeq Size: | 2860 bp |
| RefSeq ORF: | 1638 bp |
| Locus ID: | 5801 |
| UniProt ID: | Q15256 |
| Cytogenetics: | 12q15 |
| Protein Families: | Druggable Genome, Phosphatase, Transmembrane |
| Protein Pathways: | MAPK signaling pathway |
| MW: | 61.4 kDa |

Gene Summary:

The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP possesses an extracellular region, a single transmembrane region, and a single intracellular catalytic domain, and thus represents a receptor-type PTP. Silencing of this gene has been associated with colorectal cancer. Multiple transcript variants encoding different isoforms have been found for this gene. This gene shares a symbol (PTPRQ) with another gene, protein tyrosine phosphatase, receptor type, Q (GeneID 374462), which is also located on chromosome 12. [provided by RefSeq, May 2011]

Transcript Variant: This variant (3) differs in the 5' UTR, lacks a portion of the 5' coding region, and initiates translation at an alternate start codon, compared to variant 1. The encoded isoform (3) has a distinct N-terminus and is shorter than isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.