

## Product datasheet for SC336772

### CNO6L (CNOT6L) (NM\_001286790) Human Untagged Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** CNO6L (CNOT6L) (NM\_001286790) Human Untagged Clone  
**Tag:** Tag Free  
**Symbol:** CNOT6L  
**Synonyms:** CCR4b  
**Vector:** pCMV6-Entry (PS100001)  
**Fully Sequenced ORF:** >SC336772 representing NM\_001286790.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

ATGAGACTAATAGGGATGCCAAAGGAAAAATATGATCCTCCAGATCCTCGCAGAATTTATACCATCATG
TCAGCAGAGGAGGTAGCCAATGGGAAAAATCTCACTGGGCAGAAATTAGAAATCTCGGGTAGAGTGCGG
AGCCTAAGTACATCACTTTGGTCATTGACACACTTGACAGCGCTGCACCTAAATGACAATTACCTTAGT
CGCATTCCACCTGATATTGCCAAGCTTCATAATCTGGTTACCTGGATCTGTCATCCAATAAACTCAGA
AGTTTACCAGCAGAACTAGGAAACATGGTGTCTCTCAGGGAATTGCTTTTAAATAACAATCTGTTACGG
GTTTTGCCTTATGAACTTGGTCGGCTCTCCAGCTACAACTCTAGGTTTAAAGGCAATCCTTTATCA
CAGGATATTCTCAACTTATACCAGGACCCAGATGGAACCCGAAAGCTACTGAACTTCATGCTTGACAAT
CTCGCAGTTCATCCAGAGCAGCTTCTCCGAGGCCATGGATTACATTAAGAAGCAGACCAAAATCTG
CCGTCAGCATCATTACCGGTTATGTGTTACAATGTGTTATGTGATAAATACGCTACCCGGCAGCTATAT
GGCTATTGCCATCCTGGGCATTAACCTGGGAATACAGGAAAAAGGGAATTATGGAAGAAATTTGTTAAC
TGTGACGCAGATCATTAGTCTTCAGGAAGTGGAAACAGAGCAATACTCACTCTCTTTCTGCCAGCA
TTGAAGGAGCGTGGATATGATGGATTTTTCTCCAAAGTCACGTGCCAAAATCATGTCTGAGCAGGAG
AGAAAGCATGTAGATGGTTGTGCAATATCTTCAAAACAGAAAAATTTACATTGGTGCAGAAGCATAACA
GTGGAATTTAACCAAGTGGCGATGGCTAATTCAGATGGATCCGAAGCTATGCTGAACAGAGTGATGACA
AAAGATAACATTGGTGTGCTGTGGTATTAGAGGTCCACAAAGAATTTGGAGCAGGTATGAAGCCT
ATTCATGCTGCAGACAAACAGCTGCTTATAGTGGCAAATGCCACATGCATTGGGACCCAGAGTATTCT
GATGTGAAGCTCATCCAGACCATGATGTTGTCTCAGAGGTTAAAAACATTCTGGAGAAAGCCTCTAGT
AGGCCTGGAAGCCCAACTGCAGATCCTAATCCATCCCCTGGTGTCTATGTGCAGATCTTAACCTATTG
CCAGATTCAGGTGTTGTGGAATACTTAAGCAATGGAGGAGTAGCTGACAACCATAAAGACTTCAAGGAA
CTAAGGTACAATGAGTGTCTTATGAACTTCAGCTGCAATGGAAAGAATGGAAGCTCAGAAGGAGAAATC
ACACATGGCTTCCAACCTAAGAGCGCCTATGAAAATAACTTGATGCCTTACACCAATTACACCTTTGAT
TTCAAAGCGTGATTGACTACATTTTCTATTCCAAGACTCATATGAACGTGCTTGGTGTCTGGGGCCT
TTAGATCCTCAATGGCTGGTTGAGAACAACATCACTGGGTGTCCACACCTCACATCCCTTCAGACCAC
TTCTCACTGTAAACAACCTGAACTCCACCCTCCACTCTGCCTCTTGTCAATGGTGTCTCACTTGCC
AATCGGAGGTAG
  
```

**Restriction Sites:** Sgfl-MluI



[View online »](#)

**Plasmid Map:**


**ACCN:** NM\_001286790

**Insert Size:** 1668 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001286790.1](#)

**RefSeq Size:** 8865 bp

**RefSeq ORF:** 1668 bp

**Locus ID:** 246175

**UniProt ID:** [Q96LI5](#)

**Cytogenetics:** 4q21.1

**Protein Pathways:** RNA degradation

**MW:** 63 kDa

**Gene Summary:** Has 3'-5' poly(A) exoribonuclease activity for synthetic poly(A) RNA substrate. Catalytic component of the CCR4-NOT complex which is one of the major cellular mRNA deadenylases and is linked to various cellular processes including bulk mRNA degradation, miRNA-mediated repression, translational repression during translational initiation and general transcription regulation. Additional complex functions may be a consequence of its influence on mRNA expression. May be involved in the deadenylation-dependent degradation of mRNAs through the 3' UTR AU-rich element-mediated mechanism. Involved in deadenylation-dependent degradation of CDKN1B mRNA. Its mRNA deadenylase activity can be inhibited by TOB1. Mediates cell proliferation and cell survival and prevents cellular senescence.  
[UniProtKB/Swiss-Prot Function]  
Transcript Variant: This variant (1) represents the longer transcript. Variants 1 and 2 both encode the same protein.