

## Product datasheet for **SC336823**

### GGT1 (NM\_001288833) Human Untagged Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** GGT1 (NM\_001288833) Human Untagged Clone  
**Tag:** Tag Free  
**Symbol:** GGT1  
**Synonyms:** CD224; D22S672; D22S732; GGT; GGT 1; GGTD; GTG  
**Vector:** pCMV6-Entry (PS100001)  
**Fully Sequenced ORF:** >SC336823 representing NM\_001288833.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)


```

ATGAAGAAGAAGTTAGTGGTGCTGGCCTGCTGGCCGTGGTCTGGTGCTGGTCATTGTGCGCCTCTGT
CTCTGGCTGCCCTCAGCCTCCAAGGAACCTGACAACCATGTGTACACCAGGGCTGCCGTGGCCGCGGAT
GCCAAGCAGTGCTCGAAGATTGGGAGGGATGCACTGCGGGACGGTGGCTCTGCGGTGGATGCAGCCATT
GCAGCCCTGTTGTGTGTGGGCTCATGAATGCCACAGCATGGGCATCGGGGTGGCCTCTTCTCACC
ATCTACAACAGCACCACAGAAAAGCTGAGGTCATCAACGCCCGAGGTGGCCCCAGGCTGGCCTTT
GCCACCATGTTCAACAGCTCGGAGCAGTCCCAGAAGGGGGGCTGTCGGTGGCGGTGCCTGGGGAGATC
CGAGGCTATGAGCTGGCACACCAGCGGCATGGGCGGCTGCCCTGGGCTCGCCTCTCCAGCCAGCATC
CAGCTGGCCCGCAGGGCTTCCCGTGGCAAGGGCTTGGCGGCAGCCCTGGAAAACAAGCGGACCGTC
ATCGAGCAGCAGCCTGTCTTGTGTGAGGTGTTCTGCCGGGATAGAAAGGTGCTTCGGGAGGGGGAGAGA
CTGACCTGCCGAGCTGGCTGACACCTACGAGACGCTGGCCATCGAGGGTGCCAGGCCTTCTACAAC
GGCAGCCTCACGGCCAGATTGTGAAGGACATCCAGGCGCCGGGGCATTGTGACAGCTGAGGACCTG
AACAACTACCGTGCTGAGCTGATCGAGCACCCGCTGAACATCAGCCTGGGAGACGTGGTGTACATG
CCCAGTGCGCCGCTCAGCGGGCCGCTGCTGGCCCTCATCCTCAACATCCTCAAAGGTACAACCTTCTCC
CGGGAGAGCGTGGAGAGCCCCGAGCAGAAGGGCCTGACGTACCACCGCATCGTAGAGGCTTCCGGTTT
GCCTACGCCAAGAGGACCCTGTTGGGGACCCCAAGTTTGTGGATGTGACTGAGGTGGTCCGCAACATG
ACCTCCGAGTTCTTCGCTGCCAGCTCCGGGCCAGATCTCTGACGACACCACTACCCGATCTCTTAC
TACAAGCCGAGTTCTACACGCCGATGACGGGGCACTGCTCACCTGTCTGTCGTCGACAGGACGGC
AGTGTGTGTCCGCCACCAGCACCATCAACCTCTACTTTGGTCCAAGGTCGCTCCCGGTGACGGG
ATCCTGTTCAATAATGAAATGGACGACTTCAGCTCTCCAGCATCACCACGAGTTTGGGTACCCCC
TCACCTGCCAATTCATCCAGCCAGGGAAGCAGCCGCTCTCGTCCATGTGCCGACGATCATGGTGGC
CAGGACGGCCAGGTCCGGATGGTGGTGGGAGCTGCTGGGGCACACAGATCACCACGGCCACTGCACTG
GCCATCATCTACAACCTCTGGTTCGGCTATGACGTGAAGCGGGCCGTGGAGGAGCCCCGGCTGCACAAC
CAGCTTCTGCCAACGTACGACAGTGGAGAGAAACATTGACCAGGCAGTGACTGCAGCCCTGGAGACC
CGGCACCATCACACCCAGATCGCGTCCACCTTCATCGCTGTGGTGAAGCCATCGTCCGACGGCTGGT
GGCTGGGACGCTGCCTCGGACTCCAGGAAAGCGGGGAGCCTGCCGGCTACTGA
  
```

**Restriction Sites:** SgfI-MluI



[View online »](#)

**Plasmid Map:**


**ACCN:** NM\_001288833

**Insert Size:** 1710 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001288833.1](#)

**RefSeq Size:** 2693 bp

**RefSeq ORF:** 1710 bp

**Locus ID:** 2678

**UniProt ID:** [P19440](#)

**Cytogenetics:** 22q11.23

**Protein Families:** Protease, Transmembrane

<b>Protein Pathways:</b>	Arachidonic acid metabolism, Cyanoamino acid metabolism, Glutathione metabolism, Metabolic pathways, Selenoamino acid metabolism, Taurine and hypotaurine metabolism
<b>MW:</b>	61.4 kDa
<b>Gene Summary:</b>	<p>The enzyme encoded by this gene is a type I gamma-glutamyltransferase that catalyzes the transfer of the glutamyl moiety of glutathione to a variety of amino acids and dipeptide acceptors. The enzyme is composed of a heavy chain and a light chain, which are derived from a single precursor protein. It is expressed in tissues involved in absorption and secretion and may contribute to the etiology of diabetes and other metabolic disorders. Multiple alternatively spliced variants have been identified. There are a number of related genes present on chromosomes 20 and 22, and putative pseudogenes for this gene on chromosomes 2, 13, and 22. [provided by RefSeq, Jan 2014]</p> <p>Transcript Variant: This variant (6) represents the longest transcript. Variants 2, 3, and 6 encode the same protein.</p>