

Product datasheet for **SC336898**

DNA polymerase eta (POLH) (NM_001291969) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	DNA polymerase eta (POLH) (NM_001291969) Human Untagged Clone
Tag:	Tag Free
Symbol:	POLH
Synonyms:	RAD30; RAD30A; XP-V; XPV
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

Fully Sequenced ORF: >SC336898 representing NM_001291969.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCACGATCGCC
ATGAAGCTCGTCATTTGGAGTCACTAGAAGTATGTGGCAGATGATGCTAAGAAGTTATGTCCAGATC
TTCTACTGGCACAAGTTCTGTAGTCCCGTGGGAAAGCTAACCTCACCAAAGGGGATGCGAAAACAAGGC
TTATTTCAATGGCTCGATTCTCTTCAGATTGATAACCTCACCTCTCCAGACCTGCAGCTCACCGTGGGA
GCAGTGATTGTGGAGAAATGAGAGCAGCCATAGAGAGGGAGACTGGTTTTTCAGTGTTTCAGCTGGAATT
TCACACAATAAGGTCCTGGCAAACTGGCCTGTGGACTAAACAAGCCCAACCGCCAAACCCTGGTTTCA
CATGGGTCAGTCCACAGCTCTTCAGCCAAATGCCATTTCGAAAATCCGTAGTCTTGGAGGAAAGCTA
GGGGCCTCTGTCAATTGAGATCCTAGGGATAGAATACATGGGTGAAGTACCCAGTTCAGTGAATCCAG
CTCCAGAGTCATTTGGGAGAAGAATGGGTCTGGCTATATGCCATGTGCCGAGGGATTGAACATGAT
CCAGTTAAACCCAGGCAACTACCCAAAACATTGGCTGTAGTAAGAACTCCCAGGAAAAACAGCTCTT
GCTACTCGGGAACAGGTACAATGGTGGCTGTTGCAATTAGCCAGGAACTAGAGGAGAGACTGACTAAA
GACCGAAATGATAATGACAGGGTAGCCACCCAGCTGGTTGTGAGCATTCTGTGTAAGGAGACAAACGC
CTCAGCAGCCTGCGCCGCTGCTGTGCCCTTACCCGCTATGATGCTCACAAGATGAGCCATGATGCATTT
ACTGTCATCAAGAACTGTAATACTTCTGGAATCCAGACAGAATGGTCTCCTCTCACAATGCTTTTC
CTCTGTGTACAAAATTTCTGCCTCTGCCCTTTCATCTTCTACAGACATCACCAGCTTCTTGAGCAGT
GACCCAAGTTCTCTGCCAAAGGTGCCAGTTACCAGCTCAGAAGCTAAGACCCAGGGAAGTGGCCAGCG
GTGACAGCCACTAAGAAAGCAACCACGTCTCTGGAATCATTCTTCCAAAAGCTGCAGAAAGGCAGAAA
GTTAAAGAAGCTTCGCTTTCATCTTACTGCTCCCACTCAGGCTCCCATGAGCAATTACCATCCAAG
CCCTCATTACCTTTTCAAACAGTCAAAGTACAGGAACTGAGCCCTTCTTAAAGCAGAAAAGTCTGCTT
CTAAAGCAGAAACAGCTTAATAATTCTTCAAGTTTCTTCCCAACAAAACCCATGGTCCAAGTAAA
GCATTACCAAACCTTTTACCAACAGAGTATCCAGGGTGTGTCCTGTTTGTGAAGGGTGTGCAAGCTA
GAAGAATCCTCTAAAGCAACTCTGCAGAGATGGATTTGGCCACAACAGCCAAAGCATGCACGCTCT
TCAGCTTCCAAATCTGTGCTGGAGGTGACTCAGAAAGCAACCCAAATCCAAGTCTTCTAGCTGCTGAG
GACCAAGTGCCCTGTGAGAAGTGTGGCTCCCTGGTACCGGTATGGGATATGCCAGAACACATGGACTAT
CATTTTGCATTGGAGTTGCAGAAATCCTTTTGCAGCCCCACTCTCAAACCCCAAGTTGTTTCTGCC
GTATCTCATCAAGGCAAAAGAAATCCCAAGAGCCCTTTGGCTGCACTAATAACGCCCCAGGCCTGAG
GGCATGCAACATTGGAATCATTTTTTAAGCCATTAACACATTAG
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:


ACCN: NM_001291969

Insert Size: 1770 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001291969.1](#)

RefSeq Size: 8053 bp

RefSeq ORF: 1770 bp

Locus ID: 5429

Cytogenetics: 6p21.1

Protein Families: Druggable Genome

MW: 64.8 kDa

Gene Summary:

This gene encodes a member of the Y family of specialized DNA polymerases. It copies undamaged DNA with a lower fidelity than other DNA-directed polymerases. However, it accurately replicates UV-damaged DNA; when thymine dimers are present, this polymerase inserts the complementary nucleotides in the newly synthesized DNA, thereby bypassing the lesion and suppressing the mutagenic effect of UV-induced DNA damage. This polymerase is thought to be involved in hypermutation during immunoglobulin class switch recombination. Mutations in this gene result in XPV, a variant type of xeroderma pigmentosum. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, May 2014]

Transcript Variant: This variant (2) lacks two alternate exons compared to variant 1. The resulting isoform (2) has a shorter and distinct N-terminus compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.