

## Product datasheet for **SC336968**

### Ku70 (XRCC6) (NM\_001288976) Human Untagged Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Ku70 (XRCC6) (NM\_001288976) Human Untagged Clone  
**Tag:** Tag Free  
**Symbol:** XRCC6  
**Synonyms:** CTC75; CTCBF; G22P1; KU70; ML8; TLA  
**Vector:** pCMV6-Entry (PS100001)  
**Fully Sequenced ORF:** >SC336968 representing NM\_001288976.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```


ATGTCAGGGTGGGAGTCATATTACAAAACCGAGGGCGATGAAGAAGCAGAGGAAGAACAAGAAGAGAAC
CTTGAAGCAAGTGGAGACTATAAATATTCAGGAAGAGATAGTTTGTATTTTTTGGTTGATGCCTCCAAG
GCTATGTTTGAATCTCAGAGTGAAGATGAGTTGACACCTTTGACATGAGCATCCAGTGTATCCAAAGT
GTGTACATCAGTAAGATCATAAGCAGTGATCGAGATCTCTTGGCTGTGGTGTCTATGGTACCGAGAAA
GACAAAAATTCAGTGAATTTAAAAATATTTACGTCTTACAGGAGCTGGATAATCCAGGTGCAAAACGA
ATTCTAGAGCTTGACCAGTTTAAGGGGCAGCAGGGACAAAACGTTTCCAAGACATGATGGGCCACGGA
TCTGACTACTCACTCAGTGAAGTCTGTGGGTCTGTGCCAACCTCTTAGTGATGTCCAATTCAGATG
AGTCATAAGAGGATCATGCTGTTCAACCAATGAAGACAACCCCATGGCAATGACAGTGCCAAAGCCAGC
CGGGCCAGGACCAAAGCCGGTGATCTCCGAGATACAGGCATCTTCCTTGACTTGATGCACCTGAAGAAA
CCTGGGGGCTTTGACATATCCTTGTCTACAGAGATATCATCAGCATAGCAGAGGATGAGGACCTCAGG
GTTCACTTTGAGGAATCCAGCAAGCTAGAAGACCTGTTGCGGAAGGTTGCGGCCAAGGAGACCAGGAAG
CGAGCACTCAGCAGGTTAAAGCTGAAGCTCAACAAAGATATAGTGATCTCTGTGGCATTATAATCTG
GTCCAGAAGGCTCTCAAGCCTCCTCAAATAAAGCTCTATCGGGAAACAAATGAACCAGTGAACCAAG
ACCCGGACCTTTAATAACAAGTACAGGCGTTTGTCTTCTGCCTAGCGATACCAAGAGGTCTCAGATCTAT
GGGAGTCGTGAGATTACTGGAGAAAGAGGAAACAGAAGAGCTAAAACGGTTTGTATGATCCAGGTTTG
ATGCTCATGGGTTTCAAGCCGTTGGTACTGCTGAAGAAACACCATTACCTGAGGCCCTCCCTGTTGCTG
TACCCAGAGGAGTCGCTGGTGATTGGGAGCTCAACCCTGTTCAAGTGTCTGCTCATCAAGTGTCTGGAG
AAGGAGGTTGCAGCATTGTGCAGATACACACCCCGCAGGAACATCCCTCCTTATTTTGTGGCTTTGGTG
CCACAGGAAGAAGAGTTGGATGACCAGAAAATTCAGGTGACTCCTCCAGGCTTCCAGCTGGTCTTTTTA
CCCTTTGCTGATGATAAAAGGAAGATGCCCTTACTGAAAAATCATGGCACTCCAGAGCAGGTGGGC
AAGATGAAGGCTATCGTTGAGAAGCTTCGCTTACATACAGAAGTGACAGCTTTGAGAACCCCGTGTG
CAGCAGCACTTCAGGAACCTGGAGGCCCTTGGCCTTGGATTTGATGGAGCCGGAACAAGCAGTGGACCTG
ACATTGCCAAGGTTGAAGCAATGAATAAAAGACTGGGCTCCTTGGTGGATGAGTTAAGGAGCTTGT
TACCCACCAAGATTACAATCCTGAAGGAAAAGTTACCAAGAGAAAAACGATAATGAAGGTTCTGGAAGC
AAAAGGCCAAGGTGGAGTATTCAGAAGAGGAGCTGAAGACCCACATCAGCAAGGATACGCTGGGCAAG
TTCAGTGTGCCATGCTGAAAGAGGCCTGCCGGCTTACGGGCTGAAGAGTGGGCTGAAGAAGCAGGAG
CTGCTGGAAGCCCTACCAAGCACTTCCAGGACTGA
  
```



[View online »](#)

Restriction Sites: SgfI-MluI

Plasmid Map:



ACCN: NM\_001288976

Insert Size: 1830 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM\\_001288976.1](#)

RefSeq Size: 2164 bp

RefSeq ORF: 1830 bp

Locus ID: 2547

UniProt ID: [P12956](#)

Cytogenetics: 22q13.2

Protein Families: Druggable Genome, Transcription Factors

Protein Pathways: Non-homologous end-joining

**MW:** 69.8 kDa

**Gene Summary:**

The p70/p80 autoantigen is a nuclear complex consisting of two subunits with molecular masses of approximately 70 and 80 kDa. The complex functions as a single-stranded DNA-dependent ATP-dependent helicase. The complex may be involved in the repair of nonhomologous DNA ends such as that required for double-strand break repair, transposition, and V(D)J recombination. High levels of autoantibodies to p70 and p80 have been found in some patients with systemic lupus erythematosus. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (2) differs in the 5' UTR compared to variant 1. Variants 1 and 2 encode the same protein (isoform 1).