

Product datasheet for **SC337002**

SDHA (NM_001294332) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SDHA (NM_001294332) Human Untagged Clone
Tag:	Tag Free
Symbol:	SDHA
Synonyms:	CMD1GG; FP; MC2DN1; NDAXOA; PGL5; SDH1; SDH2; SDHF
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

Fully Sequenced ORF: >SC337002 representing NM_001294332.
Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGTCGGGGTCCGGGGCTGTCGCGGCTGCTGAGCGCTCGGCGCCTGGCGCTGGCCAAGCGTGGCCA
ACAGTGTGCAAAACAGGAACCCGAGGTTTTCACTTCACTGTTGATGGGAACAAGAGGGCATCTGCTAAA
GTTTCAGATTCCATTTCTGCTCAGTATCCAGTAGTGGATCATGAATTTGATGCAGTGGTGGTAGGCGCT
GGAGGGGCAGGCTTGCAGCTGCATTTGCCTTTCTGAGGCAGGGTTAATACAGCATGTGTTACCAAG
CTGTTTCTACCAGTCCACACTGTTGCAGCAGCTAGAAAATTATGGCATGCCGTTTAGCAGAACT
GAAGATGGGAAGATTTATCAGCGTGCATTTGGTGGACAGAGCCTCAAGTTTGGAAAGGGCGGCCAGGCC
CATCGGTGCTGCTGTGTGGCTGATCGGACTGGCCACTCGTATTGCACACCTTATATGGAAGTCTCTG
CGATATGATACCAGCTATTTTGTGGAGTATTTGCCTTGGATCTCCTGATGGAGAATGGGAGTGGCGT
GGTGTGCATCGACTGTGCATAGAGGACGGTCCATCCATCGCATAAGAGCAAAGAACAAGTGTGTTGCC
ACAGGAGGCTACGGGCGCACCTACTTCAGCTGCACGTCTGCCACACCAGCACTGGCGACGGCACGGCC
ATGATCACCAGGGCAGGCCCTTCCCTTGCCAGGACCTAGAGTTTGTTCAGTTCACCCTACAGGCATATAT
GGTGTGTTGTCTCATTACGGAAGGATGTCGTGGAGAGGGAGGCATTCTCATTAAACAGTCAAGGCGAA
AGGTTTATGGAGCGATACGCCCTGTGCGGAAGGACCTGGCGTCTAGAGATGTGGTGTCTCGGTCCATG
ACTCTGGAGATCCGAGAAGGAAGAGGCTGTGGCCCTGAGAAAGATCACGTCTACCTGCAGCTGCACCAC
CTACCTCCAGAGCAGCTGGCCACGCGCCTGCCTGGCATTTCAGAGACAGCCATGATCTTCGCTGGCGTG
GACGTACGAAGGAGCCGATCCCTGTCTCCCAACCGTGCATTATAACATGGGCGGCATTCCCACCAAC
TACAAGGGGCAGGTCTGAGGCACGTGAATGGCCAGGATCAGATTGTGCCCGCCTGTACGCCTGTGGG
GAGGCCGCTGTGCCTCGGTACATGGTGGCAACCGCCTCGGGGCAAACCTCGCTCTTGGACCTGTTGTC
TTTGGTCGGGCATGTGCCCTGAGCATCGAAGAGTCATGCAGGCCTGGAGATAAAGTCCCTCCAATTTAAA
CCAAACGCTGGGGAAGAATCTGTCATGAATCTTGACAAATTGAGATTTGCTGATGGAAGCATAAGAACA
TCGGAACCTGCGACTCAGCATGCAGAAGTCAATGCAAAAATCATGCTGCCGTGTTCCGTGTGGGAAGCGTG
TTGCAAGAAGGTTGTGGGAAAATCAGCAAGCTCTATGGAGACCTAAAGCACCTGAAGACGTTTCGACCGG
GGAATGGTCTGGAACACGGACCTGGTGGAGACCCTGGAGCTGCAGAACCTGATGCTGTGTGCGCTGCAG
ACCATCTACGGAGCAGAGGCACGGAAGGAGTACGGGGCGCGCATGCCAGGGAAGACTACAAGGTGCGG
ATTGATGAGTACGATTACTCCAAGCCCATCCAGGGGCAACAGAAGAAGCCCTTTGAGGAGCACTGGAGG
AAGCACACCCTGTCTATGTGGACGTTGGCACTGGGAAGGTCACCTGGAATATAGACCCGTGATCGAC
AAAACCTTTGAACGAGGCTGACTGTGCCACCGTCCCGCCAGCCATTGCTCCTACTGA
ACGCGTACGCGGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: SgfI-MluI

Plasmid Map:



ACCN: NM_001294332

Insert Size: 1851 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001294332.1](#)

RefSeq Size: 2659 bp

RefSeq ORF: 1851 bp

Locus ID: 6389

UniProt ID: [P31040](#)

Cytogenetics: 5p15.33

Protein Families: Druggable Genome

Protein Pathways:	Alzheimer's disease, Citrate cycle (TCA cycle), Huntington's disease, Metabolic pathways, Oxidative phosphorylation, Parkinson's disease
MW:	67.3 kDa
Gene Summary:	<p>This gene encodes a major catalytic subunit of succinate-ubiquinone oxidoreductase, a complex of the mitochondrial respiratory chain. The complex is composed of four nuclear-encoded subunits and is localized in the mitochondrial inner membrane. Mutations in this gene have been associated with a form of mitochondrial respiratory chain deficiency known as Leigh Syndrome. A pseudogene has been identified on chromosome 3q29. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jun 2014]</p> <p>Transcript Variant: This variant (2) lacks an in-frame exon in the 5' coding region, compared to variant 1. The encoded isoform (2) is shorter than isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>