

Product datasheet for **SC337060**

Axotrophin (MARCH7) (NM_001282806) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Axotrophin (MARCH7) (NM_001282806) Human Untagged Clone
Tag:	Tag Free
Symbol:	Axotrophin
Synonyms:	AXO; AXOT; MARCH-VII; MARCH7; RNF177
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >SC337060 representing NM_001282806.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCACGATCGCC
ATGGAGTCTAAACCTTCAAGGATTCCAAGAAGAATTTCTGTTCAACCTTCCAGCTCCTTAAGTGCTAGG
ATGATGTCTGGAAGCAGAGGAAGTAGTTTAAATGATACCTATCACTCAAGAGACTCTTCATTTAGATTG
GATTCTGAATATCAGTCTACATCAGCATCAGCATCTGCGTCACCATTTCAATCTGCATGGTATAGTGAA
TCTGAGATAACTCAGGGAGCAGCTCAAGATCGCAGAACCAGCAACGGGATCATGATCAAAAAGACCT
AACTTTCTGTACAAACTGTACTACCTCAGCTGGGAGAAATGTTGAAAATGGTTTAAACACATTATCA
GATGTTCAAGACAGAGTTCCTTCATATTCACAAGGAGCAAGACAAAAGAAAACCTCAATGAGCACTTTA
CAGTTGAATACATCATCCACAAACCACCAATTGCCTTCTGAACATCAGACCATACTAAGTTCTAGGGAC
TCCAGAAATCTTTAAGATCAAATTTTTCTTCAAGAGAATCAGAATCTCCCGAAGCAATACGCAGCCT
GGATTTCTTACAGTTCAAGTAGAGATGAAGCCCAATCATAAGCAATTCAGAAAGGTTGTTTCATCT
CAAAGACATTTCAAGAATCTTCTGACAATGAAGGTAGGCGGACAACGAGGAGATTGCTGTCACGCATA
GCTTCTAGCATGTCATCTACTTTTTTTTACGAAGATCTAGTCAGGATTCCTTGAATACAAGATCATTTG
AATTCTGAAAATCTTACGTTTCTCAAGAATCTTGACAGCTTCACAGTCCCGTAGTAATGTACCATCA
GCTTCTGAAGTTCGGATAATAGGGCATCTGAAGCTTCTCAGGGATTTGATTTCTTAGCGGAAGATGG
GGTTTGTATCTCTTAGCCACAATCATAGCTCTGAGTCAGATTGAGAAAATTTAAACCAAGAATCTGAA
GGTAGAAAACAGGACCATGGTTATCTTCTCACTTAGAAAATAGATGCACACCTTTGTTCTCTAGAAGG
AGGCGAGAGGGAAGAGATGAATCTTCAAGGATACCTACCTCTGATACATCATCTAGATCTCATATTTT
AGAAGAGAATCAAATGAAGTGGTTCACCTTGAAGCACAGAATGATCTCTTGGAGCTGCTGCCAACAGA
CCACAAGCATCTGCAGCATCAAGCAGTGCCACAACAGGTGGCTCTACATCAGATTCGGCTCAAGGTGGA
AGAAAACAGGAATATCAGGGATTCTTCTGGTTCCTTATTCCGGTTTGCAGTCCCTCCAGCACTTGGG
AGTAATTTGACCGACAATGTCATGATCACAGTAGATATTATCTTCAAGTTGGAATTCAGCTGATGGT
AAAAGTGATAAACTAAAAGTGCCTTCAAGAGATCCAGAAAAGATTGCAGAAAATAAAAGAGAGCCTC
CTTTTAGAGGACTCAGAAGAAGAAGAAGGTGACTTATGTAGAATTTGTCAAATGGCAGCTGCATCATCA
TCTAATTTGCTGATAGAGCCATGCAAGTGCACAGGAAGTTGCGATGTCCACCAAGACTGTATGAAA
AAGTGGTTACAGGCCAAAATTAAGTCTGGTCTTCTCATTAGAAGCTGTAACCACCTGTGAACATGTAAA
GAGAAGTTGGAGCTTAACCTGGAGGATTTGATATTCATGAACATACATAGAGCTCATGCAATGAACAA
GCTGAGTATGAGTTTATCAGCTCTGGTCTACCTAGTGGTGTATTGCACTTGTGCGAACAAAGCTTT
TCTGATATGATGGAAAATACAAATGAACCAAGCACAGTGTCCGACTTCAGAGGATGATTCGGAAGAAG
ACGGAGACCATAACAGGACATTTGATATTGCCTAACTTCATATAAA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
  
```

Restriction Sites: SgfI-MluI

ACCN: NM_001282806

Insert Size: 1908 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001282806.1](#)

RefSeq Size: 3319 bp

RefSeq ORF: 1908 bp

Locus ID: 64844

UniProt ID: [Q9H992](#)

Cytogenetics: 2q24.2

MW: 70.1 kDa

Gene Summary: MARCH7 is a member of the MARCH family of membrane-bound E3 ubiquitin ligases (EC 6.3.2.19). MARCH proteins add ubiquitin (see MIM 191339) to target lysines in substrate proteins, thereby signaling their vesicular transport between membrane compartments (Bartee et al., 2004 [PubMed 14722266]).[supplied by OMIM, Mar 2010]
Transcript Variant: This variant (3) differs in the 5' UTR, lacks an alternate in-frame exon in the 5' coding region, and lacks an exon that results in a frameshift in the 3' coding region, compared to variant 1. The encoded isoform (b) has a distinct C-terminus and is shorter than isoform a.