

Product datasheet for **SC337071**

FARP2 (NM_001282984) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	FARP2 (NM_001282984) Human Untagged Clone
Tag:	Tag Free
Symbol:	FARP2
Synonyms:	FIR; FRG; PLEKHC3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)




[View online »](#)

Fully Sequenced ORF: >SC337071 representing NM_001282984.
Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGGCCGGGAATTCGTGACTG
GATCCGGTACCGAGGAGATCTGCCGCCACGATCGCC
ATGGGGGAGATAGAAGGAACATACAGAGTCCTGCAGACTGCAGGGATGCGCTTGGGTGCCAGACCCCT
GTGGGAGTTAGCACCCCTTGAGCCTGGGCAGACTCTTTGCCAGAAATGCAAGAGAAGCACCTGCACCTC
AGAGTAAAGCTGCTGGACAACCCATGGAAATATTTGACATTGAGCCTAAATGCGATGGCCAGGTATTA
CTGACACAAGTGTGGAAGCGTTTAAACCTGGTAGAATGTGACTACTTCGGGATGGAGTTTCAAATACT
CAGTCCTACTGGATTTGGCTTGAACCTATGAAACCCATCATTAGGCAAATACGAAGGCCAAAGAATGTG
GTGCTTCGCTAGCTGTAAAATTTTTCCACCTGATCCTGGTCAGCTACAAGAAGAATATAACAAGATAC
TTGTTTGCCTTGCAACTAAGAGAGACCTGCTGGAAGAGCGTTTGACCTGTGCTGACACCACAGCGGCC
CTTCTCACGTCCCATCTCCTGCAGTCGGAAATAGGAGATTACGATGAAACGCTGGACCGAGAGCACCTC
AAAGTGAACGAGTATTTGCTGGCCAGCAGCACTGCCTTGAGAAGATACTAGAATCCATCAGAAGCAC
GTGGGCCAGACACCTGCTGAGTCGGATTTCCAGGTGCTCGAAATTGCTCGAAAGTTGAAATGTACGGC
ATCAGATTTACATGGCTTCTGACAGGGGAAGGAACCAAGATTCAGTGGCAGTTTCCACATGGGTGTA
CTCGTGTTCAGGGCACCACAAAATCAACACTTTCAACTGGTCCAAGGTCCTGAACTAAAGCTTCAAG
AGGAAAAGATTTCTTATCAAACCTCATCCAGAGTTTATGGACCTTACCAGGACACATTAGAATTTTTG
TTGGGTAGTAGAGATGAATGTAAGAACTTCTGGAAGATTTGTGTGGAGTATCACACCTTTTTTAGACTT
TTGGACCAACCTAAGCCAAAAGCAAAGCCGCTCTTTCAGCCGGGGCTCCTCCTCAGATACAGTGGA
AGAAGTCAAGAACTAGTAGATTATTTCAAAGACAGTGAATGAAGAGAATCCATATGAAAGAAGG
CACAGCAAGACCCACACGTCCGTTGAGCTCTGACTGCAGACTACCAAAAACAGAGCATCTCATTCCCC
GAGGGATTGAGGACTCCTGCCTCCCATCTTCAGCGAATGCCTTTACTCGCTCTCTCCCTCCACTCTG
GTCCCCTCTGGCCTGCCAGAGTTTAAAGGACAGCAGCAGCTCCCTCACAGATCCCCAGGTTTCTAGTTC
AAGAGTCCAGCTGCAGAGAGGCGCAGTGGAGCAGTGGCTGGAGGCCCGACACACCATCGGCCAGCCC
CTCGGGCCCCCGCACTCCAGCCTGGTCCAGGCCTTTCACGAAGAGTCTCAGCCTTCTCCCTCCAGC
CGGAAGAGCCCCCTGAGTCTGAGCCCTGCATTTCCAGGTGCCTTTGGGCCAGCTGAACAGGGCTCATCC
CCACTCCTGAGCCCTGTCTCAGTGTGCTGGCGGAGCCGGGATGGACTGCGAGGAGCCAGACACAAG
CGCGTGCCTGCAGACGAGGCCTACTTCATAGTCAAAGAGATTCTCGCTACAGAACGAACATACCTCAAG
GATTTAGAAGTTATTACCGTGTGGTCCGACGCGCAGTGGTGAAGGAGGACGCCATGCCTGCGACTCTG
ATGACGCTGCTCTTCTCAACATCGATCCCATCTATGAGTTCACAGAGGCTTCTGCGGAGGTGGAG
CAGAGGCTGGCACTCTGGGAAGGGCCCTCAAAGCCACACAAAAGGCAGTCATCAACGAATCGGGGAC
ATCCTGCTCAGGAACATGCGCCAGTTAAAGGCTGCTCATGAGTTCACCACGTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: Sgfl-Mlul

Plasmid Map:


ACCN: NM_001282984

Insert Size: 1917 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001282984.1](#)

RefSeq Size: 2437 bp

RefSeq ORF: 1917 bp

Locus ID: 9855

UniProt ID: [O94887](#)

Cytogenetics: 2q37.3

Protein Pathways: Adherens junction

MW: 72.3 kDa

Gene Summary:

Functions as guanine nucleotide exchange factor that activates RAC1. May have relatively low activity. Plays a role in the response to class 3 semaphorins and remodeling of the actin cytoskeleton. Plays a role in TNFSF11-mediated osteoclast differentiation, especially in podosome rearrangement and reorganization of the actin cytoskeleton. Regulates the activation of ITGB3, integrin signaling and cell adhesion (By similarity).[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (3) lacks several 3' exons but includes a novel 3' terminal exon, and it thus differs in the 3' coding region and 3' UTR, compared to variant 1. The encoded isoform (c) has a distinct and shorter C-terminus, compared to isoform a.