

Product datasheet for **SC337213**

ZNF180 (NM_001288759) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ZNF180 (NM_001288759) Human Untagged Clone
Tag:	Tag Free
Symbol:	ZNF180
Synonyms:	HHZ168
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001288759, the custom clone sequence may differ by one or more nucleotides

```

ATGCGCAGGGTCTACGCGGGAAGCTGGAAGCGGTGTGCAGCTCAGGACCTCAGCACCTGCTGTGCCTGG
AGGAGAGCATGGAAGAGCAGGATGAGAAGCCCCAGAGCCCCGAAGTCTGTGCACAGGATTCTTTCCT
TCCTCAAGAGATTATCATCAAAGTCGAGGGAGAAGACACTGGGTCTCTGACCATCCCATCTCAGGAAGGA
GTGAACCTCAAAATTGTGACTGTGGACTTCACACGGGAGGAACAGGGTACTTGAACCTGCTCAGAGGA
CCCTGGACAGAGATGTGATCCTGGAGAACCACAGGGACCTAGTCTCTTGGGACTTGGCAACTGCAGTTGG
AAAAAAGATTCAACTTCAAAGCAGAGGATTTTTGATGAAGAACCAGCTAATGGAGTGAAGATAGAAAGG
TTTACAAGGGATGATCCTTGGTTATCTTCATGTGAAGAAGTGGATGATTGTAAAGACCAGTTGGAGAAGC
AACAGGAAAAACAAGAGATACTTTGCAGGAAGTGGCATTCACTCAAAGGAAAGCAGTTATTCATGAGAG
AGTCTGCAAAAGTGTGAAACTGGGAGAAGAGTGGTCTGAATCCAGTCTATTTTCATCCCCAGTTATA
CCCATAAGAAACCATTTTCATAACATGTATCACATGCTAAAAATGGCATCTTAATGCTGCTGTAACA
GTCATCAGAAGATTAATGAGAATGAGACACTATATGAAAATAATGAATGTGGAAAACCCCTCAGAGCAT
TCACCTTATTAGTTTACAAGAACTCAAACAAAAGATAAAATCCTATGGATTTAGTGACCGTATTCAATCT
TTTTGCCATGGTACACCCCTACATATACATGAAAAATTCATGGAGGAGGAAAAACCTTTGATTTTAAAG
AATGTGGGCAGGTTTTGAACCCAAAAATATCCCATAATGAACAACAGAGAATTCCTTTTGAAGAGAGTCA
ATATAATGTAGTGAAACCTCTCATAGTTCCTCCCTTACTCAAACATGAGAAAATAATTCTGAAGAGAAA
CCTTTTGAATGTAATCAGTGTGGGAAATCCTTCAGCTGGAGCTCGCATCTTGTTCACATCAGAGAAGTCA
ACACAGGGGAGAAACCTTATGAATGTAGTGAATGTGGAAAATCCTTCAGCCGGAGCTCGCACCTTGTTTC
CCATCAGAGAAGTCACTGGAGAGAAACCTTACAGGTGAATCAATGTGGGAAATCCTTTAGCCAGAGT
TATGTCCTTGTGTGCATCAAAGAAGTCACTGGGAGAAAGCCTTATGAATGCAATCAGTGTGGAAAGT
CATTGAGCAGAGCTATAAACTTATTGCACATCAAAGAACACATACCGGAGAGAAGCCCTATGAATGTAA
TCAATGTGGGAAATCATTATCCAGAGCTATAAACTTATTGCACATCAAAGAATTCATACTGGGAAAAA
CCCTATGAATGCAATCAGTGTGGGAAATCCTTTAGTCAAAGTTATAAACTTGTGCTCATCAGAGAAGTCA
ACACAGGAGAAAAACCTTTGAATGTAATCAGTGTGGGAAATCCTTCAGCTGGAGCTCTCAGCTTGTTC
ACATCAAAGAAGTCACTGGAGAGAAACCGTATGAATGTAGTGAATGTGGAAAATCTTTTAAACCGCAGT
TCTCACCTTGTATGCATCAGAGAATTCACACTGGGAAAAACCGTATGAATGTAATCAGTGTGGGAAAT
CCTTCAGCCAGAGTTATGTTCTTGTGTACATCAGAGAAGTCACTGGAGAAAAGCCCTATGAATGCAG
TCAATGTGGGAAAGTCTTCAGACAGAGTTCATGCCTTACTCAACATCAGAGAAGTCACTGGAGAGAAA
CCATTTGAATGTAATCAGTGTGGAAAACATTTAGCTTGAAGTGTGCTGACTTATTGTGCATCAAAGAAGTCA
TACTGGAGAGAAAACCTTTACATGTATTCAGTGTGGAAAAGCTTTCATTAATAGCTATAAACTTATTAG
GCATCAGGCAACTCACTGAAGAGAACTCTATGAATGTAACTAG

```

Restriction Sites: Sgfl-MluI

ACCN: NM_001288759

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001288759.2, NP_001275688.2</u>
RefSeq Size:	4341 bp
RefSeq ORF:	2076 bp
Locus ID:	7733
UniProt ID:	<u>Q9UJW8</u>
Cytogenetics:	19q13.31
Protein Families:	Transcription Factors
Gene Summary:	<p>Zinc finger proteins have been shown to interact with nucleic acids and to have diverse functions. The zinc finger domain is a conserved amino acid sequence motif containing 2 specifically positioned cysteines and 2 histidines that are involved in coordinating zinc. Kruppel-related proteins form 1 family of zinc finger proteins. See MIM 604749 for additional information on zinc finger proteins.[supplied by OMIM, Jul 2002]</p> <p>Transcript Variant: This variant (4) differs in the 5' UTR, lacks a portion of the 5' coding region, and initiates translation at a downstream start codon, compared to variant 1. This results in an isoform (4) with a shorter N-terminus, compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>