

## Product datasheet for **SC337235**

### ZNF33A (NM\_001278171) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	ZNF33A (NM_001278171) Human Untagged Clone
Tag:	Tag Free
Symbol:	ZNF33A
Synonyms:	KOX2; KOX5; KOX31; NF11A; ZNF11; ZNF11A; ZNF33; ZZAPK
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >NCBI ORF sequence for NM\_001278171, the custom clone sequence may differ by one or more nucleotides

```

ATGCTGACTAAGGAACAAGGTGATGTAATAGGAATACCATTTAATGTGGATGTAAGTTCCTTTCTTCCCA
GAAAAATGTTCTGTCAGTGTGATTCATGTGGAATGAGTTTCAACACTGTTTCAGAATTGGTTATCAGTAA
GATAAACTATTTAGGAAAAAGTCTGATGAATTTAATGCCTGTGGGAAATTGTTACTCAATATTAAGCAT
GATGAACTCATACTCAAGAGAAAAATGAAGTTTTGAAAAATAGGAACACACTGAGTCATCATGAGGAGA
CTTTCGAGCATGAGAAGATTCAAACCTTTAGAGCACAATTTTGAATACAGTATATGTCAGGAAACCTCCT
TGAAAAGGCAGTATTCAATACACAGAAGAGAGAGAACGCAGAAGAGAATAACTGTGATTATAATGAATTT
GGGAGAACTTTGTGTGATAGTTCATCCCTCTTGTCCATCAGATATCTCCGTCAAGGGACAATCACTATG
AATTTAGTATTGTGAGAAGTCTTATGTGTGAAGTCCACCTTTCTAAACCTCATGGGGTATCTATGAA
ACACTATGATTGTGGTGAAGTGGGAATAATTTCCAGGAGGAAATGTGTCTGTACACCTTCAGAAAGGT
GATAAAGGAGAGAAACACTTTGAATGTAATGAATGTGGGAAAGCTTTCTGGGAGAAGTCACATCTACTC
GACATCAGAGGGTGCACACAGGACAGAAACCTTTCAATGTAATGAATGTGAAAAAGCTTTCTGGGATAA
GTCAAACCTCACTAAACATCAAAGATCACACACAGGGGAGAAACCTTTTGAATGCAATGAATGTGGGAAA
GCCTTTAGCCATAAGTCAGCCCTCACATTACACCAGAGAACACATACAGGGGAGAAACCTTCAATGTA
ATGCGTGTGGGAAAACCTTTTGCCAGAAATCTGACCTCACTAAACATCAGAGAACACACAGGGCTGAA
ACCCTATGAATGTTATGAATGTGGAAAACTTCCGTGTGACTTCGCACCTTAAAGTACACCAGAGAAGT
CACACAGGTGAGAAACCTTTTGAATGTCTTGAGTGTGGGAAATCTTTAGTGAAGTCAAATCTTACAC
AGCATCAGAGAATTCACATAGGAGATAAATCTTATGAATGTAATGCATGTGGGAAAACCTTTTACCACAA
GTCATTACTCACCAGGCATCAGATAATTCATACAGGGTGGAAACCTTATGAATGTTATGAATGTGGGAAA
ACCTTCTGCTTGAAGTCAGACCTCACAGTACATCAGAGAACACACAGGGCAGAAACCTTTGCAATGTC
CGAATGTGGGAAATCTTTAGCCATAAGTCAACCTCTCTCAACATTATAGAACACACACAGGGGAGAA
ACCTACGAATGTCATGAATGTGGAAAAATCTTTTACAATAAATCATACCTAACTAAACATAATAGAAC
CATACAGGGGAGAAACCTATGAATGTAATGAATGTGGAAAAGCCTTCTACCAGAAGTCACAACCTACTC
AGCATCAGAGAATTCACATAGGGGAGAAACCTATAAATGTAATGAGTGTGGAAAAGCTTTCTGCCATAA
GTCAGCTCTAATTGTACATCAGAGAACCATACACAAGAAAAGCCCTATAAATGTAATGAATGTGGAAAA
TCTTTCTGTGTAATAATCAGGACTTATTTCCATGAGAGAAAGCACACGGGGGAGAAACCTATGAATGCA
ATGAATGTGGGAAATCTTCAGGCACAAATCATCACTCACAGTACATCACAGGGCTCACACAGGAGAGAA
ATCTTGTCAATGTAATGAATGTGGAAAAATCTTTTACCCTAAATCGGAACCTTGCTCAACATCAGAGATCA
CATACAGGGGAGAAAGCCCTATGAATGTAACACATGCAGGAAAACCTTTCTCTCAAAAGTCAAATCTCATTG
TACATCAGAGAAGACATATAGGAGAAAACCTTATGAATGAAATGGATATTAGAAATTTCCAGCCACAAGT
CAGCCTCCATAATGCCTCAGAGTATTCACACTGTGGGAAAAGCCCTGATGACATCCTGAATGTTCAAGTAA
    
```

**Restriction Sites:** Sgfl-MluI

**ACCN:** NM\_001278171

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_001278171.1</a></u> , <u><a href="#">NP_001265100.1</a></u>
<b>RefSeq Size:</b>	6253 bp
<b>RefSeq ORF:</b>	2100 bp
<b>Locus ID:</b>	7581
<b>UniProt ID:</b>	<u><a href="#">Q06730</a></u>
<b>Cytogenetics:</b>	10p11.1
<b>Protein Families:</b>	Transcription Factors, Transmembrane
<b>Gene Summary:</b>	May be involved in transcriptional regulation.[UniProtKB/Swiss-Prot Function] Transcript Variant: This variant (4) contains an alternate exon before the last exon compared to variant 1. This difference causes translation initiation at a downstream AUG and results in an isoform (d) with a shorter N-terminus compared to isoform a. Variants 4, 6, and 10-14 all encode the same isoform (d).