

Product datasheet for **SC337265**

IRAG1 (NM_001206880) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	IRAG1 (NM_001206880) Human Untagged Clone
Tag:	Tag Free
Symbol:	IRAG1
Synonyms:	IRAG; JAW1L; MRV11
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001206880, the custom clone sequence may differ by one or more nucleotides

```

ATGGTAAAAGCTCCCCAGAGTGAAGAGAGGCTGGCCAGAGGAGGAAAGGAGAATAACTCAGTTTTAGCCT
GTGGAGCCCAGGCCTCTTGGAGCATCTTTGGGGCTGACGCAGCGAGGTTCCGGGCACACGTGGCCACTC
CCAGCAGGAGGCTGCCATGCCCCACATTCCCAGGACGAGGAGCCCCCGGAGAGCCACAGGCAGCCCAG
AGCCCTGCCGGCCAAGGTCTCCTGCCGAGGAGTATCTTGCAGTCCAACCCCACGATTGCTGACTG
GGGATGCCACTTCACCAGAAGGAGAAAACGACAAAAACCTGGCCAACAGAGTTTACAGTCCCCACAAGAG
GCTTTCTACCGACACTTGAAGGTGTCCACTGCCTCCCTGACATCTGTGGACCCCGGGGCACATCATT
GACCTGGTGAATGACCAGCTGCCAGACATCAGCATCTCAGAGGAGGACAAGAAGAAAAACCTGGCGTGC
TGAAGAAGCCAAGTTGGTGAGTGAGCGATTCTGACCCGCCGTGGGAGGAAGTCCAGGAGCAGCCCCGG
AGACTCCCATCAGCTGTTTCCCCGAACCTCAGCCCCAGCGTTCTCTACATCTCTCGGAGCAACTCA
CTTACAGTCCCCACCCCGCCAGGTTTGGATGTGTGCAGTGGCCCGCCATCCCCTCTGCCTGGAGCACCAC
CACAGAAGGGGGATGAGGCCGACGTCTTTCACCTCACCTGGCGAGCCTGAGCAGCATCCTGATGAGAAA
TCAGAACTTAGTGGGGCTCAAGCTTCCAGACCTTAGTGAAGCAGCTGAGCAGGAAAAAGGGCTTCTCTCT
GAACTCTCCCCAGCTATTGAGGAAGAAGAGTCAAAGAGTGGCTTAGATGTCATGCCTAATATTTCTGATG
TGCTGCTGCGCAAACCTGCGGGTCCACAGGAGTCTCCCTGGAAAGTCCCCTCCACTCACTGAAAAGGAAGT
TGAGAACGTGTTGTGCAACTGTCCTTGGCCTTAGAAATGACAGCTACACTCTGGAATCTAGAATTAAC
CAGGCTGAAAGGGAACGCAACCTGACAGAGGAGAACACTGAGAAAGAACTGGAAGAACTTCAAAGCTTCCA
TTACGTCTCAGCTTCACTCTGGCACCCTGTGAGCACCAGGAAACCTACCAGAAGTTGCTGGAGGACAT
CGCTGTCTGCACCGCTGGCTGCCCGCTCTCCAGCCGAGCTGAGGTGGTAGGCCCGTCCGCCAGGAA
AAGCGCATGTCGAAAGCAACGGAAGTGATGATGCAGTATGTGGAGAATCTAAAGAGGACGTATGAGAAGG
ACCATGCCGAGCTCATGGAGTTTAAAAAGCTTGCAAATCAGAATTCAGCCGAGCTGTGGCCCTCTGA
AGATGGGGTCCCTCGCACGGCACGGTCCATGTCCCTCACGCTGGGAAAGAATATGCCTCGCCGGAGGGTC
AGCGTTGCTGTGGTTCTAAGTTAATGCCCTGAATCTGCCTGGCCAAACTCCCAGCTCATCATCCATTC
CCTCCTTACCAGCCTTGTGGAATCACCAATGGGAAAGGCAGCCTACCTGTCACCTCAGCACTGCCTGC
ACTTTTGGAAAATGAAAAGACAAATGGGGACCCAGATTGTGAAGCCTCTGCTCCTGCGCTGACCCTGAGC
TGCTGGAGGAGCTTAGTCAGGAGACCAAGGCCAGGATGGAGGAAGAAGCCTACAGCAAGGGATTCCAAG
AAGGTCTAAAGAAGACCAAGAAGAACTTCAAGACCTGAAGGAGGAGGAGGAAGAAGCAAGAGTGAGAGTCC
TGAGGAACCTGAAGAGGTAGAAGAACTGAGGAAGAGGAAAAGGGCCCAAGAAGCAGCAAACTTGAAGAA
TTGGTCCATTTCTACAAGTCATGTATCCCAAACCTGTGTGACACTGGCAAGTGATCTGGATGATGGCTG
CAGTGATGCTGGTCTTACTGTTGTGCTGGGGCTCTACAATTCCTATAACTCTTGTGCAGAGCAGGCTGA
TGGGCCCTTGAAGATCCACTTGTCTGGCAGCCAGAGGGACTCCTGGTGGAGCTCAGGACTCCAGCAT
GAGCAGCTACAGAGCAGTAG
    
```

Restriction Sites: SgfI-MluI

ACCN: NM_001206880

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001206880.1](#), [NP_001193809.1](#)

RefSeq Size: 5758 bp

RefSeq ORF: 2121 bp

Locus ID: 10335

UniProt ID: [Q9Y6F6](#)

Cytogenetics: 11p15.4

Protein Families: Transmembrane

Protein Pathways: Vascular smooth muscle contraction

Gene Summary: This gene is similar to a putative mouse tumor suppressor gene (Mrvi1) that is frequently disrupted by mouse AIDS-related virus (MRV). The encoded protein, which is found in the membrane of the endoplasmic reticulum, is similar to Jaw1, a lymphoid-restricted protein whose expression is down-regulated during lymphoid differentiation. This protein is a substrate of cGMP-dependent kinase-1 (PKG1) that can function as a regulator of IP3-induced calcium release. Studies in mouse suggest that MRV integration at Mrvi1 induces myeloid leukemia by altering the expression of a gene important for myeloid cell growth and/or differentiation, and thus this gene may function as a myeloid leukemia tumor suppressor gene. Several alternatively spliced transcript variants encoding different isoforms have been found for this gene, and alternative translation start sites, including a non-AUG (CUG) start site, are used. [provided by RefSeq, May 2011]

Transcript Variant: This variant (5) differs in the 5' UTR and 5' coding region, and uses an alternate in-frame splice site and lacks an alternate in-frame exon in the central coding region, compared to variant 1. The encoded isoform (e) has a distinct N-terminus and is shorter than isoform a. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.