

Product datasheet for **SC337289**

BRRN1 (NCAPH) (NM_001281711) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	BRRN1 (NCAPH) (NM_001281711) Human Untagged Clone
Tag:	Tag Free
Symbol:	BRRN1
Synonyms:	BRRN1; CAP-H; CAPH; MCPH23
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001281711, the custom clone sequence may differ by one or more nucleotides

```

ATGGGACCTCCCGGCCAGAGCGTGTGTTCCCGATGCCCTGCCAGGAAGGCGCCTCTCAATATTCCTG
GCACCCAGTCTCGAAGACTTTCCTCAGAATGACGATGAGAAGGAGCGGCTGCAGCGGAGGCGCTCGAG
GGTCTTTGATCTGCAGTTCAGCACTGACTCACCTCGCTTATTGGCTCCCTCCAGCAGGAGATTGAC
ATTTAGCTACTATCCCCAAGTTTACAAACACGCAGATTACGGAACATTACTCCACTGTATCAAAGTGT
CCACTGAAAATAAAATCACTACCAAGAATGCTTTTGGTTTGCAGTTGATTGATTTATGTGAGAGATTCT
TAAACAGAAAGACACCGAACCAACCAACTTTAAAGTGGCTGCGGGTACTCTGGATGCCAGCACCAAGATC
TATGCTGTGCGCGTGGATGCCGTCCATGCCGATGTATACAGAGTCTTGGGGGGCTGGGCAAGATGCAC
CGTCTTTGGAAGAAGTAGAAGGCCATGTTGCTGATGGAAGTGTACTGAAATGGGAACAACCAAAAAGGC
TGTAAGCCAAAGAAGAAGCACTTACACAGAATATTGAGCAGAACATAAACAACCTCAATGTCTCCGAA
GCAGATCGGAAGTGTGAGATTGATCCCATGTTTTCAGAAGACAGCAGCCTCATTGATGAGTGCAGCACAG
CAGGGGTGTTTCTGTCCACTCTCCACTGCCAGGACTACAGAAGTGAAGTGTGTTTCCCTCTGATGTCCA
GACTCTCTCCACGGGAGAACCTCTCGAGTTGCCAGAGTTAGGTTGTGTAGAAATGACAGATTTAAAAGCG
CCCTTGACGAGTGTGCAGAAGATCGCCAGATCTGCCCTTCCCTGGCCGGTTCCAGTTTACACAGTGGG
ACAGTGAAACACATAATGAGTCTGTGTCGGCCCTGGTAGACAAGTTTAAAGAAGATGACCAGGATTTTGA
CATCAATGCTGAAGTTGACGAGAGTGTGAGACTTCCCGATGGGTCCCTGGGGATGACTTTGAT
GCCAACGATGAACCTGACCACACCGCAGTTGGGGATCATGAAGAGTTCAGGAGCTGGAAGGAGCCCTGCC
AGGTTTCAGAGCTGCCAGGAAGAAATGATTTCCCTGGGGATGGAGACATCAGGACCATGTGCCCCCTCT
TGCTATGAAACCTGGAGAATATTTTATTTAGTCTCGGACCATGTGATGTGGCTGGCCCGATCAC
TGGCGCTTTAGGCTCGACGCAACAAGATGCTCCTTCCAATCAGAAAACAAAAGAAGATCAAAAA
AAGATTTTGAATTTGACTTTGAAGATGATTGACTTTGATGTATTTTTAGAAAAACAAGGCTGCTAC
TATTCTGACCAAGTCCACTTTGGAGAACCAGAATTGGAGAGCTACCACCCTTCTACAGATTTCACTAC
AATGTTGACACTCTGGTCCAGCTTACCTCAAACAGGCACCAGTTACTTAAGATGGCCAGGGCCATA
GGGTAGAGACTGAGCATTATGAAGAAATGAAGACTATGATTACAACAACCTAACGACACTCCAATT
TTGCCCTGGATTACAGGCTGCTGACAGTGTGATGAAGATTTGGATGACTATTTGTGGGACCTGTTGGG
AACTCTGACCTCACCTTATCCTTCCATCCACCTAAGACAGCACAACAGAATGGTACACTCCAGAAG
CCCAAGGATTAGACATCACAAATATGGGGAGTCAAATGGTAGCTGAGCCTCAGAAGGTAATAAAAT
TGAAATCACTATGCCAAGACTGCCAAAAGATGGACATGAAGAACTGAAGCAGAGCATGTGGAGTCTG
CTGACAGCGCTCTCCGAAAGGAGGCAGATGCAGAGGCAACCACAGGGAAGCTGGAAAAGAAGCGGCC
TGGCAGAAGTGGCTGACGAGAAGATGCTTAGCGGGCTCACGAAGGACCTGCAGAGGAGCCTGCCCTGT
CATGGCTCAGAACCTCTCCATACCTCTGGCTTTTGGCTGTCTCTACATTTAGCCAATGAAAAGAATCTA
AAACTGGAAGGAACAGAGGACCTCTCTGATGTTCTGTGAGGCAAGGAGATGA
    
```

Restriction Sites: SgfI-MluI

ACCN: NM_001281711

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001281711.1](#), [NP_001268640.1](#)

RefSeq Size: 5987 bp

RefSeq ORF: 2154 bp

Locus ID: 23397

UniProt ID: [Q15003](#)

Cytogenetics: 2q11.2

Gene Summary: This gene encodes a member of the barr gene family and a regulatory subunit of the condensin complex. This complex is required for the conversion of interphase chromatin into condensed chromosomes. The protein encoded by this gene is associated with mitotic chromosomes, except during the early phase of chromosome condensation. During interphase, the protein has a distinct punctate nucleolar localization. Alternatively spliced transcript variants encoding different proteins have been described. [provided by RefSeq, Jul 2013]

Transcript Variant: This variant (3) uses an alternate splice site in the 5' coding region compared to variant 1. The resulting protein (isoform 3) is shorter but has the same N- and C-termini compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.