

## Product datasheet for **SC337412**

### **TLE3 (NM\_001282979) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	TLE3 (NM_001282979) Human Untagged Clone
Tag:	Tag Free
Symbol:	TLE3
Synonyms:	ESG; ESG3; GRG3; HsT18976
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >NCBI ORF sequence for NM\_001282979, the custom clone sequence may differ by one or more nucleotides

```

ATGTATCCGCAGGGCAGACATCCGGCTCCCATCAACCCGGGCAGCCGGGATTTAAATTCACGGTGGCTG
AGTCTTGTGACAGGATCAAAGACGAATTCAGTTCCTGCAAGCTCAGTATCACAGCCTCAAAGTGGAGTA
CGACAAGCTGGCAAACGAGAAGACGGAGATGCAGCGCCATTATGTGATGTACTATGAGATGTCCTATGGC
TTGAACATTGAAATGCACAAGCAGACAGAGATTGCGAAGAGACTGAACACAATTTTAGCACAGATCATGC
CTTTCCTGTCAACAAGAGCACCAGCAGCAGGTGGCGCAGGCAGTGGAGCGGCCAAGCAGGTACCCATGAC
GGAGCTGAACGCCATCATCGGGCAGCAGCAGCTCCAGGCGCAGCACCTCTCCCATGCCACACACGGCCCC
CCGGTCCAGTTGCCACCCACCCGTCAGGTCTCCAGCCTCCAGGAATCCCCCAGTGACAGGGAGCAGCT
CCGGGCTGCTGGCACTGGGCGCCTGGGCAGCCAGGCCCATCTGACGGTGAAGGATGAGAAGAACCACCA
TGAAGTCGATCACAGAGAGAGAATCCAGTGCGAATAACTCTGTGTACCCTCGAAAGCCTCCGGGCC
AGTGAGAAGCACCAGGGCTCTGCGGACTACAGCATGGAAGCCAAGAAGCGGAAGGCGGAGGAGAAGGACA
GCTTGAGCCGATACGACAGTGTGAGACAAGAGTGTGATCTGGTGGTGGATGTTTCCAATGAGGACCC
CGCAACGCCCCGGGTGAGCCCGGCACACTCCCCTCCTGAAAATGGGCTGGACAAGGCCCGTAGCCTGAAA
AAAGATGCCCCACCAGCCCTGCCTCGGTGGCCTCTTCCAGTAGCACACCTTCTCCAAGACCAAAGACC
TTGGTCATAACGACAAATCCTCCACCCCTGGGCTCAAGTCCAACACACCAACCCCAAGGAACGACGCCCC
AACTCCAGGCACCAGCAGACCCAGGGCTCAGGTGATGCCGGGTAACCTCCGGGCATGGACCCGATA
GCCTCGGCTCTGCGCACGCCATCTCCATCACCAGCTCCTATGCGGGCGCCTTCGCCATGATGAGCCACC
ATGAGATGAACGGCTCCTCACCAGTCTGGCGCCTACGCCGGCTCCACAACATCCCACCCAGATGAG
CGCCGCGCCGCTGCTGCAGCCGCTGCCTATGGCCGATCGCCAATGGTTGGTTTTGACCCACACCCCGG
ATGCGGGCCACAGGCCTCCCCTCAAGCTGGCCTCCATTCTGGAGGAAAACAGCGTACTCATTCCATG
TGAGTGTGATGGGCAGATGCAGCCCGTGCCTTCCCCCAGCAGCCCTGGCAGGCCCGGCATCCCGAG
GCACGCCCGGCAGATCAACACACTCAGCCACGGGGAGGTGGTGTGTGCCGTGACCATCAGCAACCCACG
AGGCACGTCTACACAGGTGGCAAGGGCTGCGTGAAGATCTGGGACATCAGCCAGCCAGGCAGCAAGACC
CCATCTCCAGCTGGACTGCCTGAACAGGGACAATTACATCCGCTCCTGCAAGCTGCTCCTGATGGGCG
CACGCTCATCGTGGGCGGCGAGGCCAGCAGCTCACCATCTGGGACCTGGCCTCGCCACGCCCCGCATC
AAGGCCGAGCTGACGTCCTCGGCTCCCGCTGTTATGCCCTGGCCATTAGCCCTGACGCCAAAGTCTGCT
TCTCCTGCTGCAGCGATGGGAACATTGCTGTCTGGGACCTGCACAACCAGACCCTGGTCAAGGAGTCCA
GGCCACACAGATGGGGCCAGCTGCATAGACATCTCCATGATGGCACCAAAGTGTGGACAGGGGGCCTG
GACAACACGGTGCCTCCTGGGACTGCGGGAGGGCCAGAGCTACAGCAGCATGACTTCACTTCCAGA
TCTTCTCGCTGGGCTACTGCCCACTGGGGAGTGGCTGGCTGTGGGCATGGAGAGCAGCAACGTGGAGGT
GCTGCACCACACCAAGCCTGACAAGTACCAGCTGCACCTGCACGAGAGCTGCGTGTCTCCTCAAGTTC
GCCTACTGCGGCAAGTGGTTCTGTGAGCACTGGGAAAGTAACTTCTCAACGCCTGGAGGACGCCTATG
GAGCCAGCATATCCAGTCTAAAGAACTCCTCGTCTGTCTTGAGTTGTGACATTTACAGCGGATGACAAATA
CATTGTAACAGGCTCTGGTGACAAGAAGGCCACAGTTTATGAGGTCATCTACTAA
    
```

**Restriction Sites:** SgfI-MluI

**ACCN:** NM\_001282979

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001282979.1</a> , <a href="#">NP_001269908.1</a>
<b>RefSeq Size:</b>	5736 bp
<b>RefSeq ORF:</b>	2295 bp
<b>Locus ID:</b>	7090
<b>UniProt ID:</b>	<a href="#">Q04726</a>
<b>Cytogenetics:</b>	15q23
<b>Protein Families:</b>	Transcription Factors
<b>Gene Summary:</b>	<p>This gene encodes a transcriptional co-repressor protein that belongs to the transducin-like enhancer family of proteins. The members of this family function in the Notch signaling pathway that regulates determination of cell fate during development. Expression of this gene has been associated with a favorable outcome to chemotherapy with taxanes for ovarian carcinoma. Alternate splicing results in multiple transcript variants. Additional alternatively spliced transcript variants of this gene have been described, but their full-length nature is not known. [provided by RefSeq, Sep 2013]</p> <p>Transcript Variant: This variant (5) uses two alternate in-frame splice sites in the 3' coding region compared to variant 1. The encoded isoform (e) is shorter than isoform a. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>