

Product datasheet for **SC337604**

TAF4B (NM_001293725) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	TAF4B (NM_001293725) Human Untagged Clone
Tag:	Tag Free
Symbol:	TAF4B
Synonyms:	SPGF13; TAF2C2; TAFII105
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001293725, the custom clone sequence may differ by one or more nucleotides

```

ATGCCCGCCGGCCTACCGAACCCGCCGGCGCGCTCCCCGGCTGCTGTGAGCGCCTCGGGACCGTGA
CCATGGCCCCGGCCGGGCGCTGCCGGTGCGGGTGGAGAGCACTCCGGTGGCCCTGGGCGCCGTGACTAA
GGCTCCTGTGTCAGCGTCTGCGTGGAGCCACGGCGTCCCAGCCCCCGGGTCCCGGTCGGGACCCCTGGT
ACCAAAGTGGCTCCGGTCAGCGCCCTCCTAAAGTCAGCAGCGGCCCTAGGCTGCCTGCTCCTCAGATAG
TCGCCGTGAAAGCCCCAACACCACGACAAATCCAGTTTCTGCTAATTTGCAGCTTCTCCAGGAACCGT
TTTGATTAAGTAACAGTGGTCCGTTGATGTTGGTATCTCCTCAGCAAAGTGAACAAGAGCCGAGACC
ACAAGTAACATAACCTCAAGGCCAGCAGTACCAGCGAATCCTCAAACAGTCAAAAATCTGTACAGTCCGA
ACTCTAGCTCACAATTAATCAAGAAAGTGGCAGTGACACCTGTTAAAAAATTGGCACAATAGGAACTAC
TGTGGTAACCACTGTTCCGAAGCCTTCTCAGTACAATCTGTGGTGTGCCAACCACTGTCGTACAGTT
ACTCCTGGAAGCCATTGAATACTGTAACCTACCCTGAAGCCTTCAAGTTGGGAGCATCATCCACTCCTT
CAATGAGCCCAATCTTAAAGCAGAGAAGTCCAGCAGCTGTTTCAAGTTTCTCCGACAATGCTAGA
AAATGTGAAGAAATGCAAGAAGTCCCTTGAATGTTAATAAAAGTAGCATGTAGTGGATCACAGTCCCA
GAAATGGGGCAAAATGTGAAGAAGCTGGTGAACAACCTTTGGATGCAAAAATCGAAGCAGAGAAGATTTA
CTAGGAAACTGTATGTTGAACTCAAGTCTTACCTCAGCCTCACCTGGTTCTTTTCTTAAAGAAAAGCGT
GGTTGCCCTACGACAAGTCTGCTAAGTCCAGAGCTTCCAGCAATGTGTTCCAGCAGACTTCTAGT
GACATGGTCATTGCTACCTGACTACAACAGTAACAACCTTCTCCTGTGGTGACAACACTACAGTGCCTCAA
GCCAGTCTGAAAAGTCAATATTGTTTCTGGAGCAACAGCACCCAGAAGTGTGTCAGTGCAAACTTTGAA
CCCCTTGTGTCAGTGGGAGCAAAAGCTGGAGTTGTGACACTTCAATCTGTGGGCCCAACTGCTGCA
ACAGGAGGAACAACAGCTGGAAGTGGTTGCTTCCAGACTTCAAAAACCACTGTGACACTGTGGCAACA
CAGTGACCACGGTCTCACTGCAACCTGAAAAGCCAGTTGTCTCTGGAACAGCAGTAACACTGTCCCTTCC
AGCAGTAACTTTGGAGAACTTCAAGTGCAGCTATTTGTCTTCCATCTGTGAAACCTGTTGTTCTTCT
GCTGGGACCACATCTGACAAGCCTGTTATTGGGACTCCAGTTCAAATCAAAGTCCAGCCAGCCGGCCCTG
TCCTTTCACAACCAAGCTGGGATTCACAGGCAGTTCAGTCAAGCAACTATTCTCATTGTTTCAGGTAGT
TCAGCAGCCTTCCAGGAGCAATGAAAAACAAGTGACCACAATTTACATTCCTCAACATTGACCATTGAG
AAATGTGGACAGAAGACGATGCCAGTGAACACCATAATACCTACTAGTCAGTTTCTCCAGCTTCCATT
TAAAGCAAATTAAGTCTGCTGAAAATAAAATCTGTCACTTCAAGCATCTCCTACTCAGAAAAATAGAAT
AAAAGAGAAATGAACATCATGCTCCGAGATGAGGATGACATCAATGATGTGACTTCTATGGCAGGGGTC
AACCTTAATGAAGAAAATGCCTGCATCTTAGCAACAAACTCTGAATTGGTTGGCACAACCTATTGAGTCA
GTAAGATGAACCAATTTCTTTTATTGGAGCTCTACAAAAGAGAATTTTAGACATTGGTAAAAAGCATGA
CATTACAGAACTTAAGTCTGATGCTGTGAACTTGATCTCCAAGCAACACAGGAACGACTACGAGGCCTT
CTAGAAAAACTGACTGCAATTGCTCAGCATCGAATGACTACTTACAAGGCAAGTAAAAATACATCCTGT
GTAGTGATACCAGGTACAGCTCAAATTTCTTGAAGAGCTGGATCAATTTGGAGAAGCAGAGAAGGATTT
GGAAGAAAAGAGAAATGTTACTTAAGGCAGCCAAGAGTCGTTCTAATAAAGAAGATCCAGAACAGCTGAGA
TTAAAGCAGAAAGCCAAAGAGTTACAGCAATTGGAAGTGCACAGATACAGCATAGAGACGCTAATCTCA
CAGCTCTTGCAGCTATTGGACCAAGGAAGAAGAGACCCTAGAATCTGGAATTGAGGGCTTAAAGACAA
CCTTCTTGTCTGGGACATCCAGCCTGACAGCCACCAACAGTTGCATCGTCCAAGAATCACGAGAATC
TGCCCTCAGGGACTTGATATTTGTATGGAACAGGAACGGGAGATGAAGTATTCTCAGACTTATACCTGG
CCCTTCTGAAGTGA
    
```

Restriction Sites: SgfI-MluI

ACCN: NM_001293725

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001293725.1</u> , <u>NP_001280654.1</u>
RefSeq Size:	4354 bp
RefSeq ORF:	2604 bp
Locus ID:	6875
UniProt ID:	<u>Q92750</u>
Cytogenetics:	18q11.2
Protein Pathways:	Basal transcription factors, Huntington's disease
Gene Summary:	TATA binding protein (TBP) and TBP-associated factors (TAFs) participate in the formation of the TFIID protein complex, which is involved in initiation of transcription of genes by RNA polymerase II. This gene encodes a cell type-specific TAF that may be responsible for mediating transcription by a subset of activators in B cells. Three transcript variants encoding two different isoforms have been found for this gene. [provided by RefSeq, Jun 2014] Transcript Variant: This variant (1) encodes the longer isoform (1).