

## Product datasheet for **SC337680**

### **PRKCBP1 (ZMYND8) (NM\_001281779) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	PRKCBP1 (ZMYND8) (NM_001281779) Human Untagged Clone
Tag:	Tag Free
Symbol:	ZMYND8
Synonyms:	PRKCBP1; PRO2893; RACK7
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >NCBI ORF sequence for NM\_001281779, the custom clone sequence may differ by one or more nucleotides

```
ATGAATGAAATCGAAGTATGTCCAGAATGTTATCTAGCTGCTTGCCAAAAACGAGATAACTGGTTTTGTG
AGCCTTGTAGCAATCCACATCCTTTGGTCTGGGCCAAACTGAAGGGTTTCCATTCTGCCTGCAAAAGC
TCTAAGGGATAAAGACGGGCAGGTCGATGCCCGATTCTTTGGACAACATGACAGGGCCTGGTTCCAATA
AATAATTGCTACCTCATGTCTAAAGAAATTCCTTTTTCTGTGAAAAAGACTAAGAGCATCTCAACAGTG
CCATGCAAGAGATGGAGGTTTACGTGGAGAACATCCGCAGGAAGTTTGGGGTTTTTAATTACTCTCCATT
TAGGACACCTACACACCCAACAGCCAGTATCAAATGCTGCTCGATCCCACCAACCCAGCGCCGGCACT
GCCAAGATAGACAAGCAGGAGAAGGTCAAGCTCAACTTTGACATGACGGCATCCCCAAGATCCTGATGA
GCAAGCCTGTGCTGAGTGGGGGCACAGGCCCGGATTTCCTTGTGCGATATGCCGCGCTCCCCATGAG
CACAACTCTTGTGCACACGGGCTCCGACGTGGAGCAGGATGCTGAGAAGAAGGCCACGTCGAGCCAC
TTCAGTGCAGCGAGGAGTCCATGGACTTCTGGATAAAGACACAGCTTACCAGCCTCCACCAAGACGG
GACAAGCAGGGAGTTTATCCGGCAGCCAAAGCCCTTCTCCTCAACTGTCAGCTCCTATCAGCAGCAA
AACGGACAAAACCTCCACCACCGCAGCATCCTGAATCTTAACCTGGATCGAAGCAAAGCTGAGATGGAT
TTGAAGGAGCTGAGCGAGTCCGTCAGCAACAGTCCACCCTGTTCTCTCATCTCTCCCAAGCGCCAGA
TTCGTAGCAGGTTCCAGCTGAATCTTGACAAGACCATAGAGAGTTGCAAAGCACAATTAGGCATAAATGA
AATCTCGGAAGATGTCTATACGGCCGTAGAGCACAGCGATTCCGGAGGATTCTGAGAAGTCAGATAGTAGC
GATAGTGAGTATATCAGTGATGATGAGCAGAAGTCTAAGAACGAGCCAGAAGACACAGAGGACAAAGAAG
GTTGTCAGATGGACAAAGAGCCATCTGCTGTTAAAAAAAAGCCCAAGCCTACAAACCCAGTGGAGATTAA
AGAGAGCTGAAAAGCACGTACCAGCCAGCGAGAAGGCAGACCCTGGAGCAGTCAAGGACAAGGCCAGC
CCTGAGCCTGAGAAGGACTTTTCCGAAAAGGCAAAACCTTACCTCACCCATAAAGGATAAACTGAAAG
GAAAAGATGAGACGGATTCCCAACAGTCCATTTGGGCCCTGGACTCTGATTCAGAGAGCGAAGTGTGAT
AGATTTAGGAGAAGACATTCTGGCGGGAGGGTGCAAAAAATAAGAAGGAACCCAAAGAACCATCTCCC
AAACAGGATGTTGTAGGTAAAACCTCCACCATCCACGACGGTGGGCAGCCATTCTCCCCGGAAAACCCGG
TGCTCACCCGCTCTTCCGCCAAACTTCCGCGGCTGGCGCCACAGCCACCACCAGCACGTCCTCCACGGT
CACCGTCACGGCCCCGGCCCCCGCCACAGGAAGCCAGTAAAAAGCAGAGGGCCGTTTTACCGAAG
GAGACTGCCCCGGCCGTGCAGCGGGTGTGTGAACTCATCAACTGTCCAGCAGAAGGAGATCACACAGA
GCCCATCCACGTCCACCATCACCTGGTGACCAGCACACAGTATCGCCCCTGGTACCAGCTCGGGGTC
CATGAGCACCCCTGTGTCTCAGTCAACGCTGACCTGCCCATCGCCACTGCCTCAGCTGATGTCGCCGT
GATATTGCCAAGTACACTAGCAAAATGATGGATGCAATAAAAGGAACAATGACAGAAATATAACAAGATC
TTTCTAAAAACTACTGGAAGCACAATAGCTGAGATTTCGAGGCTGAGGATCGAGATAGAGAAGCTCCA
GTGGCTGCACCAGCAAGAGCTCTCCGAAATGAAACACAACCTTAGAGCTGACCATGGCGGAGATGCGGCAG
AGCCTGGAGCAGGAGCGGGACCGGCTCATCGCCGAGGTGAAGAAGCAGCTGGAGTTGGAGAAGCAGCAGG
CGGTGGATGAGACCAAGAAGAAGCAGTGGTGCGCCAACTGCAAGAAGGAGGCCATCTTTTACTGCTGTTG
GAACACCAGCTACTGTGACTACCCTGCCAGCAAGCCACTGGCTGAGCACATGAAGTCTGCACCCAG
TCAGTACTGCTCCTCAGCAGGAAGCGGATGCTGAGGTGAACACAGAAACTAAATAAGTCTCCACGG
GGAGCTCCTCGAGCACACAATCAGCACCTTCAGAAAAGGCCAGCGCCTCCAAAGAGAAGGAGAGCTCAGC
TGAGAAAAGCAAGGAGAGTGGCTCGACCTTGACCTTTCTGGCTCCAGAGAGACGCCCTCCTCATTCTC
TTAGGCTCCAACCAAGGCTCTGTAGAAAAGGTGTGACAAGCAACCTGCCTATGCCCAACCACCACAG
ACCACCAGCCGCACCCAACTACCCCGCCAGAAGTACCATTCCCGGAGTAATAAATCCAGTTGGAGCAG
CAGTGATGAGAAGAGGGGATCGACACGTTCCGATCACAACACCAGTACCAGCACGAAGAGCCTCCTCCC
AAAGAGTCTCGGCTGGACACCTTCTGGACTAG
```

**Restriction Sites:** Sgfl-Mlul

**ACCN:** NM\_001281779

<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_001281779.2</a></u> , <u><a href="#">NP_001268708.1</a></u>
<b>RefSeq Size:</b>	5464 bp
<b>RefSeq ORF:</b>	2763 bp
<b>Locus ID:</b>	23613
<b>Cytogenetics:</b>	20q13.12
<b>Protein Families:</b>	Druggable Genome, Transcription Factors
<b>Gene Summary:</b>	<p>The protein encoded by this gene is a receptor for activated C-kinase (RACK) protein. The encoded protein has been shown to bind in vitro to activated protein kinase C beta I. In addition, this protein is a cutaneous T-cell lymphoma-associated antigen. Finally, the protein contains a bromodomain and two zinc fingers, and is thought to be a transcriptional regulator. Multiple transcript variants encoding several different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (13) differs in its 5' UTR and initiates translation at a downstream start codon, compared to variant 1. The encoded isoform (m) has a shorter N-terminus, compared to isoform a.</p>