

Product datasheet for **SC337687**

Pumilio 2 (PUM2) (NM_001282791) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Pumilio 2 (PUM2) (NM_001282791) Human Untagged Clone
Tag:	Tag Free
Symbol:	PUM2
Synonyms:	PUMH2; PUML2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001282791, the custom clone sequence may differ by one or more nucleotides

```
ATGTCCCAGCCTATTATGGTACAGAGAAGATCTGGACAGGGTTTTTCATGGAAACAGTGAAGTAAATGCAA
TACTGTCTCCCGCATCAGAAAGTGGAGGCCTTGGTGTGAGCATGGTAGAATATGTATTAAGTTCTTCTCC
TGCTGATAAATTGGATTCTCGATTTAGGAAGGAAATTTTGGCACTAGAGATGCTGAAACAGATGGACCT
GAGAAAGGAGATCAAAAAGGCAAGGCTTCCATTTGAGGAGGACCAAAACAGAGATCTTAAACAAGGAG
ATGATGATGATTCTAAAATAAATGGCAGAGGTTTGCCAAATGGAATGGATGCCGATTGCAAAGATTTTAA
TCGTA CTCTGGAAGTCGTCAAGCCTCTCCA ACTGAAGTAGTTGAGCGCTTGGGCCCAATACTAATCCC
TCAGAAGGACTGGGGCTCTTCTAATCTACAGCTAATAAACCCTTGTGAAGAATTTCAAATCCTG
AAACTCAGAATCTGGATGCCATGGAACAAGTTGGTCTGGAATCCTTACAGTTTACTATCCTGGTAATCA
GGTACCAATGGACTCTTCAGGAGCTACTGTAGGCCTTTTGGTACTACAATCCCAGCAGCAGCTCTTTCAG
AGGACTAATGACTAACAGTTCAACAGTTAACTGCAGCTCAACAGCAGCAATATGCATTAGCAGCAGCTC
AGCAGCCACATATAGCTGGTGTATTCTCAGCAGGCCTTGTCCAGCTGCATTTGTCCAAATCCATACAT
TATTAGTGCTGCTCCAGGGACCGATCCGTACTGCAGCAGGATTGGCTGCAGCAGCTACATTAGCA
GGTCCAGCAGTGGTTCCACCTCAGTATTACGGCGTTCCATGGGGGTGTATCCAGCCA ACTTATTTTCAGC
AGCAAGCTGCAGCTGCGGCAATAACACAGCCAGTCAGCAAGCAGCATCAAGCTCAGCCTGGACAGCA
ACAGGTTCTCCGTGCTGGAGCAGGTGAGCGTCTTACTCCCAATCAGGGTCAGCAAGGGCAGCAAGCA
GAATCACTTGGCGCAGCTGCAGCAGCAATCCAACATTGGCTTTTGGTCAGGGTCTTGTACTGGCATGC
CAGGCTATCAAGTACTAGCTCCA ACTGCCTATTATGATCAGACTGGTGCCTTAGTGGTTGGCCCTGGAGC
AAGGACTGGCCTTGGAGCTCCAGTTCGGTTAATGGCTCCAACACCTGTTTAATTAGTTCAGCAGCAGCA
CAAGCTGCAGCAGCAGCAGCAGCTGGAGGAAGTCAAGTAGCCTTACAGGCAGCACAAATGGTCTGTTTC
GGCCAATTGGCACTCAGCCACCACAGCAGCAACAGCAGCCAAGCACTAATCTGCAATCTAATTCATT
TTATGGAAGCAGTCTTTGACTAATAGCTCCCAGAGTAGTTCTTTATTTTCTCATGGACCTGGTCAACCT
GGAAGTACATCTCTTGGCTTTGGAAGTGGTA ACTCTTTGGGTGCTGCTATAGGCTCAGCCCTCAGTGGAT
TTGGTTCATCAGGAGGACTGACAAATGGTAGTGGTCGATATATCTCTGCAGCACCTGGAGCAGAAGCAAA
ATATCGAAGTCTTCAAGCACTTCCAGTCTATTTAGCTCCAGCAGCCAGCTCTTCTCCTTCCCGGCTT
CGGTATAATAGGTCTGATATTATGCCTTCTGGCCGAGTAGATTATTGGAAGATTCAGAAACAACCGCT
TCCCAAACCTT CAGCTTAGAGACTTGATTGGACATATAGTTGAGTTTTCTCAAGACCAGCATGGTTCTAG
ATTCATACAGCAAAA ACTAGAGAGACTACTCCAGCTGAGCGACAGATGGTATTTAATGAAATCTGCAA
GCAGCCTATCAATTAATGACTGATGTTTTTGGCAACTATGTTATACAGAAGTTTTTGGAGTTGGGAGTC
TGGATCAAAAATTAGCCCTGGCTACTCGTATTCGTGGTCA TGTTCTACCCCTTAGCCTTGCAGATGTATGG
CTGCCCGGTTATTCAGAAAGCATTAGAATCTATTTCTTCTGACCAGCAGAGTGAATGGTAAAGGAGCTG
GATGGTCATGTGCTCAAATGTGTGAAAGATCAGAAATGGAACCATGTTGTACAAAATGTATCGAATGTG
TTCAGCCACAGTCACTACAGTTCATCATTGATGCTTTCAAGGGACAAGTATTTGTGCTTTCAACTCATCC
TTATGGCTGCAGAGTAATTCAGCGCATCTAGAGCATTGCACTGCAGAACAGACCTTACCTATCTTAGAA
GAACTCCACCAACATACAGAGCAGTTGGTACAGGATCAGTATGGCAATTAATGTTATTCAGCATGTACTGG
AACAGGTCGACCTGAAGACAAGAGCAAAAATTGTTTCCGAAATCAGGGGAAAGGTTTTAGCCCTGAGTCA
ACACAAAATTTGCCAGCAATGTAGTAGAAAAGTGTGTTACTCATGCCTCCCGTGTGAGAGAGCTTTACTG
ATTGACGAGGTTTTGCTGCCAGAATGATGGTCTCACAGTGCCTTATACCCATGATGAAGGACCAGTATG
CCAATTACGTGGTTCAAAGATGATTGATATGGCTGAACCTGCTCAGAGAAAAGATAATCATGCACAAGAT
TCGACCTCACATTACTACTTTGCGCAAATACACATACGGGAAGCATATACTGGCCAAGTTGGAAAAGTAT
TATTTGAAGAATAGCCCGACCTAGGACCTATTGGAGGACCACCAATGGAATGCTGTAA
```

Restriction Sites: SgfI-MluI

ACCN: NM_001282791

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001282791.1</u> , <u>NP_001269720.1</u>
RefSeq Size:	6002 bp
RefSeq ORF:	2790 bp
Locus ID:	23369
Cytogenetics:	2p24.1
Gene Summary:	<p>This gene encodes a protein that belongs to a family of RNA-binding proteins. The encoded protein functions as a translational repressor during embryonic development and cell differentiation. This protein is also thought to be a positive regulator of cell proliferation in adipose-derived stem cells. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Sep 2013]</p> <p>Transcript Variant: This variant (4) contains a distinct 5' UTR, lacks an in-frame portion of the 5' coding region and lacks an alternate in-frame exon in the coding region compared to variant 1. The resulting isoform (4) has a shorter N-terminus compared to isoform 1.</p>