

## Product datasheet for **SC337696**

### **SNX14 (NM\_001297614) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	SNX14 (NM_001297614) Human Untagged Clone
Tag:	Tag Free
Symbol:	SNX14
Synonyms:	RGS-PX2; SCAR20
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >NCBI ORF sequence for NM\_001297614, the custom clone sequence may differ by one or more nucleotides

```
ATGGTGCCCTGGGTGCGGACGATGGGGCAGAAGCTGAAGCAGCGGCTGCGACTGGACGTGGGACGCGGAGA
TCTGCCGCCAGTACCCGCTGTTCTGCTTCTGCTGCTCTGTCTCAGCGCCGCTCCCTGCTTCTTAACAG
GTATATTCATATTTAATGATCTTCTGGTCATTTGTTGCTGGAGTTGTCACATTCTACTGCTCACTAGGA
CCTGATTCTCTTACCAAATATATTCTTCAAAATAAAATACAAACCCAAGCAGTTAGGACTTCAGGAAT
TATTTCTCAAGGTCATAGCTGTGCTGTTGTGGTAAAGTGAAATGTAACGACATAGGCCTTCTTTGCT
ACTTGAAGAACTACCAGCCATGGCTAGACCTGAAAATTTCTTCCAAGGTTGATGCATCTCTCTCAGAGGT
CTTGAATTAGTGTGGAAAACCTTGTATCCGTGGTACAGGGATGTGACAGATGATGAATCCTTTGTTG
ATGAAGTGAATAACATTACGTTTTTTGTCATCTGTCTTAATAAGAAGGATTCACAAGGTGGATATTCC
ATCTATTATAACCAAGAACTATTAAGCAGCAATGAAGCATATAGAAGTATAGTTAAAGCCAGACAG
AAAGTAAAAAATACAGAGTTTTTACAGCAAGCTGCTTTAGAAGAATATGGTCCAGAGCTTCATGTTGCTT
TGAGAAGTCGAAGAGATGAATTGCACTATTTAAGGAACTTACTGAACTGCTTTTTCTTATATTTTGGC
TCCTAAAGCAACAGACTGCAGATCTCTGACCTTACTTATAAGAGAGATTCTGTCTGGCTCTGTGTTCTT
CCTTCTTTGGATTTCTAGCTGATCCAGATACTGTGAATCATTGCTTATCATCTTCATAGATGACAGTC
CACCTGAAAAAGCAACTGAACCGGCTTCTCCTTTGGTTCCATTCTTGCAAAAATTTGCAAACTAGAAA
TAAAAAGCCATCTGTGCTGAAGTTAGAATTGAAGCAAAATCAGAGAGCAACAAGATCTTTTATTTGTTTT
ATGAACTTTCTGAAACAAGAAGGCGCAGTGCACGTGTTGCAGTTTTGTTGACTGTGGAGGAATTTAATG
ATAGAATTTACGACCAGAATTAACAATGATGAAATGCTGTCTTTCATGAAGAATTCAGAAGATTTA
TAAACATACTGTTTGGATGAAAGTATTGACAAAATTAGATTTGATCCCTTCATTGTAGAAGAGATTCAA
AGAATTGCTGAAGGCCATACATAGATGTTGTGAAACTTCAAATATGAGATGCTTTTTGAAGCATATG
AACATGTTCTTTCCCTTTTGGAGAATGATTTACTCCTATGTTCTGCCATAGTGATGAGTATTTTCAGACA
ACTTTTAAAGGTTGCAGAATCACCAACACGCAATTCAAAATTGAACAGGAACACACAGAAAAGGGGAGAA
TCATTTGGAATCAGCAGAATAGGTAGCAAAAATTAAGGAGTATTCAAAAGTACCACAATGGAGGGAGCTA
TGTTGCCATAATTAGGTGAGCTGAAGGTGAAGATGATTTTATTGAAGAAGGTATTGTTGTAATGGAAGA
TGATTCTCCAGTGGAGGCTGTGAGCACACCTAATACTCCCGAAACCTTGTGCTGCAAAAATTAGCATT
CCATATGTAGACTTTTTGAGGATCCCTCCTGAAAAGGAAGGAGAAAAAAGAAAGAAATTCCTGTGTTTT
GTATTGATGTTGAAAGAAATGATAGAAGAGCAGTTGGACACGAGCCTGAACATTGGTCTGTCTATAGAAG
ATATCTTGAATTCATGTACTTGAATCAAACTAACAGAAATTCATGGTGCATTTCTGATGCCAGCTT
CCTTCTAAGAGGATCATTGGCCCCAAAATTAATGAATTCCTAAAGTCAAAGAGGGGAGAGTTCCAAGAA
ATCTACAGAAACTTCTGCAGCATCCAGAAGTGAATAGTCAACTTCTGGCAGACTTTCTTTCCCTAA
TGGTGGGGAAACACAATTTCTTGATAAGATACTACCAGATGTAATCTTGGGAAAATTAATAAATCTGTT
CCTGGAAAACATAAGAAAGAAAGGTCAGCATTGGAACCTTTTATCATGAATTCATTAATCTTGTG
AGTCTCCAAGCCTAAACCAAGTAGACCAGAAGTACCATTCTCAGCCCTACTTCAGAAAACAACAAGAA
GCTTTTCAATGATCTGTTAAAAATAATGCAAACCGTCTGAAAATACAGAGAGAAAGCAAAATCAGAA
TATTTTATGGAGGTGATGACTGTAGAAGGAGTCTATGATTACCTGATGTATGATAGGACGGGTAGTTTTCC
AGGTTCTGACTGGCTTCATCATCTCTTAATGGGAACTCGAATCCTCTTTAAAAACACCCTGGAATGTA
TACTGATTACTATCTTCAGTGTAACTAGAACAGCTATTTCAAGGAGCACCGTTTGGTCTCACTCATAACA
CTTCTCAGAGATGCTATATTCTGTGAAAACACTGAACCTCGCTCTCTCCAAGATAAGCAAAAAGGAGCAA
AACAGACTTTTGAAGAAATGATGAATTACATTCCAGATCTGTTAGTCAAGTGTATTGGTGAAGAAACCAA
GTATGAAAGCATCAGACTTCTGTTTGTGGCTTACAGCAACCAGTACTCAACAAGCAGCTGACTTATGTT
TTATTGGACATTGTGATACAGGAAGTGTTCAGAGCTCAATAAGGTACAAAAGGAGTTACCTCTGTGA
CATCTTGGATGTA
```

**Restriction Sites:** SgfI-MluI

**ACCN:** NM\_001297614

<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001297614.2</a> , <a href="#">NP_001284543.1</a>
<b>RefSeq Size:</b>	3738 bp
<b>RefSeq ORF:</b>	2814 bp
<b>Locus ID:</b>	57231
<b>UniProt ID:</b>	<a href="#">Q9Y5W7</a>
<b>Cytogenetics:</b>	6q14.3
<b>Protein Families:</b>	Transmembrane
<b>Gene Summary:</b>	<p>This gene encodes a member of the sorting nexin family. Members of this family have a phox (PX) phosphoinositide binding domain and are involved in intracellular trafficking. The encoded protein also contains a regulator of G protein signaling (RGS) domain. Regulator of G protein signaling family members are regulatory molecules that act as GTPase activating proteins for G alpha subunits of heterotrimeric G proteins. Alternate splicing results in transcript variants encoding distinct isoforms. [provided by RefSeq, Jul 2014]</p> <p>Transcript Variant: This variant (3) lacks an in-frame segment of the coding region compared to variant 1. It encodes a shorter isoform (c), compared to isoform a.</p>