

Product datasheet for **SC337700**

PIB5PA (INPP5J) (NM_001284286) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PIB5PA (INPP5J) (NM_001284286) Human Untagged Clone
Tag:	Tag Free
Symbol:	INPP5J
Synonyms:	INPP5; PIB5PA; PIPP
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001284286, the custom clone sequence may differ by one or more nucleotides

```

ATGTCAGCTTCTCGGAAGGACCGAGGCTGGCTCTGGCATCTCCCGACCAATCCTGGCTCCACTGTGTA
CCCTGAAGGGCAGAAAACAGCTACTGCCACCGCAGCTCCAGCCTGGCCCAACATCTGTGGCCAGCT
GGTGATGTCTGCCTCAGCTGGACCAAGCCTCCCCAGCGACCACAGGCTCAGTTCTGGCTCCGACGTCC
CTGGGGCTGGTGATGCCTGCCTCAGCAGGGCCAAGATCTCCCCAGTCACCCTGGGGCCCAATCTGGCCC
CAACCTCCAGAGACCAGAAGCAGGAGCCACCTGCCTCCGTGGGACCCAAGCCAACACTGGCAGCCTCTGG
CCTGAGCCTGGCCCTGGCTTCTGAGGAGCAGCCCCAGAACTCCCTCCACCCCTTCCCGGTGCCAGT
CCAGTTCTGTCTCAACTCAGGAACAGGCCCTGGCTCCAGCATCCACGGCATCAGGCGCAGCCTCTGTGG
GACAGACATCAGCTAGAAAGAGGGATGCCCCAGCCCTAGACCTCTCCCTGCTTCTGAGGGGCATCTCCA
GCCTCCAGCTCAGACATCTGGTCTACAGGCTCCCCACCCTGCATCCAAACCTCCCAGACCCTCGGCTC
TCCCCCTCCTCCGAGCCCGCCTGAGGCCCTCCACAGCAGCCCTGAGGATCCTGTTTTGCCACGGCCAC
CCCAGACCTTGCCTTGGATGTGGGCCAGGGTCTTTCAGAGCCTGGCACTCACTCCCTGGACTTCTGTC
CCCCACCTTCCGGCCTGGGGCCCCCTCAGGCCAGACTGTGCCCCACCTTGCCCAAGCCACCCCGATCA
CCCAGCCGTTCCCAAGCCACTCCCGAATCGCTCTCCCTGTGTTCCCCAGCCCTGACATGGCCCTCC
CAAGGCTTGGCACACAGAGTACAGGGCCTGGCAGGTGCCTGAGCCCAACCTTCAGGCCAAGAAGCCCC
AGCCCCAGTCACCACCTCCTCTTACATCCACCTGTATCCTCCCCTGGTCAGCTCAGCCTACCTGG
AAGAGCGACCCCGGCTTCCGGATCACTGTGGTACATGGAACGTGGGCACTGCCATGCCCCAGACGATG
TCATATCCCTCCTCCACTGGGCGGTGGTGACGACAGCGACGGCGCAGACATGATCGCCATAGGGTTGCA
GGAAGTGAACCTCATGCTCAACAAGCGACTCAAGGACGCCCTTTCACGGACCAGTGGAGTGACCTGTTC
ATGGATCGCTAGGGCCCTTCACTTCGTGCTGGTGAGTTCGGTGAGGATGCAGGGTGTATCCTGCTGC
TGTTCCGCAAGTACTACCACCTGCCCTTCTGCGAGACGTGCAGACCGACTGCACGGCCTGACCTGGG
CGGCTACTGGGGTAACAAGGGTGGCGTGAGCGTGCCTGGCGGCTTCCGGGCACATGCTCTGCTTCTG
AACTGCCACTTGCTGCGCATATGGACAAGGGCGGAGCAGCGCAAAGACAACCTCCAGACCATCTCAGCC
TCCAGCAGTTCGAAGGGCCGGGCGCACAGGGCATCCTGGATCATGACCTCGTGTCTGGTTCCGGGACCT
GAACTCCGATTGAGAGCTATGACCTGCCTTTGTCAAGTTTGGCATCGACAGTACCAGCTCCATCAG
CTCTGGGAGAAGGACCAGCTCAACATGGCCAAGAACACCTGGCCATTCTGAAGGGCTTTCAGGAGGGG
CCCTCACTTCGCTCCACCTTCAAGTTTGTATGGGTACCAACAATACGATACCAGTCCCAAGAAACG
GAAGCCAGCTTGGACAGACCGTATCCTATGGAAGTCAAGGCTCCAGGTGGGGTCCCAGCCCTCAGGA
CGAAGAGCCACCGACTCCAGGTGACGCAGCACAGCTACCGCAGCCACATGGAATACACAGTCAGCGACC
ACAAGCCTGTGGCTGCCAGTTCCTCCTGCAGTTTGCCTTCAGGGACGACATGCCACTGGTGGCGGTGGA
GGTGGCAGATGAGTGGGTGCGGGCCGAGCAGGCGGTGGTGGGTACCGCATGGAACAGTGTTCGCCCGC
AGCTCCTGGGACTGGATCGGCTTATACCGGGTGGGTTCCGCCATTGCAAGGACTATGTGGCTTATGCT
GGGCCAAACATGAAGATGGATGGGAATACCTACCAGGTAACATTCACTGAGGAATCACTGCCCAAGGG
CCATGGAGACTTCATCTGGGCTACTATAGTCACAACCACAGCATCCTCATCGGCATCACTGAACCTTC
CAGATCTCGCTGCCTTCTCGGAGTTGGCCAGCAGCAGCACAGACAGCTCAGGCACCAGCTCAGAGGGAG
AGGATGACAGCACACTGGAGCTCCTTGCACCAAGTCCCGCAGCCCAAGTCTGGCAAGTCCAAGCGACA
CCGCAGCCGACAGCCGGGACTGGCCAGGTTCCCTGGGCTTGCCTACGGCCCTCATCCCCTGAACGCGT
GGTGCCAGCCGTAGCCCTCACCCAGAGCCGCCCTGTCCCGAGTGGCTCCTGACAGGAGCAGTAATG
GCAGCAGCCGGGCGAGTAGTGAAGAGGGGCCCTCTGGGTTGCCTGGCCCTGGGCTTCCCACCAGCTGT
GCCTCGAAGCCTGGGCTGTTGCCCGCTTGGCCTAGAGACTGTAGACCCTGGTGGTGGTGGCTCCTGG
GGACCTGATCGGGAGGCCCTGGCGCCAACAGCCTGTCTCCTAGTCCCAGGGCCATCGGGGCTGGAGG
AAGGGGCTGGGGCC TGA
    
```

Restriction Sites: SgfI-MluI
ACCN: NM_001284286

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001284286.1 , NP_001271215.1
RefSeq Size:	3529 bp
RefSeq ORF:	2820 bp
Locus ID:	27124
Cytogenetics:	22q12.2
Protein Families:	Druggable Genome
Protein Pathways:	Inositol phosphate metabolism, Metabolic pathways, Phosphatidylinositol signaling system
Gene Summary:	<p>Inositol 5-phosphatase, which converts inositol 1,4,5-trisphosphate to inositol 1,4-bisphosphate. Also converts phosphatidylinositol 4,5-bisphosphate to phosphatidylinositol 4-phosphate and inositol 1,3,4,5-tetrakisphosphate to inositol 1,3,4-trisphosphate in vitro. May be involved in modulation of the function of inositol and phosphatidylinositol polyphosphate-binding proteins that are present at membranes ruffles (By similarity).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (2) differs in its 5' UTR and initiates translation at a downstream in-frame start codon, compared to variant 1. The encoded isoform (b) is shorter at the N-terminus, compared to isoform a.</p>