

## Product datasheet for **SC337737**

### UBAP2L (NM\_001287815) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	UBAP2L (NM_001287815) Human Untagged Clone
Tag:	Tag Free
Symbol:	UBAP2L
Synonyms:	NICE-4; NICE4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >NCBI ORF sequence for NM\_001287815, the custom clone sequence may differ by one or more nucleotides

```

ATGATGACATCGGTGGGCACTAACCGAGCCCGGGGAAACTGGGAACAACCTCAAACCAAAACCAGACAC
AGCACAAGCAGCGGCCACAGGCCACTGCAGAACAATTAGACTTGCACAGATGATTCGGACCATAATGA
TGCTGACTTTGAGGAGAAGGTGAAACAATTGATTGATATTACAGGCAAGAACCAGGATGAATGTGTGATT
GCTTTGCATGACTGCAATGGAGATGTCAACAGAGCTATCAATGTTCTTCTGGAAGGAAACCAGACACGC
ATTCTGGGAGATGGTCGGGAAGAAGAAGGGAGTCTCAGGCCAGAAGGATGGTGGCCAGACGGAATCCAA
TGAGGAAGGCAAAGAAAATCGAGACCGGGACAGAGACTATAGTCGGCGACGTGGTGGGCCACCAAGACGG
GGGAGAGTTTCGAGGTGAGGAAAATGGATTGGATGGCACCAAGAGTGGAGGGCCTTCTGGAAGAGGAACAG
AAAGAGGCAGAAGGGGCCGTGGCCGAGGCAGAGGTGGCTCTGGTAGGCGAGGAGGAAGGTTTTCTGCTCA
AGGAATGGGAACCTTTAACCCAGCTGATTATGCAGAGCCAGCCAATACTGATGATAACTATGGCAATAGC
AGCGGCAATACGTGGAACAACACTGGCCACTTTGAACCAGATGATGGGACGAGTGCATGGAGGACTGCAA
CAGAGGAGTGGGGGACTGAAGATTGGAATGAAGATCTTTCTGAGACCAAGATCTTCACTGCCTCTAATGT
GTCTTCAGTGCCTCTGCCTGCGGAGAATGTGACAATCACTGCTGGTCAGAGAATTGACCTTGCTGTTCTG
CTGGGGAAGACACCATCTACAATGGAGAATGATTCATCTAATCTGGATCCGTCTCAGGCTCCTTCTCTGG
CCCAGCCTCTGGTGTTTCAGTAATTCGAAGCAGACTGCCATATCACAGCCTGCTTCAGGGAACACATTTTC
TCATCACAGTATGGTGAGCATGTTAGGGAAGGATTTGGTGATGTCGGTGAAGCTAAAGGCGGCAGTACT
ACAGGCTCCCAGTTCTTGAGCAATTCAAGACTGCCAAGCCCTGGCTCAGTTGGCAGCTCAGCATTCTC
AGTCTGGAAGCACCACCCTCCTCTGGGACATGGGCTCGACGACACAATCCCCATCACTGGTGCAGTA
TGATTTGAAGAACCAAGTGATTTCAGCAGTGCACAGCCCTTTACAAAGCGCCAGGCTTTTACCCCATCT
CAACCATGATGGAGGTGTTCTTTCAGGAGAAGTCACTGCAGTGGCTACCTCCACAGCTGCACCTCCAC
CTCCGTCTTCTCCTCTGCAAGCAAATCCACATCGGCTCCACAGATGTCGCTGGATCTTCAGACACCA
GTCCTCTAGCCCTCAGCCGGCTCAGCAGAACTGAAACAGCAGAAGAAAAAGCCTCCTTGACTTCTAAG
ATTCTGCTCTGGCTGTGGAGATGCCTGGCTCAGCAGATATCTCAGGGCTAAACCTGCAGTTTGGGGCAT
TGCAGTTTGGGTGAGAGCCTGTCTTTCTGATTATGAGTCCACCCACCACGAGCGCCTCTTCAAGCCA
GGCTCCAAGTAGCCTGTATACCAGCAGGCCAGTGAATCATCCTCTACAATTTCTAACCAGAGTCAG
GAGTCTGGTTATCAGAGCGGCCAATTCAGTCGACAACCTATACCTCCAAAATAATGCTCAGGGCCCTC
TTTATGAACAGAGATCCACACAGACTCGGCGGTACCCAGCTCCATCTTTCATACCCAAAAGGACCT
GACTCAGGCAAAGATGGCTTCAGTTCTGTGCAGGCCACGCAGTTACAGACCACACAATCTGTTGAAGGT
GCTACAGGCTCTGCAAGTAAATCTGATTACCTTCCACTTCTAGCATCCCCCTCTCAATGAAACGGTAT
CTGCAGCTTCTTACTGACGACAACCAATCAGCATTATCCTCCTTGGGTGGCTTGGCCACAGTGAAGGA
GATTCAAATACTACCACCACACAACACAGCAGCAGTATCTACGCAGCAGAATACCCTTTTCATCATCA
ACATCTTCTGGGCGCACTTCGACATCCACTCTTTTGCACACAAGTGTGGAGAGTGAAGGCAATCTCCATT
CTTCTCCAGCACTTTTTCCACCACATCCAGCAGTCTCTGCACCTCCCCAGTGGTCACTGTCTCCTC
CAGTCTCAATAGTGGCAGTAGCCTGGGCTCAGCCTAGGCAGCAACTCCACTGTACAGCCTCGACTCGA
AGCTCAGTTGCTACGACTTCAGGAAAAGCTCCTCCCAACCTCCCTCCTGGGGTCCCGCCGTTGTTGCCTA
ATCCGTATATTATGGCTCCAGGGCTGTTACATGCCTACCCGCCACAAGTATATGGTTATGATGACTTGA
GATGCTTCAGACAAGATTTCCATTGGATTACTACAGCATCCCATTTCCACACCCACTACTCCGCTGACT
GGGAGGGATGGTAGCCTGGCCAGCAACCCTTATTCTGGTGACCTCACAAGTTTCGGCCGTGGGGATGCCT
CCTCCCCAGCCCCGGCCACAACCTTGGCCCAACCCCAACAGAACCAGACGAGACTCACCATACCACGCA
GCAGACATTCTGAACCCGGCGCTGCCTCCTGGCTACAGTTACACCAGCCTGCCATACTATACAGGGGTC
CCGGGCTCCCCAGCACCTTCCAGTATGGGCTGCTGTGTTCCCTGTGGCTCCTACCTCTTCCAAGCAGC
ATGGTGTGAATGTCAGTGTGAATGCATCGGCCACCCCTTCCAACAGCCGAGTGGATATGGGTCTCATGG
ATACAACACTGGAAGAAAATATCCACCCCTTACAAGCATTCTGGACGGCTGAGAGCTAA
    
```

**Restriction Sites:** SgfI-MluI  
**ACCN:** NM\_001287815

<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001287815.1</a> , <a href="#">NP_001274744.1</a>
<b>RefSeq Size:</b>	3451 bp
<b>RefSeq ORF:</b>	2931 bp
<b>Locus ID:</b>	9898
<b>UniProt ID:</b>	<a href="#">Q14157</a>
<b>Cytogenetics:</b>	1q21.3
<b>Protein Families:</b>	Druggable Genome
<b>Gene Summary:</b>	<p>Plays an important role in the activity of long-term repopulating hematopoietic stem cells (LT-HSCs).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (3) differs in the UTRs, uses an alternate in-frame splice site in the central coding region, and uses an alternate 3'-terminal exon, compared to variant 1. The encoded isoform (c) is shorter and has a distinct C-terminus, compared to isoform a.</p>