

Product datasheet for **SC337744**

HERC4 (NM_001278185) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	HERC4 (NM_001278185) Human Untagged Clone
Tag:	Tag Free
Symbol:	HERC4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001278185, the custom clone sequence may differ by one or more nucleotides

```

ATGTTGTGCTGGGAAATGCATCCTTTGGGCAGCTAGGTTTGGGTGGAATTGATGAAGAAATGTACTAG
AGCCACAGAAAAGTGACTTCTTTATAAAATAAAAGGGTCCGAGATGTAGGATGTGGACTCAGACATACTGT
GTTTGTCTGGATGATGGAACAGTGTACACATGTGGATGTAATGATCTAGGACAGCTAGGTCATGAAAA
TCCAGAAAAGAAACCAGAGCAGGTTGTTGCCTGGATGCCCAAAATATTGTAGCTGTTTCATGTGGAGAAG
CTCATACGTTAGCGCTAAATGACAAAGGCCAGGTGTATGCTTGGGGTCTCGATTCTGATGGACAGCTTGG
CCTGGTAGGATCAGAGGAATGCATCAGAGTACCCAGAAAATATAAAAGTTTGTGAGATATCCAGATTGTA
CAGGTTGCTTGTGGTTACTATCATTCACTTGCCTTTCTAAAGCAAGTGAAGTCTTCTGTTGGGGACAGA
ATAAATATGGCCAATTGGGTTTAGGTACTGACTGTAAAAAGCAAACCTCACCGCAGCTGCTTAAGTCTTT
GCTTGAATCCCTTTCATGCAAGTTGCAGCAGGAGGAGCCATAGTTTTGTACTCACCTTTCTGGAGCT
ATCTTTGGATGGGACGCAACAAGTTTGGTCAGCTAGGCTTAATGATGAAAATGATAGGTATGTTCCCTA
ATTTACTAAAGTCACTAAGATCTCAGAAAATAGTTTTATTTTGTGTGGAGAAGATCATACTGCTGCTCT
AACCAAGGAAGGTGGAGTGTACTTTTGGAGCTGGAGGGTATGGTCAGTTGGGCCATAATTCTACCAAGT
CATGAAAATAAACCAAGGAAAGTTTTTGAACCTTATGGGAAGCATTGTCAGTGTGAGATTGCTTGTGGACGGC
AGCACACTTCTGCTTTTGTCTTCATCAGGACGAATTTACTCTTTTGGGCTTGGTGGTAATGGGCAGCT
GGGAACCGGTTCAACAAGCAACAGGAAAAGCCCTTTACTGTAAAAGGAAATTTGTAACCCCTATAATGGG
CAGTGTCTACCAGATATTGATTCTGAAGAATATTTCTGTGTAAAAAGAAATTTTCTCAGGGGGAGATCAAA
GCTTTTCACTTACTCTAGTCCCAGAAGTGTGGGCCACCAGATGACTTCAGATGTCCCAATCCGACAAA
GCAGATCTGGACAGTGAATGAAGCTCTAATTCAGAAATGGCTGAGCTATCCTTCTGGAAGGTTTTCTGTG
GAGATAGCCAATGAGATAGATGGAACGTTTTCTCCTCTGGTTGCCTAAATGGAAGTTTTTACTGTTA
GCAATGATGATCACTATAGAACAGGTACCAGATTTTTCAGGGGTTGATATGAATGCTGCTAGGCTTTTATT
CCACAACTTATACAACCTGATCATCCGAGATATCTCAGCAGGTGGCAGCTAGTTTGGAAAAGAATCTT
ATTCTAAACTGACTAGCTCCTTACCTGATGTTGAAGCATTGAGGTTTTTACTTACTCTACCAGAATGTC
CCCTGATGAGTGATTCCAACAATTTCAACAATAGCAATTCCTTTGGTACAGCTCTTGTGAACCTAGA
AAAGGCACCCTGAAAGTACTTGAAGTGGTGGTCACTTGAACCTCCACTATTCTCAAGATAGTA
GAACTTTTTAAGGAAGTTGTGGTACATCTTTTGAAGTCTACAAGATCGGTATCCCCCTTCTGAAAGAA
GAATTTTCAACAGTTTTTCTCATACTGCATTAAGGTTTTAGAAAATACTACATAGGGTAAATGAGAAAAT
GGGACAGATTATACAGTATGATAAATTTATATACATGAAGTACAAGAATTGATAGACATAAGAAAATGAT
TATATCAACTGGGTCCAACAGCAGGCCTATGGAATGGATGTCAACCATGGATTAAGTGTGGCAGATA
TCCTGTTACAATCTGTACATATCCATTTGATTTGATGCCAAGCAAAAACACTCTGTTACAGACCGA
TGCAGTCTTACAGATGCAGATGGCTATTGATCAGGCCACAGGCAGAATGTCTCCTCTCTTTTTCTCCCA
GTGATTGAATCTGTGAATCCCTGCTTAATTCTAGTGGTGCCTAGAGAAAAATTGATAGGAGATGCAATGG
AAGTCCTTAGGAAAACAAAGAACATAGATTACAAGAAGCCACTCAAGGTTATATTTGTTGGAGAAGATGC
TGTGGATGCAGGAGGGGTGCGCAAAGAATTTTCTTGTCTCATCATGAGGGAATTATTGGATCCTAAATAC
GGCATGTTTAGGTATTATGAAGATTCAGGCTCATTGGTTTTCTGATAAGATCACAGTTGAAAACCTTTG
GTGCAACAGAAGTGAAGAGCTGGTCTAAATGGTGCAGACACAGCTGTTAACAAACAAAATCGGCAAGA
GTTTGTGATGCTTATGTGGATTACATATTCAATAAATCAGTGGCTTCTTATTGATGCTTTTTCATGCG
GGCTTTTATAAGTCTGTGGAGGAAAAGTCTTCTGCTCTTTTCAAGCTAATGAACTACAAGCAATGGTCA
TTGAAAATACAAATATGATTGGAAGGAACTGGAAGAATAACAGAATACAAAGGGGAATATTGGGCAGA
ACATCCTACGATAAAAAATTTTTTGGGAAGTATTTACGAATTACCATTGGAAGAAGAAACAGTTTCTG
TTATTTTTGACAGGTAGTATCGCATTCTTCTTGGTATGAAGAGTCTGAACTAGTCATCCAGTCCA
CAGGAGGTGGTGGAGGATCTCCCACTTTCCCACTTGTTTTAACTCTTCTGGATCTTCCAAAATATAC
AGAAAAGAAAACCTACGCTCTAACTGATCCAAGCTATTGATCACAATGAAGGCTTCAGTTAATATAA

```

Restriction Sites: SgfI-MluI
ACCN: NM_001278185

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001278185.1 , NP_001265114.1
RefSeq Size:	4297 bp
RefSeq ORF:	2940 bp
Locus ID:	26091
UniProt ID:	Q5GLZ8
Cytogenetics:	10q21.3
Protein Families:	Druggable Genome
Protein Pathways:	Ubiquitin mediated proteolysis
Gene Summary:	<p>HERC4 belongs to the HERC family of ubiquitin ligases, all of which contain a HECT domain and at least 1 RCC1 (MIM 179710)-like domain (RLD). The 350-amino acid HECT domain is predicted to catalyze the formation of a thioester with ubiquitin before transferring it to a substrate, and the RLD is predicted to act as a guanine nucleotide exchange factor for small G proteins (Hochrainer et al., 2005 [PubMed 15676274]).[supplied by OMIM, Mar 2008]</p> <p>Transcript Variant: This variant (3) lacks an alternate in-frame segment compared to variant 1. The resulting isoform (c) has the same N- and C-termini but is shorter compared to isoform a.</p>