

## Product datasheet for **SC337759**

### **POLR1B (NM\_001282779) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	POLR1B (NM_001282779) Human Untagged Clone
Tag:	Tag Free
Symbol:	POLR1B
Synonyms:	A135; RPA2; RPA135; Rpo1-2; TCS4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >NCBI ORF sequence for NM\_001282779, the custom clone sequence may differ by one or more nucleotides

```

ATGGTGAAATCCAAGCTTTGCAACTTACGTAACCTTCCCCACAAGCCCTCATTGAGCACCATGAGGAGG
CAGAGGAAATGGGGGCTATTTTATAATCAATGCATTGAAAAAGTCATCCGAATGTTGATTATGCCTCG
GAGAAATTTTCCATTGCAATGATAAGACCAAAATGAAAAACCAGAGGGCCTGGTTATACTCAGTATGGA
GTTTCAATGCACTGTGTGAGGGAAGAACATTCGCTGTCAATATGAACCTCCACTACTTGAAAAATGGCA
CTGTTATGTTGAACTTTATTTACCGAAAAGAAGTGTCTTTCTCTTTGGGATTGCACTTAAGGCACT
TGTCAGCTTTTCTGATTATCAGATCTTTTCAAGGCTCATCAAAGGAAAAGAGGATGATTCTTTCTTAGG
AACTCTGTTTCTCAGATGTTAAGGATTGTAATGGAAGAGGGTGTTCGACACAAAAACAGGTCCTTAACT
ACCTAGGTGAATGCTTCAAGTAAAACCAATGTTCTGACTGGTACCAAAATGAGCAAGCTGCGGAGTT
CCTGTTTAAACAGTGCATCTGTATCCACTTGAATCCAATACTGAAAAGTTTTATATGCTTTGTCTCATG
ACGCGAAAGCTCTTTGCTTTAGCCAAAGGAGAGTGCATGGAGGACAATCCTGATAGTTTGGTGAACCAGG
AAGTCTCACACCGGGTCACTCTTCTTATGTTCTGAAGGAAAACTGGAAGTTGGTTAGTGTCTAT
TAAAAATAGCTTTTGATAAGAAGGCTCAGAAGACCAGTGTTCATGAACACTGACAATTTGATGAGGATT
TTTACAATGGGCATAGACCTTACAAAACATTTGAATACCTTTTTGCTACTGGGAATCTGCGTTCTAAAA
CAGGCTCTTGGCCTCCTACAAGATTCTGGACTTTGTGTTGTGGCTGACAAGCTGAACCTCATAACGCTACCT
CTCCCATTTCCGCTGCGTGCACAGAGGGGCTGATTTTGCCAAGATGAGGACCACCACAGTACGCAGGCTG
CTGCCAGAGTCTGGGGCTTCTTTGTCCCGTGCATACCCAGACGGGGAGCCCTGTGGCCTGATGAACC
ACCTAACTGCCGTATGTGAGGTTGTACACAGTTGTGTATACGGCATCTATTCCAGCTTACTGTGCAA
CTTGGGGTCACTCCCATTGATGGAGTCCCACCGATCATACAGTGAAGTGTACCCTGTCTGCTGTTAAGG
GGTGTCTGGTTGGCTGGGTGGATAAGGATCTTGCTCCAGGCATCGCAGATTCTCTCGCATTTTAAAGG
TGTTGAGAGAGAAAAAGAATTCTCCCTGGATGGAAGTGGTCTTATACCCATGACAGGAAAAACCAAGTCT
GTACCCAGGATTGTTCTTTTTACCACTCCTTGTAGACTGGTACGGCCTGTGCAGAACTTAGCATTGGGC
AAAGAAGAGCTAATTGGAAGTATGGAACAGATCTTATGAATGTCGCTATCTTTGAGGATGAAGTTTTTG
CTGGAGTTACCACACACCAGGAAGTCTTTCCACACAGCCTGTGAGTGTGATTGCCAACTTATCCCTTT
CTCTGATCACAACCAGAGTCCACGGAACATGTACCAATGCCAGATGGGTAAGCAAATATGGGCTTTCCA
CTTCTCACTTATCAAGACCGATCGGATAACAACTGTATCGTCTCAGACTCCTCAGAGTCCCTTGGTGA
GACCTCCATGTATGATTATTATGACATGGATAACTATCCAATTTGGGACCAATGCCATCGTTGCTGTGAT
TTCTTACTGGCTATGATATGGAAGATGCCATGATTGTGAATAAGGCCTTTGGGAACGAGGCTTTGCC
CATGGAAGTGTCTACAAGTCTGAGTTCATAGACCTCTCTGAAAAAATTAACAAGGAGATAGTAGCCTGG
TGTTTGGCATCAAACCTGGTGACCCACGCTTCTGCAGAAGTTAGATGACGATGGATTGCCGTTTATAGG
AGCAAACTGCAGTACGGAGATCCGTAATTACAGCTACCTCAACCTCAACACCGGGGAAAGTTTTGTGATG
TACTATAAGAGTAAAGAAAATTTGTTGTGGATAACATCAAAGTGTGCAGTAATGACACTGGGAGTGGAA
AATTCAGTGTGTTTGCATCACTATGAGAGTGCCTCGGAACCAACTATCGGAGATAAATTTGCCAGTGC
CCATGGGAGAGGCAATTTAAGCAGATTGTGGCCGGCTGAGGACATGCCTTTTACTGAGAGTGGGATG
TGCCCAGACATTTCTCAATCCCATGGTTTTCCATCCCGCATGACCATTGGGATGTTAATTGAGAGTA
TGGCCGGGAAGTCTGCAGCTTTGCATGGTCTCGCCATGATGCTACACCCTTCACTTCTCAGAGGAGAA
CTCGGCCTTAGAATACTTTGGTGAAGTGTAAAGGCTGCTGGCTACAATTTCTATGGCACCGAGAGGTTA
TATAGTGGCATCAGTGGGCTAGAACTGGAAGCAGACATCTTATAGGAGTGGTTTATTATCAGCGCTTAC
GCCATATGGTCTCAGACAAATTTCAAGTAAGGACAAGTGGAGCCCGAGACAGAGTACCAACCAGCCTAT
TGGGGGAAGAAATGTCCAGGGTGGAAATCCGTTTTGGGGAGATGGAACGGGATGCGCTTTTAGCTCATGGT
ACATCTTTTCTCTTATGACCGCTCTTCAACTGCTCAGATCGGTGGTAGCCCATGTGTGTGAAGT
GTGGCAGTTTACTCTCCTACTGTTGGAGAAGCCACCCCTTCTGGTCTGCCATGCGCAACAGAAAATA
CAACTGTACTCTGTAGTGCAGTGCAGTACTATCGATACTGTTTCTGTGCCTTATGTTTTCGGTATTTT
GTAGCTGAAGTGGCAGCTATGAACATCAAAGTGAAGTGGATGTTGTTAA
    
```

**Restriction Sites:** SgfI-RsrII  
**ACCN:** NM\_001282779

<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001282779.1</a> , <a href="#">NP_001269708.1</a>
<b>RefSeq Size:</b>	5356 bp
<b>RefSeq ORF:</b>	2991 bp
<b>Locus ID:</b>	84172
<b>UniProt ID:</b>	<a href="#">Q9H9Y6</a>
<b>Cytogenetics:</b>	2q14.1
<b>Protein Families:</b>	Transcription Factors
<b>Protein Pathways:</b>	Metabolic pathways, Purine metabolism, Pyrimidine metabolism, RNA polymerase
<b>Gene Summary:</b>	<p>Eukaryotic RNA polymerase I (pol I) is responsible for the transcription of ribosomal RNA (rRNA) genes and production of rRNA, the primary component of ribosomes. Pol I is a multisubunit enzyme composed of 6 to 14 polypeptides, depending on the species. Most of the mass of the pol I complex derives from the 2 largest subunits, Rpa1 and Rpa2 in yeast. POLR1B is homologous to Rpa2 (Seither and Grummt, 1996 [PubMed 8921381]).[supplied by OMIM, Mar 2008]</p> <p>Transcript Variant: This variant (7) uses an alternate splice site in the 5' region, and it thus differs in its 5' UTR and initiates translation at a downstream in-frame start codon, compared to variant 1. The encoded isoform (6) is shorter at the N-terminus, compared to isoform 1. Both variants 6 and 7 encode isoform 6. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>