

## Product datasheet for **SC337763**

### USP7 (NM\_001286458) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	USP7 (NM_001286458) Human Untagged Clone
Tag:	Tag Free
Symbol:	USP7
Synonyms:	HAFOUS; HAUSP; TEF1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >NCBI ORF sequence for NM\_001286458, the custom clone sequence may differ by one or more nucleotides

```

ATGGTGATGCCACGCTTTTATCCAGACAGACCACACCAAAAAAGCGTAGGATTCTTCTCCAGTGCAATG
CTGAATCTGATCCACGTCATGGTCTTGGCATGCACAAGCAGTGCTGAAGATAATAAATTACAGAGATGA
TGAAAAGTCGTTTCAGTCGTCGATTAGTCATTTGTTCTTCCATAAAGAAAATGATTGGGGATTTTCCAAT
TTTATGGCCTGGAGTGAAGTGACCGATCCTGAGAAAGGATTTATAGATGATGACAAAAGTTACCTTTGAAG
TCTTTGTACAGGCGGATGCTCCCATGGAGTTGCGTGGGATTCAAAGAAGCACACAGGCTACGTCGGCTT
AAAGAATCAGGGAGCGACTTGTTACATGAACAGCCTGCTACAGACGTTATTTTTACGAATCAGCTACGA
AAGGCTGTGTACATGATGCCAACCGAGGGGGATGATTCGTCTAAAAGCGTCCCTTTAGCATTACAAAGAG
TGTTCTATGAATTACAGCATAGTGATAAACCTGTAGGAACAAAAAGTTAACAAAGTCATTTGGGTGGGA
AACTTTAGATAGCTTCATGCAACATGATGTTCCAGGAGCTTTGTCGAGTGTGCTCGATAATGTGGAAAAAT
AAGATGAAAGGCACCTGTGTAGAGGGCACCATAACCCAAATTTATCCGCGGCAAAATGGTGTCTATATCC
AGTGTAAAGAAGTAGACTATCGGTCTGATAGAAGAGAAGATTATTATGATATCCAGCTAAGTATCAAAGG
AAAGAAAAATATATTTGAATCATTTGTGGATTATGTGGCAGTAGAACAGCTCGATGGGGACAATAAATAC
GACGCTGGGGAACATGGCTTACAGGAAGCAGAGAAAGGTGTGAAATTCCTAACATTGCCACCAGTGTAC
ATCTACAACCTGATGAGATTTATGTATGACCCTCAGACGGACCAAAATATCAAGATCAATGATAGGTTTGA
ATTCCCAGAGCAGTTACCACTTGATGAATTTTGCAAAAACAGATCCTAAGGACCCTGCAAATTTATTT
CTTCATGCAGTCTGGTTCATAGTGAGATAATCATGGTGACATTATGTGGTTTATCTAAACCCCAAGG
GGGATGGCAAATGGTGTAAATTTGATGACGACGTGGTGTCAAGGTGTACTAAAGAGGAAGCAATTGAGCA
CAATTAAGGGGTCACGATGACGACCTGTCTGTTTCGACACTGCACTAATGCTTACATGTTAGTCTACATC
AGGGAATCAAAACTGAGTGAAGTTTACAGGCGGTCCCGACCATGATATTCCTCAGCAGTTGGTGGAGC
GATTACAAGAAGAGAAAAGGATCGAGGCTCAGAAGCGGAAGGAGCGGCAGGAAGCCCATCTCTATATGCA
AGTGCAGATAGTCGACAGAGGACAGTTTTGTGGCCACCAAGGGAATGACATGTACGATGAAGAAAAAGTG
AAATACACTGTGTTCAAAGTATTGAAGAACTCCTCGCTTGTGAGTTTGTTCAGAGCCTCTCTCAGACCA
TGGGATTTCCACAAGATCAAATTCGATTGTGGCCATGCAAGCAAGGAGTAATGGAACAAAAACGACCAGC
AATGTTAGATAATGAAGCCGACGGCAATAAAACAATGATTGAGCTCAGTGATAATGAAAACCTTGGACA
ATATTCTGGAACAGTTGATCCCGAGCTGGCTGCTAGTGAGCGACCTTACCCAAGTTTGATAAAGATC
ATGATGTAATGTTATTTTTGAAGATGTATGATCCCAAAACGCGGAGCTTGAATTACTGTGGGCATATCTA
CACACCAATATCCTGTAAATACGTGACTTGTCCAGTTATGTGTGACAGAGCAGGATTTATCAAGAT
ACTAGCCTTATCCTCTATGAGGAAGTTAAACCGAATTTAACAGAGAGAATTCAGGACTATGACGTGTCTC
TTGATAAAGCCCTTGATGAACTAATGGATGGTGACATCATAGTATTTCAGAAGGATGACCCTGAAAATGA
TAACAGTGAATTACCCACCGCAAAGGAGTATTTCCGAGATCTCTACCACCGCCTTGATGTCATTTTCTGT
GATAAAACAATCCCTAATGATCCTGGATTTGTGGTTACGTTATCAAAATAGAATGAATTTTTTCAGGTTG
CAAAGACAGTTGCACAGAGGCTCAACACAGATCCAATGTTGCTGCAGTTTTTCAAGTCTCAAGGTTATAG
GGATGGCCAGGTAATCCTCTTAGACATAAATATGAAGGTACTTTAAGAGATCTTCTACAGTTCTTCAAG
CCTAGACAACCTAAGAACTTTACTATCAGCAGCTTAAGATGAAAATCACAGACTTTGAGAACAGGCGAA
GTTTTAAATGTATATGGTTAAACAGCCAATTTAGGGAAGAGGAAATAACACTATATCCAGACAAGCATGG
GTGTGTCGCGGACCTGTTAGAAGAATGTAAAAAGCCGTGGAGCTTGGGGAGAAAAGCATCAGGGAACCTT
AGGCTGCTAGAAATGTAAAGCTACAAAATCATTGGTGTTTCATCAAGAAGTGAACCTATTAGAATGTTTAT
CTCCTGCAACGAGCCGACGTTTTGCAATAGAGGAAATCCCTTTGGACCAGGTGGACATAGACAAAAGAGAA
TGAGATGCTTGTACAGTGGCGCATTTCCACAAAGAGGTCTTCGGAACGTTCCGGAATCCCGTTTTTGTG
AGGATACACCAGGGCGAGCATTTTCGAGAAGTGTGAAGCGAATCCAGAGCCTGCTGGACATCCAGGAGA
AGGAGTTTGAAGTTTAAATTTGCAATGTAAATGATGGGCCGACACCAGTACATAAATGAAGACGAGTA
TGAAGTAAATTTGAAAGACTTTGAGCCACAGCCCGGTAATATGTCTCATCTCGGCCTTGGCTAGGGCTC
GACCACTTCAACAAAGCCCAAGAGGAGTCGCTACACTTACCTTAAAAGGCCATTAATCCATAACT
GA
    
```

**Restriction Sites:** SgfI-MluI

<b>ACCN:</b>	NM_001286458
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_001286458.1</a></u> , <u><a href="#">NP_001273387.1</a></u>
<b>RefSeq Size:</b>	5456 bp
<b>RefSeq ORF:</b>	3012 bp
<b>Locus ID:</b>	7874
<b>Cytogenetics:</b>	16p13.2
<b>Protein Families:</b>	Druggable Genome, Protease
<b>Gene Summary:</b>	<p>The protein encoded by this gene belongs to the peptidase C19 family, which includes ubiquitinyl hydrolases. This protein deubiquitinates target proteins such as p53 (a tumor suppressor protein) and WASH (essential for endosomal protein recycling), and regulates their activities by counteracting the opposing ubiquitin ligase activity of proteins such as HDM2 and TRIM27, involved in the respective process. Mutations in this gene have been implicated in a neurodevelopmental disorder. [provided by RefSeq, Mar 2016]</p> <p>Transcript Variant: This variant (3) contains an alternate 5' terminal exon and an additional internal exon, which results in translation initiation from an in-frame downstream start codon compared to variant 1. The resulting isoform (3) has a shorter N-terminus compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>