

## Product datasheet for **SC337766**

### USP38 (NM\_001290325) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	USP38 (NM_001290325) Human Untagged Clone
Tag:	Tag Free
Symbol:	USP38
Synonyms:	HP43.8KD
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >NCBI ORF sequence for NM\_001290325, the custom clone sequence may differ by one or more nucleotides

```

ATGGACAAGATCCTGGAGGGCCTTGTGAGTTCCTCGCATCCCCTGCCCTCAAGCGGGTGATTGTGCGGA
AGGTGGTGAATCGGCGGAGCACTGGCTAGACGAGGCGCAGTGCAGGCCATGTTTGACCTGACGACCCG
GCTCATCCTGGAGGGCCAGGACCTTTCCAGCGCAGGTGGGGCACCAGGTGCTGGAGGCCATCGCACGA
TACCACCGGCCAGAGTTCGAGTCCCTTCTCAACAAGACCTTCGTGTTGGGCCTCCTTCATCAGGGCTACC
ACTCTCTGGACAGGAAGGATGTAGCCATCCTGGACTACATTACACAACGGCCTGAAGCTGATTATGAGCTG
TCCGTGCGTGCTGGATCTCTTTAGCCTCCTGCAGGTAGAGGTGTTACGGATGGTGTGTGAGAGGCCGGAG
CCGCAGCTCTGTGCCGACTGAGCGACCTTCTGACCGACTTTGTGCAATGCATCCCCAAGGGGAAATTTGT
CCATCACGTTCTGTCAACAGCTGGTTCGAACGATAGGCCATTTCCAGTGCCTGTCCACCCAGGAAAGAGA
GCTGCGGGAATATGTCTCCAGGTGACAAAAGTGAGTAACTTGTGCAGAACATCTGGAAGGCCGAGCCT
GCCACACTACTGCCTTCCCTGCAAGAAGTTTTGCAAGCATCTCTCCACAGATGCATCATTGAACCTT
CTGTAGCATTGGCAAGCCTTGTGCAGCATATTCCTCTTCAGATGATTACAGTTCTCATCAGGAGCCTTAC
TACGGATCCAAATGTAAAAGATGCAAGTATGACCAAGCCCTTTGCAGAAATGATTGACTGGCTATCCTGG
CCATTGGCTCAGCATGTGGATACATGGTAATTGCACTCCTGAAAGGACTGGCAGCTGTCCAGAAGTTTA
CTATTTTGATAGATGTTACTTTGCTGAAAATAGAAGTGGTTTTAATCGACTTTGGTTTCTCTTGTGAG
ACCTGGTGCTCTTGCAGTCTTTCTCACATGCTGCTTAGCTTTCAGCATTCTCCAGAGGCCGTTCCATTTG
ATTGTTCTCATGTGGTTAATTTGGTTCATTCTTTCAAAAATGATGGTCTGCCTCAAGTACAGCCTTCT
TAGTACAATTAACAGAATTGATACACTGTATGATGATCATTATCTGGATTTCCAGATCTCTATGAACC
TATCTGGAGGCAATAAAGGATTTTCTAAGCCAGTGAAGAGAAGATTAAGTTAATCTCAATCAAAGT
GCCTGGACTTCTCAATCAATTTTGGCGTCTTGCTGTAGACTTTCTGAAAAATCTGAAACTGGGA
AAACTGGTCTTATTAACCTAGGAAATACATGTTATATGAACAGTGTATACAAGCCTTGTATGGCCAC
AGATTTACAGGAGACAAGTATTATCTTTAAATCTAAATGGGTGCAATTCATTAATGAAAAAATACAGCAT
CTTTTTGCCTTTCTGGCCATACACAGAGGGAAGCATACGCACCTCGGATATTCTTTGAGGCTTCCAGAC
CTCCATGGTTTACTCCCAGATCACAGCAAGACTGTTCTGAATACCTCAGATTTCTCCTTGACAGGCTCCA
TGAAGAAGAAAAGATCTTGAAAGTTCAGGCCTCACACAAGCCTTCTGAAATCTGGAATGCAGTGAAGT
TCTTTACAGGAAGTAGCTAGTAAAGCAGCAGTAAACAGAGACCCCTCGTACAAGTGCAGGTGAGAAGA
CTTTAATAGAAAAATGTTTGGAGGAAAACACGAACTCACATACGTTGTTTGAAGTGCAGGAGTACCTC
ACAAAAAGTGAAGCCTTACAGATCTTTCGCTTGCCTTTTGCCTTCTCTTTGGAAAACATGTCT
GTCCAAGATCCAGCATCATCACCCAGTATACAAGATGGTGGTCTAATGCAAGCCTCTGTACCCGGTCTT
CAGAAGAACCAGTAGTTATAATCCAACAACAGCTGCCTTCATCTGTGACTCACTTGTGAATGAAAAAC
CATAGGCAGTCCCTCTAATGAGTTTTACTGTTCTGAAAACACTTCTGTCCCTAACGAATCTAACAGATT
CTTGTTAATAAGATGTACCTCAGAAACCAGGAGTGAACCACACCTTCAGTAACTGACTTACTAAATT
ATTTTTGGTCCAGAGATCTTACTGGTGATAACCAATATTATTGTGAAAACACTGTGCCTCTCGCAAAA
TGCTGAGAAAACATGCAAAATCACGGAGGAACCTGAATACCTTATTCTTACTCCTGAGATTTTCATAT
GATCAGAAGTATCATGTGAGAAGGAAAAATTTAGACAATGTATCACTGCCACTGGTTTTGGAGTTGCCAG
TTAAAAGAATTACTTCTTCTTTCATTGTGAGAAAGTTGGTCTGTAGATGTTGACTTCACTGATCTTAG
TGAGAACCTTGCTAAAAAATTAAGCCTTCAGGGACTGATGAAGCTTCTGCACAAAATGGTGCCCTAT
CTATTAAGTTCGGTGTGGTTCCTCTGTTATATCCTCTGAAAAGTGGGCATTACTATTCTTATGCCAGGA
ATATCACAAGTACAGACTCTTCATATCAGATGTACCACAGTCTGAGGCTCTGGCATTAGCATCCTCCCA
GAGTCAATTTACTAGGGAGAGATAGTCCCAGTGCAGTTTTTGAACAGGATTTGGAAAATAAGGAAATGTCA
AAAGAATGGTTTTATTTAATGACAGTAGAGTGACATTTACTTCAATTCAGTCCAGAAAATACGA
GCAGGTTTCCAAAGGACACAGCTTATGTCTTTGTATAAAAAACAGCATAGTACTAATGGTTTAAAGTGG
TAATAACCAACCAGTGGACTCTGGATAAATGGAGACCCACTCTACAGAAAAGAACTTATGGATGCTATA
ACAAAAGACAATAAACTATATTTACAGGTAAGTTGAAAATACAAGCTTTATTTGTTGAAAATATTAACA
ATTGA
    
```

**Restriction Sites:** SgfI-MluI

<b>ACCN:</b>	NM_001290325
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001290325.1</a> , <a href="#">NP_001277254.1</a>
<b>RefSeq Size:</b>	4123 bp
<b>RefSeq ORF:</b>	3015 bp
<b>Locus ID:</b>	84640
<b>UniProt ID:</b>	<a href="#">Q8NB14</a>
<b>Cytogenetics:</b>	4q31.21
<b>Protein Families:</b>	Druggable Genome, Protease
<b>Gene Summary:</b>	<p>Deubiquitinating enzyme exhibiting a preference towards 'Lys-63'-linked ubiquitin chains. [UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (2) contains a 3' terminal exon that extends past a splice site used in variant 1. This results in a novel 3' coding region and 3' UTR, compared to variant 1. It encodes isoform 2 which is shorter and has a distinct C-terminus, compared to isoform 1.</p> <p>Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>