

## Product datasheet for **SC337770**

### **PIB5PA (INPP5J) (NM\_001284285) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	PIB5PA (INPP5J) (NM_001284285) Human Untagged Clone
Tag:	Tag Free
Symbol:	PIB5PA
Synonyms:	INPP5; PIB5PA; PIPP
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >NCBI ORF sequence for NM\_001284285, the custom clone sequence may differ by one or more nucleotides

```

ATGGAGGGCCAGAGCAGCAGGGGCAGCAGGAGGCCAGGGACCCGGGCTGGCCTGGGTTCCCTGCCCATGC
CCCAGGGTGTGCCAACTGGGGCACCCCTCAAGGTGGACTCAAGTTTTAGCTCCCAGCAAAGAAGAA
CGCAGCCCTAGGACCCTCGGAACCAAGGTTGGCTCTGGCACTGTAGGGCCACGGGCAGCTATGTCAGT
TCCTCGGAAGGACCGAGGCTGGCTCTGGCATCTCCCCGACCAATCCTGGCTCCACTGTGTACCCCTGAAG
GGCAGAAAACAGCTACTGCCACCGCAGCTCCAGCCTGGCCCCAACATCTGTGGGCCAGCTGGTGTATGTC
TGCCCTAGCTGGACCAAAGCCTCCCCAGCGACCACAGGCTCAGTTCTGGCTCCGACGTCCTGGGGCTG
GTGATGCCTGCCTCAGCAGGGCCAAGATCTCCCCAGTACCCTGGGGCCCAATCTGGCCCCAACCTCCA
GAGACCAGAAGCAGGAGCCACCTGCCTCCGTGGGACCCAAGCCAACACTGGCAGCCTCTGGCCTGAGCCT
GGCCCTGGCTTCTGAGGAGCAGCCCCAGAACTCCCTCCACCCCTTCCCCTGGTCCGACGTCAGTTCTG
TCTCCAACCTCAGGAACAGGCCCTGGCTCCAGCATCCACGGCATCAGGCGCAGCCTCTGTGGGACAGACAT
CAGCTAGAAAGAGGGATGCCCCAGCCCCTAGACCTCTCCCTGCTTCTGAGGGGCATCTCCAGCCTCCAGC
TCAGACATCTGGTCTACAGGCTCCCCACCTGCATCAAACCTCCCCAGACCCTCGGCTCTCCCCCTCC
TTCGAGCCCGGCTGAGGCCCTCCACAGCAGCCTGAGGATCCTGTTTTGCCACGGCCACCCAGACCT
TGCCCTTGGATGTGGGCCAGGGTCTTACAGAGCCTGGCACTACTCCCCTGGACTTCTGTCCCCACCTT
CCGGCCTGGGGCCCCCTCAGGCCAGACTGTGCCCCACCTCTGCCAAGCCACCCCGATCACCCAGCCGT
TCCCAAGCCACTCCCGAATCGCTCTCCCTGTGTTCCCCAGCCCTGACATGGCCCTCCAAGGCTTG
GCACACAGAGTACAGGGCCTGGCAGGTGCCTGAGCCCCAACCTTACAGGCCAAGAAGCCCCAGCCCCAGT
CACCACCTCCTCTTACATCCACCCTGTATCCTCCCCTGGTCACTCAGCCTACCTGGAAGAGCGAC
CCCGGCTTCCGGATCACTGTGGTCACTGGAACGTGGGCACTGCCATGCCCCAGACGATGCACATCCC
TCTCCACCTGGGCGGTGGTACGACAGCGACGGCGCAGACATGATCGCCATAGGGTTGCAGGAAGTGAA
CTCCATGTCTAACAAGCGACTCAAGGACGCCCTTTCACGGACCAGTGGAGTGGCTGTTGATGGATGCG
CTAGGGCCCTTCAACTTCGTGCTGGTGGTTCGGTGGAGTGCAGGGTGCATCCTGCTGCTGTTGCGCA
AGTACTACCACCTGCCCTTCTGCGAGACGTGCAGACCGACTGCACGCGCACTGGCCTGGGGGCTACTG
GGGTAACAAGGGTGGCGTGGCGTGGCGCTGGCGGCTTCCGGGCACATGCTCTGCTTCTGAACTGCCAC
TTGCTGCGCATATGGACAAGGCGGAGCAGCGCAAAGACAACCTCCAGACCATCCTCAGCCTCCAGCAGT
TCCAAGGGCCGGGCGCACAGGGCATCCTGGATCATGACCTCGTGTCTGGTTCGGGGACCTGAACCTCCG
CATTGAGAGCTATGACCTGCACCTTGTCAAGTTTCCCATCGACAGTGACCAGCTCCATCAGCTCTGGGAG
AAGGACCAGCTCAACATGGCCAAGAACCTGGCCCATCTGAAGGGCTTTCAGGAGGGGCCCTCAACT
TCGCTCCACCTTCAAGTTTGATGTGGTACCAACAAATACGATACCAGTGCCAAGAAACGGAAGCCAGC
TTGGACAGACCGTATCCTATGGAAGGTCAAAGGCTCCAGGTGGGGTCCCAGCCCCCTCAGGACGGAAGAGC
CACCGACTCCAGGTGACGACGACAGCTACCGCAGCCACATGGAATACACAGTACGCGACCACAAGCCTG
TGGCTGCCAGTTCCTCTGCAGTTTGCCTTACGGGACGACATGCCACTGGTGGGCTGGAGGTGGCAGA
TGAGTGGTGGGCCCCGAGCAGGCGGTGGTGGGTACCGCATGGAACAGTGTTCGCCCGCAGCTCCTGG
GACTGGATCGGCTTATACCGGTGGGTTTCCGCCATTGCAAGGACTATGTGGCTTATGTCTGGGCCAAAC
ATGAAGATGTGGATGGGAATACCTACCAGGTAACATTAGTGGGAATCACTGCCCAAGGGCCATGGAGA
CTTCATCCTGGGCTACTATAGTCAACACAGCATCCTCATCGGCATCACTGAACCCCTTCCAGATCTCG
CTGCCCTTCTCGAGTTGGCCAGCAGCAGCAGACAGCTCAGGCACCAGCTCAGAGGGAGAGGATGACA
GCACACTGGAGCTCCTTGACCCAAAGTCCCGCAGCCCCAGTCTGGCAAGTCCAAGCGACACCGCAGCCG
CAGCCCCGGGACTGGCCAGGTTCCCTGGGCTTGCCTACGGCCCTCATCCCCTGAACGCCGTGGTGGCAGC
CGTAGCCCTCACCCAGAGCCGCCGTGTCCCAGTGGCTCCTGACAGGAGCAGTAATGGCAGCAGCC
GGGGCAGTAGTGAAGAGGGGCCCTCTGGGTTGCCTGGCCCTGGGCTTCCCACCAGCTGTGCTCGAAG
CCTGGGCTGTTGCCCGCTTGGCCTAGAGACTGTAGACCCTGGTGGTGGTGGCTCCTGGGACCTGAT
CGGGAGGCCCTGGCGCCAACAGCCTGTCTCCTAGTCCCAGGGCCATCGGGGCTGGAGGAAGGGGGCC
TGGGGCCCTGA
    
```

**Restriction Sites:** SgfI-MluI

<b>ACCN:</b>	NM_001284285
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<u><a href="#">NM_001284285.1</a></u> , <u><a href="#">NP_001271214.1</a></u>
<b>RefSeq Size:</b>	3407 bp
<b>RefSeq ORF:</b>	3021 bp
<b>Locus ID:</b>	27124
<b>UniProt ID:</b>	<u><a href="#">Q15735</a></u>
<b>Cytogenetics:</b>	22q12.2
<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	Inositol phosphate metabolism, Metabolic pathways, Phosphatidylinositol signaling system
<b>Gene Summary:</b>	Inositol 5-phosphatase, which converts inositol 1,4,5-trisphosphate to inositol 1,4-bisphosphate. Also converts phosphatidylinositol 4,5-bisphosphate to phosphatidylinositol 4-phosphate and inositol 1,3,4,5-tetrakisphosphate to inositol 1,3,4-trisphosphate in vitro. May be involved in modulation of the function of inositol and phosphatidylinositol polyphosphate-binding proteins that are present at membranes ruffles (By similarity).[UniProtKB/Swiss-Prot Function] Transcript Variant: This variant (1) encodes the longest isoform (a).