

## Product datasheet for **SC337771**

### **Pumilio 2 (PUM2) (NM\_001282752) Human Untagged Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	Pumilio 2 (PUM2) (NM_001282752) Human Untagged Clone
Tag:	Tag Free
Symbol:	PUM2
Synonyms:	PUMH2; PUML2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:** >NCBI ORF sequence for NM\_001282752, the custom clone sequence may differ by one or more nucleotides

```

ATGTCCCAGCCTATTATGGTACAGAGAAGATCTGGACAGGGTTTTTCATGGAAACAGTGAAGTAAATGCAA
TACTGTCTCCCGCATCAGAAAGTGGAGGCCTTGGTGTGAGCATGGTAGAATATGTATTAAGTTCTTCTCC
TGCTGATAAATTGGATTCTCGATTTAGGAAGGGAAATTTTGGCACTAGAGATGCTGAAACAGATGGACCT
GAGAAAGGAGATCAAAAAGGCAAGGCTTCCATTTGAGGAGGACCAAAACAGAGATCTTAAACAAGGAG
ATGATGATGATTCTAAAATAAATGGCAGAGGTTTGCCAAATGGAATGGATGCCGATTGCAAAGATTTTAA
TCGTA CTCTGGAAGTCGTCAAGCCTCTCCA ACTGAAGTAGTTGAGCGCTTGGGCCCAATACTAATCCC
TCAGAAGGACTGGGGCTCTTCTAATCTACAGCTAATAAACC ACTTGTGAAGAATTTCAAATCCTG
AAACTCAGAATCTGGATGCCATGGAACAAGTTGGTCTGGAATCCTTACAGTTTACTATCCTGGTAATCA
GGTACCAATGGACTCTTCAGGAGCTACTGTAGGCCTTTTGTACTACAATCCCAGCAGCAGCTCTTTCAG
AGGACTAATGACTAACAGTTCAACAGTTAACTGCAGCTCAACAGCAGCAATATGCATTAGCAGCAGCTC
AGCAGCCACATATAGCTGGTGTATTCTCAGCAGGCCTTGTCCAGCTGCATTTGTCCAAATCCATACAT
TATTAGTCTGCTCCTCCAGGGACCGATCCGTACTGCAGCAGGATTGGCTGCAGCAGCTACATTAGCA
GGTCCAGCAGTGGTTCCACCTCAGTATTACGGCGTTCCATGGGGGTGTATCCAGCCA ACTTATTTTCAGC
AGCAAGCTGCAGCTGCGGCAATAACACAGCCAGTCAGCAAGCAGCATCAAGCTCAGCCTGGACAGCA
ACAGGTTCTCCGTGCTGGAGCAGGTGAGCGTCTTACTCCCAATCAGGGTCAGCAAGGGCAGCAAGCA
GAATCACTTGGCGCAGCTGCAGCAGCAATCCAACATTGGCTTTTGGTCAGGGTCTTGTACTGGCATGC
CAGGCTATCAAGTACTAGCTCCA ACTGCCTATTATGATCAGACTGGTGCCTTAGTGGTTGGCCCTGGAGC
AAGGACTGGCCTTGGAGCTCCAGTTCGGTTAATGGCTCCAACACTGTTTAAATAGTTTCAGCAGCAGCA
CAAGCTGCAGCAGCAGCAGCAGCTGGAGGAATGCAAGTAGCCTTACAGGCAGCACAAATGGTCTGTTTC
GGCAATTGGCACTCAGCCACCACAGCAGCAGCAACAGCAGCCAAGCACTAATCTGCAATCTAATTCATT
TTATGGAAGCAGTCTTTGACTAATAGCTCCCAGAGTAGTTCTTTATTTTCTCATGGACCTGGTCAACCT
GGAAGTACATCTCTTGGCTTTGGAAGTGGTA ACTCTTTGGGTGCTGCTATAGGCTCAGCCCTCAGTGGAT
TTGGTTCATCAGTTGGCAGTTCTGCAAGTAGTAGTGCCACAAGGAGAGAGTCTCTATCTACTAGCTCTGA
CTTGTACAAAAGATCTAGTAGCAGCCTAGCACCCATAGGGCAACCATTTTACAATAGTCTGGGATTTTCC
TCCTCTCCAAGTCCAATAGGCATGCCTCTGCCAAGCCAACTCCAGGACATTCACTACGCCACC GCCAT
CACTTTCATCACATGGATCCTCATCCAGTTTGATTTAGGAGGACTGACAAATGGTAGTGGTCGATATAT
CTCTGCAGCACCTGGAGCAGAAGCAAAATATCGAAGTGTTC AAGCACTCCAGTCTATTTAGCTCCAGC
AGCCAGCTCTTTCTCCTTCCCGCTTCGGTATAATAGGTCTGATATTATGCCTTCTGGCCGAGTAGAT
TATTGGAAGATTTCAGAAACAACCGCTTCCCAAACCTTCAGCTTAGAGACTTGATTGGACATATAGTTGA
GTTTTCTCAAGACCAGCATGGTTCTAGATTCATACAGCAAAA ACTAGAGAGAGCTACTCCAGCTGAGCGA
CAGATGGTATTTAATGAAATCTGCAAGCAGCCTATCAATTAATGACTGATGTTTTTGGCAACTATGTTA
TACAGAAGTTTTTTGAGTTTGGGAGTCTGGATCAAAAAT TAGCCCTGGCTACTCGTATTCGTGGTCATGT
TCTACCCTTAGCCTTG CAGATGTATGGCTGCCGCGTTATTCAGAAAGCATTAGAATCTATTTCTTCTGAC
CAGCAGAGTGAATGGTAAAGGAGCTGGATGGTCATGTGCTCAAATGTGTGAAAGATCAGAATGGA AACC
ATGTTGTACAAAAATGTATCGAATGTGTTTCAGCCACAGTCACTACAGTTCATCTTATGCTTTCAAGGG
ACAAGTATTTGTGCTTTCAACTCATCCTTATGGCTGCAGAGTAATTCAGCGCATCCTAGAGCATTGCACT
GCAGAACAGACCTTACCTATCTTAGAAGAACTCCACCAACATACAGAGCAGTTGGTACAGGATCAGTATG
GCAATTATGTTATTCAGCATGTA CTGGAACACGGTCGACCTGAAGACAAGAGCAAAAATGTTTCCGAAAT
CAGGGGAAAGTTTTAGCCCTGAGTCAACACAAAATTTGCCAGCAATGTAGTAGAAAAGTGTGTTACTCAT
GCCTCCCGTGTGAGAGAGCTTTACTGATTGACGAGGTTTGTGCCAGAATGATGGTCTCACAGTGCTT
TATACACCATGATGAAGGACCAGTATGCCAATTACGTGGTTCAA AAGATGATTGATATGGCTGAACCTGC
TCAGAGAAAAGATAATCATGCACAAGATTCGACCTCACATTACTACTTTGCCAAAATACACATACGGGAAG
CATATACTGGCCAAGTTGAAAAGTATTATTTGAAGAATAGCCCGGACCTAGGACCTATTGGAGGACCAC
CAAATGGAATGCTGTAA
    
```

**Restriction Sites:** SgfI-MluI

<b>ACCN:</b>	NM_001282752
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_001282752.1</a></u> , <u><a href="#">NP_001269681.1</a></u>
<b>RefSeq Size:</b>	6251 bp
<b>RefSeq ORF:</b>	3027 bp
<b>Locus ID:</b>	23369
<b>UniProt ID:</b>	<u><a href="#">Q8TB72</a></u>
<b>Cytogenetics:</b>	2p24.1
<b>Gene Summary:</b>	<p>This gene encodes a protein that belongs to a family of RNA-binding proteins. The encoded protein functions as a translational repressor during embryonic development and cell differentiation. This protein is also thought to be a positive regulator of cell proliferation in adipose-derived stem cells. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Sep 2013]</p> <p>Transcript Variant: This variant (2) contains a distinct 5' UTR and lacks an in-frame portion of the 5' coding region compared to variant 1. The resulting isoform (2) has a shorter N-terminus compared to isoform 1.</p>