

Product datasheet for **SC337772**

TACC2 (NM_001291878) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	TACC2 (NM_001291878) Human Untagged Clone
Tag:	Tag Free
Symbol:	TACC2
Synonyms:	AZU-1; ECTACC
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001291878, the custom clone sequence may differ by one or more nucleotides

```

ATGGGAGGGTCGCAGTCCCTGCAGCCAGCCCCAGCCAGCGACCTGAACCTGGAGGCTCCGAGGCAATGA
GTTCCGATTCTGAAGAGGCATTTGAGACCCCGGAGTCAACGACCCTGTCAAAGCTCCGCCAGTCCACC
CCCACCACCCCGAAGTCAATCCAGAACCCGAGGTGAGCACACAGCCACCCCGGAAGAACCAGGATGT
GGTTCAGAGACAGTCCCTGTCCCTGATGGCCACGGAGCGACTCGGTGGAAGGAAGTCCCTCCGTCGCC
CGTCACACTCCTTCTCTGCCGTCTTCGATGAAGACAAGCCGATAGCCAGCAGTGGGACTTACAATTGGA
CTTTGACAACATTGAGCTTGTGGATACCTTTCAGACCTTGGAGCCTCGTGCCTCAGACGTAAGAATCAG
GAGGGCAAAGTGAACACACGGAGGAAGTCCACGGATTCCGTCCCATCTCTAAGTCTACACTGTCCCGGT
CGCTCAGCCTGCAAGCCAGTGACTTTGATGGTCTTCTTCTCAGGCAATCCCGAGGCCGTGGCCCTTGC
CCCAGATGCATATAGCACGGTTCAGCAGTGTCTTAGTACCCTAAGCGAACTAAAAACCGAGGCCG
CCTTCCTAAAAAAGAAACAGACCACCAAGAAACCCACAGAGACCCCCAGTGAAGGAGACGCAACAGG
AGCCAGATGAAGAGAGCCTTGTCCCGAGTGGGGAGAATCTAGCATCTGAGACGAAACGGAACTGCCAA
GACGGAAGGTCTAGCCAGCCTTATTGGAGGAGACGCCCTTGAAGCCGCTGTGGGGCCAAAGCTGCC
TGCCCTCTGGACTCAGAGAGTGCAGAAGGGTGTCCCCCGGCTTCTGGAGGTGGCAGAGTGCAGAACT
CACCCCTGTCCGGAGGAAAACGCTGCCTTACCACGGCCCGGAGGCAGGGGAGGTAACCCATCGGA
TAGCGGGGGCAAGAGGACTCTCCAGCCAAAGGCTCTCCGTAAGGCTGGAGTTTACTATTCTGAGGAC
AAGAGTAGTTGGGACAACCAGCAGGAAAACCCCTCCTACAAAAAGATAGGCAAAAAGCCAGTTGCCA
AAATGCCCTGAGGAGGCCAAAGATGAAAAGACACCCGAAACTTGACAACACTCCTGCCTCACCTCC
CAGATCCCCTGCTGAACCAATGACATCCCATTGCTAAAGTACTTACACCTTGTATTTGACAAGTGG
GATGACCCCAATTTAAACCTTTTCTCCACCTCAAAAATGCAGGAGTCTCCAAACTGCCCAACAAT
CATACAACCTTGGACCAGACACCTGTGATGAGTCCGTTGACCCCTTAAAGACATCCTCTAAGACCCCCAG
CTCACCTTCTAAATCCCGAGCCTCCTTTGAGATCCAGCCAGTGTATGGAAGCCAAAGGAGTGGACGGG
GATGGGCTAAACAAGCCCGCAAGAAGAAGAAGACGCCCTAAAGACGATGGTTGAAGATGTGATGTCTG
TGTGTTCTCTGTTTGACACATTTAGGGTAAAAAGTCGCCAAAACGGTCTCCTCTCTGATCCACCTTC
CCAGGACCCACCCAGCTGCTACACCAGAAACACCACAGTGTCTCTGCGGTGGTCCACGCCACAGAT
GAGGAAAAGCTGGCGGTACCAACCAGAAGTGGACGTGCATGACAGTGGACCTAGAGGCTGACAAACAGG
ACTACCCGAGCCCTCGGACCTGTCCACCTTTGTAACGAGACCAAAATTCAGTTCACCCACTGAGGAGTT
GGATTACAGAACTCCTATGAAATTGAATATATGGAGAAAATGGCTCCTCCTTACCTCAGGACGACGAT
GCCCGAAGAAGCAGGCCTGTACCTTATGTTTGACACTTCTCAGGAGAGCCCTGTCAAGTCATCTCCCG
TCCGATGTCAGAGTCCCGACGCCGTGTTGAGGGTCAAGTTTTGAAGAGACTGAAGCCCTGTGAACAC
TGCTGCGAAAAACCAGCATCCTGTCCCACGAGGACTGGCCCTAACCAAGAGTCACACTGCAGGTGCCA
GAGAAATCCTCCAGAAGGAGCTGGAGGCCATGGGCTTGGGCACCCCTTCAAGAGCATTGAAATACAG
CTCCCGAGGGCTCCTTTGCCTCTGCTGACGCCCTCCTCAGCAGGCTAGCTCACCCGCTCTCTCTGTGG
TGCACTTGACTATCTGGAGCCCGACTTAGCAGAAAAGAACCCCACTATTGCTCAGAACTCCAGAGA
GAGGCTGCTCACCAACAGAGCTCTCCATCTCCAAAACAGCCTTGTACTCCCGCATCGGGACCGCTGAGG
TGGAGAAAACCTGCAGGCCTTCTGTTCCAGCAGCCGACCTGGACTCTGCCCTCCAGATCGCCAGAGCAGA
GATCATAACCAAGGAGAGAGAGGTCTCAGAATGGAAGATAAATATGAAGAAAGCAGCGGGAAAGTGTG
GAAATGAGGAAAATAGTGGCCGAGTATGAGAAGACCATCGCTCAGATGATAGAGGACGAACAGAGAGAGA
AGTCAGTCTCCCACAGACGGTGCAGCAGCTGGTTCTGGAGAAGGAGCAAGCCCTGGCCGACCTGAACTC
CGTGGAGAAGTCTCTGGCCGACCTTTCAGAAGATATGAGAAGATGAAGGAGTCTAGAAGGCTCCCGC
AAGAATGAAGAGGTGTTGAAGAGATGTGCGCAGGAGTACCTGTCCCGGTGAAGAAGGAGGAGCAGAGGT
ACCAGGCCCTGAAGGTGCACGCGGAGGAGAAAACGGACAGGGCCAATGCTGAGATTGCTCAGGTTGAGG
CAAGGCCAGCAGGAGCAAGCCGCCACCAGGCCAGCCTGCGGAAGGAGCAGCTGCGAGTGGACGCCCTG
GAAAGGACGCTGGAGCAGAAGAATAAAGAAATAGAAGAACTACCAAGATTTGTGACGAAGTATTGCCA
AAATGGGAAAAGCTAA
    
```

Restriction Sites: Sgfl-Mlul

ACCN:	NM_001291878
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001291878.1</u> , <u>NP_001278807.1</u>
RefSeq Size:	4036 bp
RefSeq ORF:	3027 bp
Locus ID:	10579
UniProt ID:	<u>O95359</u>
Cytogenetics:	10q26.13
Gene Summary:	<p>Transforming acidic coiled-coil proteins are a conserved family of centrosome- and microtubule-interacting proteins that are implicated in cancer. This gene encodes a protein that concentrates at centrosomes throughout the cell cycle. This gene lies within a chromosomal region associated with tumorigenesis. Expression of this gene is induced by erythropoietin and is thought to affect the progression of breast tumors. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (7) uses an alternate structure in the 5' UTR and 5' coding region and lacks an internal exon compared to variant 1. The encoded isoform (g) is shorter and has a distinct N-terminus compared to isoform a. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>