

Product datasheet for **SC337812**

KIAA0528 (C2CD5) (NM_001286176) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Tag:	Tag Free
Symbol:	KIAA0528
Synonyms:	CDP138; KIAA0528
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



Fully Sequenced ORF: >NCBI ORF sequence for NM_001286176, the custom clone sequence may differ by one or more nucleotides

```
ATGCCAGGGAAGCTGAAGGTGAAAAATCGTGGCCGGGCGCCATTTGCCAGTGATGGACCGTGCTAGTGACC
TGACTGATGCCTTCGTGGAGGTAAAAATTTGGTAATACCACTTTAAACAGATGTGTACCTTAAGTCACT
CAACCCTCAGTGGAACCTCGAGTGGTTAAATTTGAGGTGGATGATGAAGACTTACAAGATGAACCTTTA
CAGATCACAGTTCTTGACCATGATACTTACAGTGCAAAATGATGCCATTGGTAAAGTGTACATTGATATTG
ATCCTTTACTGTATAGTGAAGCTGCAACAGTCATCTCAGGATGGTTTCCAATTTATGACACCATACATGG
TATCCGTGGGAAATCAATGTAGTTGTCAAAGTAGACCTCTTCAATGATTTAAATCGATTTAGGCAGTCA
TCATGTGGAGTCAAATCTTTTGCACAACGTCTATTCCAAAATGCTATAGAGCTGTGATAATTTCATGGAT
TTGTAGAAGAACTTGTGGTCAATGAAGACCCAGAATATCAGTGGATTGATCGAATTCGCACACCAAGGGC
ATCAAATGAGGCCAGACAGAGACTCATTTCTGTTAATGTGAGGTGAGCTGCAGAGGAAGATTGGCTTGAAA
GTACTTGAAATGAGAGGAAATGCAGTTGTGGGTACTTACAGTGTTTCGATCTGGAGGGCGAGTCTGGGT
TAGTGGTGCAGCCATAGGAACGGCGTGTACTCTGGATAAATTAAGTAGCCAGCAGCATTCTTCTCTGC
ATGTAATTCCTCCATCCAAAGAAATGAAGGAGATTCCCTTCAATGAAGATCCCAATCCCAATACTCACTCA
TCAGGACCCTCAACCCCTCTGAAAAACCAAACCTTATTCCTTTTACCTTCCAAGTCTACAGTCGACAGT
CCTCTTCTTCTGACACAGATTTGAGTTTGACACCCAAAACCTGGAATGGGAAGTGGTAGTGCTGGAAGA
AGGGGGGCCCTTTAAAGCTCTTTTAAAGACAACAGACTCAATCAGCGTTGGAACAGAGGAATTTCCATTT
TTTACCTTGACGGCATTTCCTCTGGATTCTTGTACACGTTGGGGGTGAGTTAGTGCACGTTCTGTGA
AGCTTTTGGATCGTATCCACAATCCTGATGAACCAGAAAACCTCGAGATGCATGGTGGGCAGAAATCAGACA
AGAAATAAAATCACATGCTAAAGCATTAGGCTGTCTGCTGTAGTGGGTACAGTGAATCACTAGCATC
TGTGAAGAGGTCTGCATTTTATCTGCATCTGGCACAGCGGCTGTACTGAATCCTAGATTTCTGCAGGATG
GCACCGTGGAAGGCTGTTTGAACAGAGGCTTGAAGAAAATTTGCCTACACGTTGTGGATTTTGTATAT
ACCATATGATGAACTGAATATGCCATTTCCAGCTCATCTCACATATTGCTATAACTGCAGGAAACAAAA
GTTCTCTGATGTTCTGTTTACAACATAGACCTCCCAACAGATGCAACAGTTATTGGAAGGTTGTCTTA
TTCAAGCAAGGTTATGTCGTTAAAAAAGAAAGCACAGGCAGAAGCAAAATGCTACAGCTATCAGTAATCT
CTTGCCATTTATGGAATATGAAGTGATCTACTCAGCTAATGAATAAACTAAAGGAAATGAATGCT
TTGTTTGGACTAAGAATTCAGATCACAGTGGGTGAAAAATATGTTGATGGGCTTAGCGTCTGCCACAGGTG
TGATTTTAGCAGCTTTACCAACTCCTGGTGGTATTGAGATTGCTGGGAAGACTCCTAATGATGGCTCATA
TGAACAACACATCTCTCATATGCAGAAGAAGATAAATGACACAATTGCTAAAAACAAAGAGTTATATGAA
ATCAATCCTCCAGAGATATCTGAAGAGATTATAGGATCACCCATCCCAGAACCTAGGCAACGCTCAAGAC
TTCTAAGATCTCAATCAGAAAGCTCGGATGAAGTTACAGAATTAGACCTTTACATGGGAAAAAAGATGC
TTTTGTTTTGGAGATTGATGACACAGATGCCATGGAAGATGTCATTCTCTACTTACTGATGTTCTCTCT
CCTTCAGGCTTTTATAGTTGTAATACAGAAATTATGCCCGTATAAATAATTGGACCTCTGAAATACAGA
TGTTCACTTCAGTAAGAGTAATCAGATTAAGCAGCCTCAACCTGACTAATCAAGCTCTCAATAAGAACTT
TAATGATCTCTGTGAAAAATTTGCTCAAGAGCCTGTACTTTAACTACGATCTATGATCCCCTGCTGCCTT
TGCCATGTAAATTTTACAGTATCTCTGCCTGAAGATGAATTAATTCAGGTTACAGTCACGGCAGTCGCA
TCACTTTTGACAAAAATCAGGCTTTACAAACCACAAAAACCCCTGTTGAAAAGTCATTGCAAGAGCCTC
AACAGATAATGAAGAACTTTTACAATTTCCACTGGAAGTGTGTTTCAGATTCACTTCCTTCTCATCCTTTT
CCACCAGCTAAAGAACACCTGGAGAGTGCAAGTTCTAACTCAGGTATACCAGCTGCACAGAGAGCAACGT
CAGTTGATTACAGTTCCTTTGCAGACAGATGCAGCAGCTGGATAGAGCTCATTAAACTGAAAGCTCAGAC
CATAAGGCGTGGATCAATTAAGACAACCATGACAGTTGAAAAAGCAAGTCCAGTGGGTGATGGAATTTT
CGGAATCGTTCTGCTCCACCTTGTGCAAAATTCACAGTTGGGGTTGTTAAGATGACACCTCTTTCTTTTA
TTCTGGAGCAAAAAATACTAAGTATCTTGGGATAATTAACATGTTTTTTATTGAGAGAGTACTTCTCT
TCGGGAGGAAGGAGGAGTCAGTGGTTTTCTCCATGCTTTTATTGCTGAAGTGTGCAATGGTGAGAGCT
CATGTTGCTGCATTAGGAGGGAATGCTGTTGTCTCTACATAATGAAGCAGTGTGCTTCATGGAGAATC
CAAATAAAACCAGGCACAGTGTCTTATAAATGTAAGTGGTGATGCAAGTGGTTTTTGTTCGTGAATCTGA
CTTAGAAGTGGTGCATCTCAGCAACCTACTACCAACTGCCAGTCATCATGTACTGAAGCGAAGTTACA
ACCTGA
```

Restriction Sites: SgfI-MluI

ACCN: NM_001286176

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_001286176.1 , NP_001273105.1
RefSeq Size:	4626 bp
RefSeq ORF:	3156 bp
Locus ID:	9847
UniProt ID:	Q86YS7
Cytogenetics:	12p12.1
Gene Summary:	Required for insulin-stimulated glucose transport and glucose transporter SLC2A4/GLUT4 translocation from intracellular glucose storage vesicle (GSV) to the plasma membrane (PM) in adipocytes. Binds phospholipid membranes in a calcium-dependent manner and is necessary for the optimal membrane fusion between SLC2A4/GLUT4 GSV and the PM. [UniProtKB/Swiss-Prot Function] Transcript Variant: This variant (1) encodes isoform a. Variants 1 and 2 encode the same isoform (a).