

Product datasheet for **SC337814**

KIAA0528 (C2CD5) (NM_001286175) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	KIAA0528 (C2CD5) (NM_001286175) Human Untagged Clone
Tag:	Tag Free
Symbol:	C2CD5
Synonyms:	CDP138; KIAA0528
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001286175, the custom clone sequence may differ by one or more nucleotides

```
ATGCCAGGGAAGCTGAAGGTGAAAAATCGTGGCCGGCGCCATTTGCCAGTGATGGACCGTGCTAGTGACC
TGACTGATGCCTTCGTGGAGGTAATAATTTGGTAATACCACCTTTAAAACAGATGTGTACCTTAAGTCACT
CAACCCTCAGTGGAACTCGGAGTGGTTTTAAATTTGAGGTGGATGATGAAGACTTACAAGATGAACCTTTA
CAGATCACAGTTCTTGACCATGATACTTACAGTGCAAATGATGCCATTGGTAAAGGTACATTGATTG
ATCCTTTACTGTATAGTGAAGCTGCAACAGTCATCTCAGGATGGTTTCCAATTTATGACACCATACATGG
TATCCGTGGGAAATCAATGTAGTTGTCAAAGTAGACCTCTTCAATGATTTAAATCGATTTAGGCAGTCA
TCATGTGGAGTCAAATCTTTTGCACAACGTCTATTCCAAAATGCTATAGAGCTGTGATAATTCATGGAT
TTGTAGAAGAACTTGTGGTCAATGAAGACCCAGAATATCAGTGGATTGATCGAATTCGCACACCAAGGGC
ATCAAATGAGGCCAGACAGAGACTCATTTCGTTAATGTCAGGTGAGCTGCAGAGGAAGATTGGCTTGAAA
GTACTTGAATGAGAGGAAATGCAGTTGTGGGGTACTTACAGTGTTCGATCTGGAGGGCGAGTCTGGGT
TAGTGGTGGCAGCCATAGGAACGGCGTACTCTGGATAAATTAAGTAGCCAGCAGCATTCTCTCTCTGC
ATGTAATTCCTCATCAAAGAAATGAAGGAGTCTCCGCTGGTTTCACTCCAAGCCATGGATGCCGCTCG
ACTCACAACAGCCCAATTCACACTGCTACTGGCTCACGACTTACTCAGAATCTCTGTGTCTGTTCCCA
CTCTCATCTATACTGGAATGGGAAGTGGTAGTGTGGAAAAGAAGGGGGCCCTTTAAAGCTCTTTAAG
ACAACAGACTCAATCAGCGTTGGAACAGAGGGAATTTCCATTTTTTACCTTGACGGCATTTCCTCTGGA
TTCCTTGTACACGTTGGGGGTAGTGTAGTGCACGTTCTGTGAAGCTTTTGGATCGTATCCACAATCCTG
CCTTTGTCCGAATATGGGTAAACAAGATCTTACAACTGCTAGACTGGAATAGTTTCAATTCAGATGA
ACCAGAACTCGAGATGCATGGTGGCAGAAATCAGACAAGAAATAAAATCACATGCTAAGCATTAGGC
TGTCATCTGTAGTGGGCTACAGTGAATCAACTAGCATCTGTGAAGAGGTCTGCATTTTACTGCATCTG
GCACAGCGGCTGTACTGAATCCTAGATTTCTGCAGGATGGCACCCTGGAAGGCTGTTTGGAACAGAGGCT
TGAAGAAAATTTGCCTACACGTTGTGGATTTTGTATATACCATATGATGAACTGAATATGCCATTTCCA
GCTCATCTCACATATTGTATACTGCAGGAAACAAAAGTTCCTGATGTTCTGTTTACAACATAGACC
TCCCAACAGATGCAACAGTTATTGGAAAAGTGTCTTATTCAAGCAAGTTATGTCGTTAAAAAGAA
AGCACAGGCAGAAAGCAATGCTACAGCTATCAGTAATCTCTTCCATTTATGGAATGAAGTGCATACT
CAGCTAATGAATAAACTAAAACCAAAGGAATGAATGCTTTGTTTGGACTAAGAATTCAGATCACAGTGG
GTGAAAATATGTTGATGGGCTTAGCGTCTGCCACAGGTGTGATTTAGCAGCTTTACCAACTCCTGGTGG
TATTCAGATTGCTGGGAAGACTCCTAATGATGGCTCATATGAACAACACATCTCTCATATGCAGAAGAAG
ATAAATGACACAATTGCTAAAAACAAAGAGTTATATGAAATCAATCCTCCAGAGATATCTGAAGAGATTA
TAGGATCACCCATCCCAGAACCTAGGCAACGCTCAAGACTTCTAAGATCTCAATCAGAAAGCTCGGATGA
AGTTACAGAATTAGACCTTTACATGGGAAAAAGATGCTTTTGTGGAGATTGATGACACAGATGCC
ATGGAAGATGTCCATTCTACTACTGATGTTCTCCTCCTCAGGCTTTTATAGTTGTAATACAGAAA
TTATGCCCGGTATAAATAATTGGACCTCTGAAATACAGATGTTCACTTCAGTAAGAGTAATCAGATTAAG
CAGCCTCAACCTGACTAATCAAGCTCTCAATAAGAACTTAAATGATCTCTGTGAAAATTTGCTCAAGAGC
CTGTACTTTAACTACGATCTATGATCCCCTGCTGCCTTTGCCATGTAATTTTACAGTATCTCTGCCTG
AAGATGAATTAATTCAGTTACAGTACAGCAGTCGCAATCACTTTTGACAAAAATCAGGCTTTACAAAAC
CACAAAAACCCCTGTTGAAAAGTATTGCAAAGAGCCTCAACAGATAATGAAGAATTTTACAATTTCCA
CTGGAAGTGTGTTAGATTCACTTCCCTCTCATCCTTTTCCACCAGCTAAAGAACACCTGGAGAGTGCAA
GTTCTAACTCAGGTATACCAGCTGCACAGAGACAGATGCAGCAGCTGGATAGAGCTCATTAAACTGAA
AGCTCAGACCAATAAGGCGTGGATCAATTAAGACAACCATGACAGTTGAAAAAGCAAGTCCAGTGGGTGAT
GGAAAATTTCCGGAATCGTTCTGCTCCACCTTGTCAAAATCCACAGTTGGGGTGTAAAGATGACACCTC
TTTCTTTTATTCTGGAGCAAAAATAACTAAGTATCTTGGGATAATTAACATGTTTTTTATTTCGAGAGAC
TACTTCTCTTCGGGAGGAAGGAGGAGTCAAGTGGTTTTCTCCATGCTTTTATTGCTGAAGTGTGCAATG
GTGAGAGCTCATGTTGCTGCATTAGGAGGGAATGCTGTTGCTCCTACATAATGAAGCAGTGTGCTTCA
TGGAGAATCCAAATAAAAACCAGGCACAGTGTCTTATAAATGTAAGTGGTGTGATGCAGTGGTTTTTGTTCG
TGAATCTGACTTAGAAGTGGTGTATCTCAGCAACCTACTACCAACTGCCAGTCATCATGTACTGAAGGC
GAAGTTACAACCTGA
```

Restriction Sites:	Sgfl-Mlul
ACCN:	NM_001286175
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001286175.1 , NP_001273104.1
RefSeq Size:	4635 bp
RefSeq ORF:	3165 bp
Locus ID:	9847
UniProt ID:	Q86YS7
Cytogenetics:	12p12.1
Gene Summary:	<p>Required for insulin-stimulated glucose transport and glucose transporter SLC2A4/GLUT4 translocation from intracellular glucose storage vesicle (GSV) to the plasma membrane (PM) in adipocytes. Binds phospholipid membranes in a calcium-dependent manner and is necessary for the optimal membrane fusion between SLC2A4/GLUT4 GSV and the PM.[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (3) lacks an exon, contains two alternate exons, and uses an alternate splice site, but maintains the reading frame, compared to variant 1. The encoded isoform (b) is longer than isoform a.</p>