

Product datasheet for **SC337815**

PRKCBP1 (ZMYND8) (NM_001281771) Human Untagged Clone

Product data:

| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | PRKCBP1 (ZMYND8) (NM_001281771) Human Untagged Clone |
| Tag: | Tag Free |
| Symbol: | ZMYND8 |
| Synonyms: | PRKCBP1; PRO2893; RACK7 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |



[View online »](#)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001281771, the custom clone sequence may differ by one or more nucleotides

```
ATGCATCCACAGAGCTTGGCTGAAGAGGAAATAAAAACAGAACAGGAGGTGGTAGAGGGCATGGATATCT
CTACTCGTCCAAAGATCCTGGCTCTGCAGAGAGAACAGCCAGAAAAGAAAGTTCCCCAGCCCTCCACA
TTCTTCCAATGGCCACTCGCCGAGGACACATCAACAAGCCCCATTAAGAAAAGAAAAGAAACCTGGCTTA
CTGAACAGTAACAATAAGGAGCAGGATGGACGGAATGATTTCTACTGCTGGGTTTGTACCAGGGAAGGCC
AAGTCCTTTGCTGTGAGCTCTGTCCCGGGTTTATCACGCTAAGTGTCTGAGACTGACATCGGAACCAGA
GGGGGACTGGTTTTGTCCTGAATGTGAGAAAATTACAGTAGCAGAATGCATCGAGACCCAGAGTAAAGCC
ATGACAAATGCTCACCATTGAACAGTTATCCTACCTGCTCAAGTTTGCCATTAGAAAATGAAACAGCCAG
GGACAGATGCATTCCAGAAGCCCGTTCCATTGGAACAGCACCTGACTATGCGGAATACATCTTCCATCC
AATGGACCTTTGTACATTGAAAAGAATGCGAAAAGAAAATGTATGGCTGCACAGAAGCCTTCTGGCT
GATGCAAAGTGGATTTTGCACAACCTGCATCATTATAATGGGGGAAATCACAATGACGCAATAGCGA
AAGTAGTCATCAAAATCTGTGAACATGAGATGAATGAAATCGAAGTATGCCAGAATGTTATCTAGCTGC
TTGCCAAAACAGAGATAACTGGTTTTGTGAGCCTTGATAGCAATCCACATCCTTTGGTCTGGGCCAAACTG
AAGGGGTTTTCCATTCTGGCCTGCAAAAGCTCTAAGGGATAAAGACGGGCAGGTCGATGCCCGATTCTTTG
GACAACATGACAGGGCCTGGGTTCCAATAAATAATTGCTACCTCATGTCTAAAGAAATTCCTTTTTCTGT
GAAAAGACTAAGAGCATCTTCAACAGTGCCATGCAAGAGATGGAGGTTTACGTGGAGAATCCCGCAGG
AAGTTTGGGGTTTTTAATTACTCTCCATTTAGGACACCCTACACACCCACAGCCAGTATCAAAATGCTGC
TCGATCCCACCAACCCAGCGCCGACTGCCAAGATAGACAAGCAGGAGAAGGTCAAGTCAACTTTGA
CATGACGGCATCCCCAAGATCCTGATGAGCAAGCCTGTGCTGAGTGGGGCACAGGCCCGCCGATTTCC
TTGTGCGATATGCCGCGCTCCCCATGAGCACAACCTTCTGTGCACACGGGCTCCGAGTGGAGCAGG
ATGCTGAGAAGAAGGCCAGCTCGAGCCACTTCAGTGCGAGCGAGGAGTCCATGGACTTCTGGATAAGAG
CACAGTTCACCAGCCTCCACCAAGACGGGACAAGCAGGGAGTTTATCCGGCAGCCAAAAGCCCTCTCT
CCTCAACTGTCAGCTCCTATCACGACGAAAACGGACAAAACCTCCACCACCGGCAGCATCCTGAATCTTA
ACCTGGATCGAAGCAAAGCTGAGATGGATTTGAAGGAGCTGAGCGAGTCGGTCCAGCAACAGTCCACCCC
TGTTCTCTCATCTCTCCAAGCGCCAGATTCTGAGCAGGTTCCAGCTGAATCTTGACAAGACCATAGAG
AGTTGCAAAGCACAATTAGGCATAAATGAAATCTCGGAAGATGTCTATACGGCCGTAGAGCACAGCGATT
CGGAGGATTCTGAGAAGTCAGATAGTAGCAGATAGTGAGTATATCAGTGATGATGAGCAGAAGTCTAAGAA
CGAGCCAGAAGACACAGAGGACAAGAAGGTTGTCAGATGGACAAGAGCCATCTGCTGTTAAAAAAAAG
CCCAAGCCTACAACCCAGTGGAGATTAAGAGGAGCTGAAAAGCACGTACCAGCCAGCGAGAAGGCAG
ACCTGGAGCAGTCAAGGACAAGGCCAGCCCTGAGCCTGAGAAGGACTTTTCCGAAAAGGCAAAACCTTC
ACCTCACCCATAAAGGATAAATGAAGGGAAAAGATGAGACGGATTCCCAACAGTCCATTTGGGCCTG
GACTCTGATTCAGAGAGCGAAGTGTATAGATTTAGGAGAAGACCATTCTGGGCGGAGGGTCCGAAAAA
ATAAGAAGGAACCCAAAGAACCATCTCCCAACAGGATGCTGTCCAGCAGAAGGAGATCACACAGAGCCC
ATCCACGTCCACCATCACCTGGTGACCAGCACACAGTCATCGCCCTGGTCCACAGCTCGGGGTCCATG
AGCACCTTGTGTCCTCAGTCAACGCTGACCTGCCATCGCCACTGCCTCAGCTGATGTCGCCGCTGATA
TTGCCAAGTACACTAGCAAAAATGATGGATGCAATAAAAGGAACAATGACAGAAAATATAACAACGATCTTTT
TAAAAACACTACTGGAAGCACAATAGCTGAGATTCGCAGGCTGAGGATCGAGATAGAGAAGCTCCAGTGG
CTGCACCAGCAAGAGCTCTCCGAAATGAAACACAACCTTAGAGCTGACCATGGCGGAGATGCGGCAGAGCC
TGGAGCAGGAGCGGGACCGGCTCATCGCCGAGGTGAAGAAGCAGCTGGAGTTGGAGAAGCAGCAGCGGT
GGATGAGACCAAGAAGAAGCAGTGGTGCGCCAAGTGAAGAAGGAGGCCATCTTTTACTGCTGTTGGAAC
ACCAGCTACTGTGACTACCCCTGCCAGCAAGCCCACTGGCCTGAGCAGTGAAGTCTGCACCCAGTCAG
CTACTGCTCCTCAGCAGGAAGCGGATGCTGAGGTGAACACAGAAACACTAAATAAGTCTCCAGGGGAG
CTCCTCGAGCACACAATCAGCACCTTCAGAAACGGCCAGCGCCTCAAAGAGAAGGAGACGTGAGCTGAG
AAAAGCAAGGAGAGTGGCTCGACCTTGACCTTTCTGGCTCCAGAGAGACGCCCTCTCCATTCTCTTAG
GCTCCAACCAAGGCTCTGACCATTCCCGGAGTAATAAATCCAGTTGGAGCAGCAGTATGAGAAGAGGGG
ATCGACACGTTCCGATCACAACACCAGTACCAGCACGAAGAGCCTCCTCCGAAAGAGTCTCGGCTGGAC
ACCTTCTGGGACTAG
```

| | |
|-------------------------------|---|
| Restriction Sites: | Sgfl-Mlul |
| ACCN: | NM_001281771 |
| OTI Disclaimer: | Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP). |
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method: | <ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | <u>NM_001281771.2</u> , <u>NP_001268700.1</u> |
| RefSeq Size: | 4931 bp |
| RefSeq ORF: | 3165 bp |
| Locus ID: | 23613 |
| UniProt ID: | <u>Q9ULU4</u> |
| Cytogenetics: | 20q13.12 |
| Protein Families: | Druggable Genome, Transcription Factors |
| Gene Summary: | <p>The protein encoded by this gene is a receptor for activated C-kinase (RACK) protein. The encoded protein has been shown to bind in vitro to activated protein kinase C beta I. In addition, this protein is a cutaneous T-cell lymphoma-associated antigen. Finally, the protein contains a bromodomain and two zinc fingers, and is thought to be a transcriptional regulator. Multiple transcript variants encoding several different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (5) has multiple differences in the coding region but maintains the reading frame, compared to variant 1. The encoded isoform (e) is shorter, compared to isoform a.</p> |