

Product datasheet for **SC337835**

CACNA2D2 (NM_001291101) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CACNA2D2 (NM_001291101) Human Untagged Clone
Tag:	Tag Free
Symbol:	CACNA2D2
Synonyms:	CACNA2D; CASVDD
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_001291101, the custom clone sequence may differ by one or more nucleotides

```
ATGCAGCACTGGGCCCGGCGTCTGGAGCAGGAGGTCGACGGCGTGATGCGGATTTTTGGAGGCGTCCAGC
AGCTCCGTGAGATTTACAAGGACAACCGGAACCTGTTTCGAGGTACAGGAGAATGAGCCTCAGAAGTTGGT
GGAGAAGTGGCAGGGGACATTGAGAGCCTTCTGGACAGGAAGGTGCAGGCCCTGAAGAGACTGGCTGAT
GCTGCAGAGAACTCCAGAAAGCACACCGCTGGCAGGACAACATCAAGGAGGAAGACATCGTGTACTATG
ACGCCAAGGCTGACGCTGAGCTGGACGACCCTGAGAGTGAGGATGTGGAAAGGGGGTCTAAGGCCAGCAC
CCTAAGGCTGGACTTCATCGAGGACCCAACTTCAAGAACAAGGTCAACTATTCATACGCGGCTGTACAG
ATCCCTACGGACATCTACAAAGGCTCCACTGTCATCCTCAATGAGCTCAACTGGACAGAGGCCCTGGAGA
ATGTGTTTCATGGAAAACCGCAGACAAGACCCACACTGCTGTGGCAGGTCTTCGGCAGCGCCACAGGAGT
CACTCGCTACTACCCGGCCACCCCGTGGCGAGCCCCAAGAAGATCGACCTGTACGATGTCCGAAGGAGA
CCCTGGTATATCCAGGGGGCCTCGTCACCCAAAGACATGGTCATCATCGTGGATGTGAGTGGCAGTGTGA
GCGGCCTGACCCTGAAGCTGATGAAGACATCTGTCTGCGAGATGCTGGACACGCTGTCTGATGATGACTA
TGTGAATGTGGCCTCGTTCAACGAGAAGGCACAGCCTGTGTATGCTTCACACACCTGGTGCAGGCCAAT
GTGCGCAACAAGAAGGTGTTCAAGGAAGCTGTGCAGGGCATGGTGGCCAAGGGCACCACAGGCTACAAGG
CCGGCTTTGAGTATGCCTTTGACCAGCTGCAGAACTCCAACATCACTCGGGCAACTGCAACAAGATGAT
CATGATGTTACAGGATGGTGGTGGAGGACCGCGTGCAGGACGCTTTTGAGAAGTACAATTTGGCCAAACCGG
ACGGTGGCGGTGTTTACTTTCTCCGTGGGGCAGCATAAATATGACGTACACCCGCTGCAGTGGATGGCCT
GTGCCAACAAAGGCTACTATTTTGGAGATCCCTTCCATCGGAGCCATCCGATCAACACACAGGAATATCT
AGATGTGTTGGGCAGGCCATGGTGTGGCAGGCAAGGAGGCCAAGCAGGTGCAGTGGACCAACGTGTAT
GAGGATGCACTGGGACTGGGGTTGGTGGTAACAGGGACCCTCCCTGTTTTCAACCTGACACAGGATGGCC
CTGGGGAAAAGAAGAACCAGCTGATCCTGGCGTGATGGGCATTGACGTGGCTCTGAATGACATCAAGAG
GCTGACCCCAACTACACGCTTGGAGCCAACGGCTATGTGTTTGCATTGACCTGAACGGCTACGTGTTG
CTGCACCCCAATCTCAAGCCCCAGACCACCAACTCCGGGAGCCTGTGACTCTGGACTTCTGGATGCGG
AGCTAGAGGATGAGAACAAGGAAGAGATCCGTGGAGCATGATTGATGGCAACAAGGGCCACAAGCAGAT
```



[View online »](#)

```
CAGAACGTTGGTCAAGTCCCTGGATGAGAGGTACATAGATGAGGTGACACGGAACACACCTGGGTGCCT
ATAAGGAGCACTAACTACAGCCTGGGGCTGGTGCCTCCACCTACAGCACCTTCTACCTCCAAGCCAATC
TCAGTGACCAGATCCTGCAGGTCAAGTATTTTGGAGTTCCTGCTCCCCAGCAGCTTTGAGTCTGAAGGACA
CGTTTTTCATTGCTCCAGAGAGTACTGCAAGGACCTGAATGCCTCAGACAACAACACCGAGTTCCTGAAA
AACTTTATTGAGCTCATGGAGAAAGTGAAGTCCAGACTCCAAGCAGTGCAACAACCTCCTTCTGCACAACC
TGATCTTGGACACGGGCATCACGCAGCAGCTGGTAGAGCGTGTGTGGAGGGACCAGGATCTCAACACGTA
CAGCCTACTGGCCGTGTTTCGCTGCCACAGACGGTGGCATCACCCGAGTCTTCCCAACAAGGCAGCTGAG
GACTGGACAGAGAACCCTGAGCCCTTCAATGCCAGCTTCTACCGCCGACGCTGGATAAACCACGGTTATG
TCTTCAAGCCCCACACCAGGATGCCCTGTAAAGGCCGCTGGAGCTGGAGAATGACACTGTGGGCATCCT
CGTCAGCACAGCTGTGGAGCTCAGCCTAGGCAGGCGCACACTGAGGCCAGCAGTGGTGGCGTCAAGCTG
GACCTAGAGGCTTGGGCTGAGAAGTTCAAGGTGCTAGCCAGCAACCGTACCCACCAAGACCAGCCTCAGA
AGTGCGGCCCAACAGCCACTGTGAGATGGACTGCGAGGTTAACAATGAGGACTTACTCTGTGTCCTCAT
TGATGATGGAGGATTCCTGGTGTGTCAAACCAGAACCATCAGTGGGACCAGTGGGCAGGTTCTTCAGT
GAGGTGGATGCCAACCTGATGCTGGCACTCTACAATAACTCCTTCTACACCCGCAAGGAGTCTATGACT
ATCAGGCAGCCTGTGCCCTCAGCCCCCTGGCAACCTGGGTGCTGCACCCCGGGGTGCTTTGTGCCAC
CGTTGCAGATTTCTTAACTGGCCTGGTGGACCTCTGCTGCCGCTGGTCCCTGTTCCAGCAGCTTCTC
TACGGCCTCATCTACCACAGCTGGTTCCAAGCAGACCCCGCGGAGGCCGAGGGGAGCCCCGAGACGCGCG
AGAGCAGCTGCGTCATGAAACAGACCCAGTACTACTTCGGCTCGGTAAACGCCTCTACAACGCCATCAT
CGACTGCGGAAACTGCTCCAGGCTGTTCCACGCGCAGAGACTGACCAACACCAATCTTCTCTTTGTGGT
GCCGAGAAGCCGCTGTGCAGCCAGTGCAGGCTGGCCGGCTGCTGCAGAAGGAGACGCACTGCCAGCGG
ACGGCCCCGAGCAGTGTGAGCTAGTGCAGAGACCGGATACCGGAGAGGCCCGCACATCTGCTTCGACTA
CAACGCGACAGAAGATACCTCAGACTGTGGCCGCGGGCCCTCCTCCCGCGTGCCTGGGCGTCTGGTC
TCCCTGCAACTGCTCCTCCTGGGCCGCGCCCGCGCAGCCTCAAGTCTCGTCCACGCCTCTC
GCCGCTCTGA
```

Restriction Sites: SgfI-MluI

ACCN: NM_001291101

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001291101.1](#), [NP_001278030.1](#)

RefSeq Size: 5461 bp

RefSeq ORF: 3231 bp

Locus ID: 9254

UniProt ID:	Q9NY47
Cytogenetics:	3p21.31
Protein Families:	Druggable Genome, Ion Channels: Other
Protein Pathways:	Arrhythmogenic right ventricular cardiomyopathy (ARVC), Cardiac muscle contraction, Dilated cardiomyopathy, Hypertrophic cardiomyopathy (HCM), MAPK signaling pathway
Gene Summary:	<p>Calcium channels mediate the entry of calcium ions into the cell upon membrane polarization. This gene encodes the alpha-2/delta subunit of the voltage-dependent calcium channel complex. The complex consists of the main channel-forming subunit alpha-1, and auxiliary subunits alpha-2/delta, beta, and gamma. The auxiliary subunits function in the assembly and membrane localization of the complex, and modulate calcium currents and channel activation/inactivation kinetics. The subunit encoded by this gene undergoes post-translational cleavage to yield the extracellular alpha2 peptide and a membrane-anchored delta polypeptide. This subunit is a receptor for the antiepileptic drug, gabapentin. Mutations in this gene are associated with early infantile epileptic encephalopathy. Single nucleotide polymorphisms in this gene are correlated with increased sensitivity to opioid drugs. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Mar 2014]</p> <p>Transcript Variant: This variant (4) has a different 5' structure, lacks an in-frame exon in the central coding region and uses an alternate in-frame splice site in the 3' coding region, resulting in the use of a downstream start codon compared to variant 3. The encoded isoform (d) has a shorter N-terminus compared to isoform c. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>