

Product datasheet for **SC337885**

UPF1 (NM_001297549) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	UPF1 (NM_001297549) Human Untagged Clone
Tag:	Tag Free
Symbol:	UPF1
Synonyms:	HUPF1; NORF1; pNORF1; RENT1; smg-2; UTF
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_001297549, the custom clone sequence may differ by one or more nucleotides

```
ATGAGCGTGGAGGCGTACGGGCCAGCTCGCAGACTCTCACTTTCCTGGACACGGAGGAGCCGAGCTGC
TTGGCGCCGACACACAGGGCTCCGAGTTCGAGTTCACCGACTTTACTCTTCTAGCCAGACGCAGACGCC
CCCCGGCGGCCCGGGCGGCCGGCGGTGGCGCGCGGGAGGCCCGGGCGCGGGCGCGGGCGCTGCG
GCGGGACAGCTCGACGCGCAGGTTGGGCCCAAGGCATCCTGCAGAACGGGGCTGTGGACGACAGTGTAG
CCAAGACCAGCCAGTTGTTGGCTGAGTTGAACTTCGAGGAAGATGAAGAAGACACCTATTACACGAAGGA
CCTCCCCATACGCCTGCAGTTACTGTGGAATACACGATCCTGCCTGCGTGGTTTACTGTAATACCAGC
AAGAAGTGGTTCTGCAACGGACGTGAAATACTTCTGGCAGCCACATTGTAATCACCTTGTGAGGGCAA
AATGCAAAGAGGTGACCCTGCACAAGGACGGGCCCTGGGGGAGACAGTCTGGAGTGCTACAACCTGCGG
CTGTCGCAACGTCTTCTCCTCGGCTTCACTCCCGCCAAAGCTGACTCAGTGGTGGTGTCTGTGTCAGG
CAGCCCTGTGCCAGCCAGAGCAGCCTCAAGGACATCAACTGGGACAGCTCGCAGTGGCAGCCGCTGATCC
AGGACCGTGTCTTCTGTCTGGCTGGTCAAGATCCCCTCCGAGCAGGAGCAGCTGCGGGCAGCCAGAT
CACGGCACAGCAGATCAACAAGCTGGAGGAGCTGTGGAAGGAAAACCTTCTGCCACGCTGGAGGACCTG
GAGAAGCCGGGGTGGACGAGGAGCCGACGATGTCTCCTGCGGTACGAGGACGCTACCAGTACCAGA
ACATATTCGGGCCCTGGTCAAGCTGGAGGCCACTACGACAAGAAGTGAAGGAGTCCCAGACTCAAGA
TAACATCACTGTCAGGTGGGACCTGGGCCCTTAAACAAGAAGAATCGCCTACTTCACTTTGCCAAGACT
GACTCTGGTAATGAGGATTTAGTCATAATTTGGTTAAGAGACATGCGGCTCATGCAGGGGATGAGATAT
GCCTGCGGTACAAAGGGGACCTTGCGCCCTGTGAAAAGGGATCGGCCACGTCATCAAGTCCCTGATAA
TTATGGCGATGAGATCGCCATTGAGCTGCGGAGCAGCGTGGTGCACCTGTGGAGGTGACTCACAACCTC
CAGGTGGATTTTGTGGAAGTCGACCTCCTTTGACAGGATGCAGAGCGCATTGAAAACGTTTGCCGTGG
ATGAGACCTCGGTGTCTGGCTACATCTACCACAAGCTGTTGGGCCAGGAGTGGAGGACGTAATCATCAA
GTGCCAGCTGCCAAGCGCTTACGGCGCAGGGCCTCCCCGACCTCAACCACTCCAGGTTTATGCCGTG
AAGACTGTGCTGCAAAGACCACTGAGCCTGATCCAGGGCCCGCCAGGCACGGGAAGACGGTACGTCGG
CCACCATCGTCTACCACCTGGCCCGCAAGGCAACGGGCCGGTGTGGTGTGTCTCCGAGCAACATCGC
```



```

CGTGGACCAGCTAACGGAGAAGATCCACCAGACGGGGCTAAAGGTCGTGCGCCTCTGCGCCAAGAGCCGT
GAGGCCATCGACTCCCCGGTGTCTTTTCTGGCCCTGCACAACCAGATCAGGAACATGGACAGCATGCCTG
AGCTGCAGAAGCTGCAGCAGCTGAAAGACGAGACTGGGGAGCTGTGCTGCTGCCGACGAGAAGCGGTACCG
GGCCTTGAAGCGCACCGCAGAGAGAGCTGCTGATGAACGCAGATGTCATCTGCTGCACATGTGTGGGC
GCCGGTGACCCGAGGCTGGCCAAGATGCAGTCCGCTCCATTTAATCGACGAAAGCACCCAGGCCACCG
AGCCGGAGTGCATGGTCCCGTGGTCCCTCGGGGCAAGCAGCTGATCCTTGTAGGCGACCACTGCCAGCT
GGGCCCATCGGTCATCCGCTGCAGGTCCAGTACCGGATGCACCTGCACCTCAGCGCCTCCCAT
CCAACATCTTCTACGAGGGCTCCCTCCAGAATGGTGTCACTGCAGCGGATCGTGTGAAGAAGGGATTGA
CTTCCAGTGGCCCCAACCCGATAAACCGATGTTCTTCTACGTGACCCAGGGCCAAGAGGAGATTGCCAGC
TCGGGCACCTCTACCTGAACAGGACCGAGGCTGCGAACGTGGAGAAGATCACCACGAAGTTGCTGAAGG
CAGGGCCAAAGCCGACCAAGATTGGCATCATCACGCCCTACGAGGGCCAGCGCTCTACCTGGTGCAGTA
CATGCAGTTCAGCGGCTCCCTGCACACCAAGCTCTACCAGGAGGTGGAGATCGCCAGTGTGGACGCCTTT
CAGGGACGCGAGAAGGACTTCATCATCCTGTCTGTGTGCGGGCCAACGAGCACCAAGGCATTGGCTTTT
TAAATGACCCAGCGCTGAACGTGGCCCTGACCAGAGCAAGGTATGGCGTCATCATTGTGGGCAACCC
GAAGGCACTATCAAAGCAGCCGCTCTGGAACCACTGCTGAACTACTATAAGGAGCAGAAGGTGCTGGTG
GAGGGGCCGCTCAACAACCTGCGTGAGAGCCTCATGCAGTTCAGCAAGCCACGGAAGCTGGTCAACACTA
TCAACCCGGGAGCCCGCTTCATGACCACAGCCATGTATGATGCCCGGGAGGCCATCATCCAGGCTCCGT
CTATGATCGGAGCAGCCAGGGCCGGCCTTCAGCATGTACTTCCAGACCCATGACCAGATTGGCATGATC
AGTGCCGGCCCTAGCCACGTGGCTGCCATGAACATTCCATCCCTTCAACCTGGTATGCCACCCATGC
CACCGCCTGGCTATTTGGACAAGCCAACGGCCCTGCTGCAGGGCGAGGCCACCCGAAAGGCAAGACTGG
TCGTGGGGGACGCCAGAAGAACCCTTTGGCTTCCTGGACCCAGCCAGACTAACCTCCCCAACAGCCAA
GCCAGCCAGGATGTGGCTCACAGCCCTTCTCTCAGGGCGCCCTGACGCAGGGCTACATCTCCATGAGCC
AGCCTTCCAGATGAGCCAGCCCGCCTCTCCAGCCGGAGCTGTCCAGGACAGTTACCTTGGTGACGA
GTTTAAATCACAATCGACGTGGCGCTCTCACAGGACTCCACGTACCAGGGAGAGCGGGCTTACCAGCAT
GGCGGGGTGACGGGGCTGTCCAGTATTAA
    
```

Restriction Sites:

SgfI-MluI

ACCN:

NM_001297549

OTI Disclaimer:

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq:
[NM_001297549.1](#), [NP_001284478.1](#)
RefSeq Size:

5395 bp

RefSeq ORF:

3390 bp

Locus ID: 5976

UniProt ID: [Q92900](#)

Cytogenetics: 19p13.11

Protein Families: Druggable Genome

Gene Summary: This gene encodes a protein that is part of a post-splicing multiprotein complex involved in both mRNA nuclear export and mRNA surveillance. mRNA surveillance detects exported mRNAs with truncated open reading frames and initiates nonsense-mediated mRNA decay (NMD). When translation ends upstream from the last exon-exon junction, this triggers NMD to degrade mRNAs containing premature stop codons. This protein is located only in the cytoplasm. When translation ends, it interacts with the protein that is a functional homolog of yeast Upf2p to trigger mRNA decapping. Use of multiple polyadenylation sites has been noted for this gene. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2014]
Transcript Variant: This variant (1) represents the longer transcript and encodes the longer isoform (1).