

Product datasheet for **SC337889**

delta 2 Catenin (CTNND2) (NM_001288715) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	delta 2 Catenin (CTNND2) (NM_001288715) Human Untagged Clone
Tag:	Tag Free
Symbol:	delta 2 Catenin
Synonyms:	GT24; NPRAP
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_001288715, the custom clone sequence may differ by one or more nucleotides

```

ATGAGCAGCATGAGTTCAGCAGAAGAGCAGTTTCAGTGGCAGTCACAAGATGGTCAAAAAGATATCGAAG
ATGAGCTTACAACAGGTCTCGAGCTGGTGGACTCCTGTATTAGGTCACTACAGGAATCAGGAATACTTGA
CCCACAGGATTATTCTACAGGTGAAAGGCCAGCCTGCTCTCCAGAGTGCACCTCAGCTCAATTCCAAA
CCTGAAGGTCTTCCAGTATCCGGCCAGCTACCATAGCAACCAGACCCTGGCCCTGGGGAAACCACCC
CTTACAGCTCCCGCCCGAGGCACACAAGCCGAGCTACGGCCAGAGCTTACGCCAGGGCAGCACCAG
CCGCGCCGGCCACCTGGCGGGCCCGAGCCCGCCGCGCCGCGCCGCGCCGCGCGGGAGCCGTTCCGG
CCCAGCCTGGGCAGCGCCTTCCACCTGCCGACGCGCCGCGCCGCGCCGCGCCGCGCGCTCTACTACT
CCAGCTCCACGCTGCCCGCGCCGCGCGCGGGGCTCCCCGCTGGCCGCGCCCAAGGGCGGTTCCGCCAC
CAAGCTGCAGCGCGCGGCTCGGCCCCCGAGGGCGCCACCTACGCCGCGCCGCGCGGCTCCTCGCCAAAG
CAGTCGCCAGCCGCCTGGCCAAGTCTACAGCACCAGCTCGCCCATCAACATCGTCGTGTCTCGGCCG
GCCTGTCCCGATCCGCGTGACCTCGCCCCCACCCTGTCAGTCCACCATCTCCTCCTCGCCCATCCACCA
GCTGAGCTCCACCATCGGCACGTACGCCACCCTGTGCCCCAACAGCGCCTGGTCCACGCGTCCGAGCAG
TACAGCAAGCACTCGCAGGAGCTGTATGCCACGGCCACCCTCCAGAGCCGGGCAGCCTGGCAGCTGGTT
CCCGAGCCTCATAAGCAGCCAGCATGGCACCTGGGCCAGAGTTGCGGGCCCTGCAGTCCCAGAAACA
CCACATAGATCCCATCTATGAAGACCGCTCTATCAGAAGCCCTATGAGGAGTCTCAGCCAGAGCCAG
GGGACCCTCTGCGCCAGCACACACCCGACCTACCGCAGGACAGCCCATCTTCCCTGGTGTGCG
ACTCCGTCCTTGCAGCGCACAGGCAGCCAGCACGGCCACAGAATGCCGCGCGGCCACCTTCCAGAG
GGCCAGCTATGCCGCGGCCAGCCTCCAATTACGCGGACCCCTACCGACAGCTGCAGTATTGTCCCTCT
GTTGAGTCTCCATACAGCAAATCCGGCCCTGCTCTCCGCTGAAGGCACCTTGGCCAGTCCCCGTCCA
TTGATAGCATTAGAAAGATCCCAGAGAATTTGGATGGAGAGACCCGGAAGTCCGGAAGTGATTGAGT
GTTGCAGCACCAGTTTCCCTCGGTCCAGTCTAACGCGGCAGCCTACTTGAACACCTCTGTTTTGGAGAC
AACAAAATTAAGCCGAGATAAGGAGACAAGGAGCATCCAGCTCCTGGTGGACCTGTTGGATCATCGGA
TGACCGAAGTCCACCGTAGTGCCTGTGGAGCTCTGAGAAACCTGGTGTATGGGAAGGCCAACGATGATAA

```



[View online »](#)

CAAAATTGCCCTGAAAACTGTGGTGGCATCCCAGCACTGGTGAGGTTACTCCGCAAGACGACTGACCTG
 GAGATCCGGGAGCTGGTCACAGGAGTCCTTTGGAACCTCTCCTCATGCGATGCACTCAAAATGCCAATCA
 TCCAGGATGCCCTAGCAGTACTGACCAACGCGGTGATTATCCCCCACTCAGGCTGGGAAAAATTCGCCTCT
 TCAGGATGATCGGAAAAACAGCTGCATTATCACAGGTGCTGCGTAACGCCACCGGGTGCCTAAGGAAT
 GTTAGTTCGGCCGAGAGAGGCCCGCAGAAGGATGAGAGAGTGTGATGGGCTTACGGATGCCTTGCTGT
 ACGTGATCCAGTCTGCGCTGGGAGCAGTGAGATCGATAGCAAGACCGTTGAAAACTGTGTGTGCATTTT
 AAGGAACCTCTCGTACCGGCTGGCGGCAGAAACGTCTCAGGGACAGCACATGGGCACGGACGAGCTGGAC
 GGGCTACTCTGTGGCGAGGCCAATGGCAAGGATGCTGAGAGCTTGGGTGCTGGGCAAGAAGAAGAAGA
 AAAAGAAATCCCAAGATCAGTGGGATGGAGTAGGACCTCTCCAGACTGTGCTGAACCACCAAAAAGGGAT
 CCAGATGCTGTGGCACCCATCAATAGTCAAACCTACCTCACACTGCTCTGAGTGCTCAAATCCAGAC
 ACGCTGGAAGGGGCGGCAGGCGCCCTGCAGAACTTGGCTGCAGGGAGCTGGAAGTGGTCAGTATATATCC
 GAGCCGCTGTCCGAAAAGAGAAAGGCCTGCCATCCTCGTGGAGCTGCTCCGAATAGACAATGACCGTGT
 GGTGTGCGCGGTGGCCACTGCGCTGCGGAACATGGCCTGGACGTCAGAAATAAGGAGCTCATCGGCAA
 TACGCCATGCGAGACCTAGTCCACAGGCTTCCAGGAGGGAACAACAGCAACAACACTGCAAGCAAGGCCA
 TGTCGGATGACACAGTGACAGCTGTCTGTGCACACTGCACGAAGTGATTACCAAGAATCGGAGAACGC
 CAAGGCCTTACGGGATGCCGGTGGCATCGAGAAGTTGGTCGGCATCTCCAAAAGCAAGGAGATAAACAC
 TCTCCAAAAGTGGTCAAGGCTGCATCTCAGGTCCTCAACAGCATGTGGCAGTACCGAGATCTGAGGAGTC
 TCTACAAAAGGATGGATGGTCACAATACCACTTTGTAGCCTCGTCTTCAACATCGAGAGGGACCGGCA
 AAGGCCCTACTCCTCCTCCCGCACGCCCTCCATCTCCCTGTGCGCGTGTCTCCCAACAACCGCTCAGCA
 AGTGCCCCAGCTTACCTCGGAAATGATCAGCCTCAAAGAAAGGAAAACAGACTACGAGTGCACCGGCA
 GCAACGCCACCTACCACGGAGCTAAAGGCGAACACACTCCAGGAAAGATGCCATGACAGCTCAAACAC
 TGGAAATTTCACTTTGTATAGGAATCTTATGGTGCGCCCGCTGAAGACATCAAACACAACCCAGGTTTCA
 GCACAGCCAGTCCACAGGAGCCAGCAGAAAAGATTACGAGACCTACCAGCCATTTTCAGAAATTCACAA
 GAAATTACGATGAGTCTTCTTCGAGGACCAGGTCACCATCGCCCTCCCGCCAGCGAGTACACCATGCA
 CCTGGGTCTCAAGTCCACCGGCAACTACGTTGACTTCTACTCAGCTGCCCGTCCCTACAGTGAAGTGAAC
 TATGAAACGAGCCACTACCCGGCCTCCCGGACTCCTGGGTGA

Restriction Sites:

Sgfl-RsrII

ACCN:

NM_001288715

OTI Disclaimer:

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq:
NM_001288715.1, NP_001275644.1
RefSeq Size:

5289 bp

RefSeq ORF:

3405 bp

Locus ID: 1501

UniProt ID: [Q9UQB3](#)

Cytogenetics: 5p15.2

Protein Families: Druggable Genome

Gene Summary: This gene encodes an adhesive junction associated protein of the armadillo/beta-catenin superfamily and is implicated in brain and eye development and cancer formation. The protein encoded by this gene promotes the disruption of E-cadherin based adherens junction to favor cell spreading upon stimulation by hepatocyte growth factor. This gene is overexpressed in prostate adenocarcinomas and is associated with decreased expression of tumor suppressor E-cadherin in this tissue. This gene resides in a region of the short arm of chromosome 5 that is deleted in Cri du Chat syndrome. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Dec 2013]
Transcript Variant: This variant (2) differs in the 5' UTR and coding region, uses a downstream start codon, compared to variant 1. The resulting protein (isoform 2) has a shorter and distinct N-terminus compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.